State of Ohio Environmental Protection Agency

Mahoning County **RE: Final Permit to Install**

Street ddress:
1800 \ 49
Colum 16-1049

Application No: **02-3146**

DATE: **August 4, 1999**

Yerke Compressor Station
Jerry W. Gray
P. O. Box 2347
Charleston, West Virginia 25328

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, buy it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
Ohio EPA Northeast District Office

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Application Number: 02-3146

Pe
T

APS Premise Number: 0250000986

Permit Fee: **$100**

Name of Facility: Yerke Compressor Station

Person to Contact: Jerry W. Gray

Address: P.O. Box 2347
Charleston, West Virginia 25328

Location of proposed air contaminant source(s) [emissions unit(s)]:
9729 Gladstone Road
North Jackson, Ohio 44451

Description of proposed emissions unit(s):
WAUKESHA VRG 330, 74HP, 0.577MMBTU/HR, NATURAL GAS-FIRED, 4 CYCLE/RICH BURN, PORTABLE, ENGINE/PIPELINE COMPRESSOR UNIT.

Date of Issuance: August 4, 1999

Effective Date: August 4, 1999

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

_____

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons Per Year
NO_X	7.14
CO	6.14
TOC	0.86
Particulates	0.78
SO_2	1.26

Facility ID: 0250000986

Emissions Unit ID: **B001**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
Waukesha VRG 330, 74 HP/0.577 mmBtu per hour, natural gas-fired, 4 cycle/rich burn, portable engine/pipeline compressor (B001)	OAC rule 3745-31-05	NOx emissions from this emissions unit shall not exceed 1.63 lbs/hr and 7.14 TPY. CO emissions from this emissions unit shall not exceed 1.40 lbs/hr and 6.14 TPY. TOC emissions from this emissions unit shall not exceed 0.20 lb/hr and 0.86 TPY. Particulate emissions from this emissions unit shall not exceed 0.18 lb/hr and 0.78 TPY.
	OAC rule 3745-17-11(B)(5)(a)	Particulate emissions from this emissions unit shall not exceed 0.31 lb/mmBtu of actual heat input.
	OAC rule 3745-18-06(F)	SO2 emissions from this emission unit shall not exceed 0.50 lb/mmBtu of actual heat input.
	OAC rule 3745-17-07	Visible particulate emissions from this emissions unit shall not

Emissions Unit ID: **B001**

exceed twenty (20) percent opacity as a six-minute average more than once per any sixty-minute period.

2. Additional Terms and Conditions

2.a None

B. Operational Restrictions

1. The permittee shall use only natural gas as a fuel in the emissions units covered by this permit.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain, on a monthly and annual basis, a record of the hours of operation of the emissions unit covered by this permit.

2. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

E. Testing Requirements

1. Compliance with the emission limitations detailed in the above terms and conditions shall be determined in accordance with the following methods:

   a. Emissions Limitation: NOx emissions from this emissions unit shall not exceed 1.63 lbs/hr and 7.14 TPY.

   Applicable Compliance Method: Compliance shall be based on the use of AP-42 emissions factors, 5th Edition, Compilation of Air Pollution Emission Factors, Section 3.2, Table 3.2-1, the maximum rated output capacity of this emissions unit (horsepower rating), and the hours of operation as recorded above. If required pursuant to OAC 3745-15-04, the permittee shall demonstrate compliance with the NO_x emissions limits of this permit by means of physical testing of the effluent from this emissions unit in accordance with testing procedures listed in 40 CFR Part 60, "Standards of Performance for New Stationary Sources", Appendix A, Method 7 or 7E.

b. Emissions Limitation: Carbon monoxide emissions from this emissions units shall not exceed 1.40 lbs/hr and 6.14 TPY.

Applicable Compliance Method: Compliance shall be based on the use of AP-42 emissions factors, 5th Edition, Compilation of Air Pollution Emission Factors, Section 3.2, Table 3.2-1, the maximum rated output capacity of this emissions unit (horsepower rating), and the hours of operation as recorded above. If required pursuant to OAC 3745-15-04, the permittee shall demonstrate compliance with the CO emissions limits of this permit by means of physical testing of the effluent from this emissions unit in accordance with testing procedures listed in 40 CFR Part 60, "Standards of Performance for New Stationary Sources", Appendix A, Method 10.

c. Emissions Limitation: Particulate emissions from this emissions units shall not exceed 0.18 lbs/hr and 0.78 TPY.

Applicable Compliance Method: Compliance shall be based upon the use of an emission factor as specified in AP-42, 5th Edition, Compilation of Air Pollution Emission Factors, section 3.2, table 3.2-5 (.007 lb of particulate matter per mmBtu actual heat input), the maximum rated heat rate of this emissions unit, and the hours of operation of this emissions unit as recorded above. If required pursuant to OAC 3745-15-04, the permittee shall demonstrate compliance with the particulate emissions limits of this permit by means of physical testing of the effluent from this emissions unit in accordance with testing procedures listed in 40 CFR Part 60, "Standards of Performance for New Stationary Sources", Appendix A, Method 5, and in OAC 3745-17-03(B)(7).

d. Emissions Limitation: Total organic compound emissions from this emissions units shall not exceed 0.0.20 lbs/hr and 0.86 TPY.

Applicable Compliance Method: Compliance shall be based on the use of AP-42 emissions factors, 5th Edition, Compilation of Air Pollution Emission Factors, Section 3.2, Table 3.2-1, the maximum rated output capacity of this emissions unit (horsepower rating), and the hours of operation as recorded above.

e. Emissions Limitation: Visible particulate emissions from this emissions unit shall not exceed twenty (20) percent opacity as a six-minute average more than once per any sixty-minute period.

Applicable Compliance Method: If required pursuant to OAC 3745-15-04, the permittee shall demonstrate compliance with the visible particulate emissions limits of this permit by

visible emission observations in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

f. Emissions Limitation: Sulfur dioxide emissions from this emissions unit shall not exceed 0.50 lb/mmBtu actual heat input.

Applicable Compliance Method: Compliance with the sulfur dioxide emissions limitation in Section A.1 of these terms and conditions shall be assumed due to the negligible percent of sulfur by weigh in the natural gas fuel.

F. Miscellaneous Requirements

1. Notice of Intent to Relocate:

Pursuant to OAC Rule 3745-31-03(A)(1)(p), the permittee of the portable engine/pipeline compressor unit identified in this Permit to Install may relocate within the state of Ohio without first obtaining a Permit to Install providing the following criteria are met:

a. The emissions unit is equipped with the Best Available Control Technology for such a source;

b. The emissions unit is operating pursuant to a currently effective Permit to Operate;

c. The applicant has provided proper notice of intent to relocate the emissions unit to the Director within a minimum of 30 days prior to the scheduled relocation; and,

d. In the Director's judgement, the proposed relocation site is acceptable under Rule 3745-15-07 of the Ohio Administrative Code.

In order for the Director to determine compliance with all of the above criteria, the permittee of this portable emissions unit must file a "Notice of Intent to Relocate" at least 30 days prior to relocation of the source with the Ohio EPA District Office from which this permit to install was obtained. Upon receipt of the notice, the Director, or the Director's authorized representative, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio Environmental Protection Agency approval prior to relocation of this emissions unit may result in fines and civil penalties.

The permittee may also have to comply with specific air pollution regulations or criteria in effect for the community/locality to which the portable engine/compressor is to be relocated. It is the permittees responsibility to ascertain what those local regulations are and to effectively comply with them.