



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
WASHINGTON COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-07762

Fac ID: 0684020008

DATE: 7/28/2005

Solvay Advanced Polymers, LLC
Mark Potochnik
PO Box 446
Marietta, OH 457500446

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 7/28/2005
Effective Date: 7/28/2005**

FINAL PERMIT TO INSTALL 06-07762

Application Number: 06-07762
Facility ID: 0684020008
Permit Fee: **\$400**
Name of Facility: Solvay Advanced Polymers, LLC
Person to Contact: Mark Potochnik
Address: PO Box 446
Marietta, OH 457500446

Location of proposed air contaminant source(s) [emissions unit(s)]:
**P.O. Box 446, State Route 7 South
Marietta, Ohio**

Description of proposed emissions unit(s):
Dowtherm Heater.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Record keeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or record keeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to

the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.8 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, record keeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.

- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available

Solvay Advanced Polymers, LLC
PTI Application: 06-07762
Issued: 7/28/2005

Facility ID: 068402000

Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

Solvay Advanced Polymers, LLC
PTI Application: 06-07762
Issued: 7/28/2005

Facility ID: 068402000

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report,

Solvay Advanced Polymers, LLC
PTI Application: 06-07762
Issued: 7/28/2005

Facility ID: 068402000

which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Authorization To Install or Modify

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

Solvay Advanced Polymers, LLC
 PTI Application: 06-07762
 Issued: 7/28/2005

Facility ID: 068402000

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit-To-Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only) TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	10.95
CO	18.40
PE	0.44
SO ₂	0.14
VOC	1.23

Solvay Advanced Polymers, LLC
PTI Application: 06-07762
Issued: 7/28/2005

Facility ID: 068402000

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
B011 - 50 MMBtu/hr Natural Gas-Fired Dowtherm Process Heater	OAC rule 3745-31-05(A)(3)
	40 CFR Part 60, Subpart Dc
	OAC rule 3745-18-06
	OAC rule 3745-21-08(B)
	OAC rule 3745-23-06(B)
	40 CFR Part 63, Subpart DDDDD

OAC rule 3745-17-07(A)(1)
OAC rule 3745-17-10(B)(1)

Solva
PTI A
Issued: 7/28/2005

Emissions Unit ID: **B011**

Applicable Emissions
Limitations/Control
Measures

Nitrogen oxide (NO_x) emissions shall not exceed 2.50 lbs/hr and 10.95 tons/yr.

3745-23-06(B) and 40 CFR Part 63, Subpart DDDDD.

The emission limitations specified by these rules are less stringent than the emission limitations established pursuant to OAC rule 3745-31-05(A)(3).

Carbon monoxide (CO) emissions shall not exceed 4.20 lbs/hr and 18.40 tons/yr.

See Section A.III.1.

See Section A.2.a.

See Section A.2.b.

Particulate emissions (PE) shall not exceed 0.10 lb/hr and 0.44 ton/yr.

See Section A.2.c.

Sulfur dioxide (SO₂) emissions shall not exceed 0.03 lb/hr and 0.14 ton/yr.

CO emissions shall not exceed 400 ppm by volume on a dry basis corrected to 3% oxygen (3-run average). See sections below with references to 40 CFR Part 63 for applicable requirements.

Volatile Organic Compound (VOC) emissions shall not exceed 0.28 lb/hr and 1.23 tons/yr.

Visible particulate emissions from the boiler stack shall not exceed 10% opacity as a six-minute average.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-08(B), OAC rule

2. Additional Terms and Conditions

- 2.a** This emissions unit is exempt from the requirements of OAC rule 3745-18-06 in accordance with OAC rule 3745-18-06(A).
- 2.b** The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On February 15, 2005, OAC rule 3745-23-06 was rescinded; therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the U.S. EPA approves the revision, the requirement to satisfy the "latest available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.d** Section 63.7495 When do I have to comply with this subpart?

(a) If you have a new or reconstructed boiler or process heater, you must comply with this subpart by November 12, 2004 or upon startup of your boiler or process heater, whichever is later.

(b)-(c) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}

(d) You must meet the notification requirements in Section 63.7545 according to

Emissions Unit ID: B011

the schedule in Section 63.7545 and in subpart A of this part. Some of the notifications must be submitted before you are required to comply with the emission limits and work practice standards in this subpart.

- 2.e** Section 63.7500 What emission limits, work practice standards, and operating limits must I meet?

(a) You must meet the requirements in paragraphs (a)(1) and (2) of this section.

(1) You must meet each emission limit and work practice standard in Table 1 to this subpart that applies to your boiler or process heater, except as provided under Section 63.7507.

(2) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}

- 2.f** Table 1 to Subpart DDDDD of Part 63 - Emission Limits and Work Practice Standards

As stated in Section 63.7500, you must comply with the applicable emission limits and work practice standards in Table 1 to this subpart. If your boiler or process heater is in the new or reconstructed large gaseous fuel subcategory, then you must meet the carbon monoxide limit of 400 ppm by volume on a dry basis corrected to 3 percent oxygen (3-run average for units less than 100 MMBtu/hr).

II. Operational Restrictions

1. The permittee shall burn only natural gas in this emissions unit.

III. Monitoring and/or Record keeping Requirements

1. In accordance with the USEPA letter dated July 13, 2005, granting approval of alternative recordkeeping requirements under 40 CFR Part 60, Subpart Dc, the permittee shall record and maintain records of the amount of natural gas combusted during each month. These records shall be maintained by the permittee for a period of two years following the date of such record.
2. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this

emissions unit.

3. Section 63.7555 What records must I keep?

(a) You must keep records according to paragraphs (a)(1) through (3) of this section.

(1) A copy of each notification and report that you submitted to comply with this subpart, including all documentation supporting any Initial Notification or Notification of Compliance Status or semiannual compliance report that you submitted, according to the requirements in Section 63.10(b)(2)(xiv).

(2) The records in Section 63.6(e)(3)(iii) through (v) related to startup, shutdown, and malfunction.

(3) Records of performance tests, fuel analyses, or other compliance demonstrations, performance evaluations, and opacity observations as required in Section 63.10(b)(2)(viii).

(b)-(e) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}

4. Section 63.7560 In what form and how long must I keep my records?

(a) Your records must be in a form suitable and readily available for expeditious review, according to Section 63.10(b)(1).

(b) As specified in Section 63.10(b)(1), you must keep each record for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.

(c) You must keep each record on site for at least 2 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record, according to Section 63.10(b)(1). You can keep the records off site for the remaining 3 years.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in the emissions unit. These reports shall be

submitted within 30 days after the deviation occurs.

2. The permittee shall submit deviation (excursion) reports that identify each month during which records were not maintained on the amount of natural gas combusted in the emissions unit. These reports shall be submitted within 30 days after the deviation occurs.
3. Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:
 - a. Construction date (no later than 30 days after such date);
 - b. Anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
 - c. Actual start-up date (within 15 days after such date); and
 - d. Date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Permit Management Unit
P. O. Box 163669
Columbus, Ohio 43216-3669

and

Southeast District Office of the Ohio EPA
Division of Air Pollution Control
2195 Front Street
Logan, Ohio 43138.

4. [63.7530(e)]
You must submit the Notification of Compliance Status containing the results of the initial compliance demonstration according to the requirements in Section 63.7545(e).
5. Section 63.7545 What notifications must I submit and when?
 - (a) You must submit all of the notifications in Section 63.7(b) and (c), 63.8 (e), (f)(4)

Emissions Unit ID: B011

and (6), and 63.9 (b) through (h) that apply to you by the dates specified.

- (b) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
- (c) As specified in Section 63.9(b)(4) and (b)(5), if you startup your new or reconstructed affected source on or after November 12, 2004, you must submit an Initial Notification not later than 15 days after the actual date of startup of the affected source.
- (d) If you are required to conduct a performance test you must submit a Notification of Intent to conduct a performance test at least 30 days before the performance test is scheduled to begin.
- (e) If you are required to conduct an initial compliance demonstration as specified in Section 63.7530(a), you must submit a Notification of Compliance Status according to Section 63.9(h)(2)(ii). For each initial compliance demonstration, you must submit the Notification of Compliance Status, including all performance test results and fuel analyses, before the close of business on the 60th day following the completion of the performance test and/or other initial compliance demonstrations according to Section 63.10(d)(2). The Notification of Compliance Status report must contain all the information specified in paragraphs (e)(1) through (9), as applicable.
 - (1) A description of the affected source(s) including identification of which subcategory the source is in, the capacity of the source, a description of the add-on controls used on the source description of the fuel(s) burned, and justification for the fuel(s) burned during the performance test.
 - (2) Summary of the results of all performance tests, fuel analyses, and calculations conducted to demonstrate initial compliance including all established operating limits.
 - (3) Identification of whether you are complying with the particulate matter emission limit or the alternative total selected metals emission limit.
 - (4) Identification of whether you plan to demonstrate compliance with each applicable emission limit through performance testing or fuel analysis.
 - (5) Identification of whether you plan to demonstrate compliance by emissions averaging.
 - (6) A signed certification that you have met all applicable emission limits and work practice standards.

- (7) A summary of the carbon monoxide emissions monitoring data and the maximum carbon monoxide emission levels recorded during the performance test to show that you have met any applicable work practice standard in Table 1 to this subpart.
- (8) If your new or reconstructed boiler or process heater is in one of the liquid fuel subcategories and burns only liquid fossil fuels other than residual oil either alone or in combination with gaseous fuels, you must submit a signed statement certifying this in your Notification of Compliance Status report.
- (9) If you had a deviation from any emission limit or work practice standard, you must also submit a description of the deviation, the duration of the deviation, and the corrective action taken in the Notification of Compliance Status report.

6. Section 63.7550 What reports must I submit and when?

- (a) You must submit each report in Table 9 to this subpart that applies to you.
- (b) Unless the EPA Administrator has approved a different schedule for submission of reports under Section 63.10(a), you must submit each report by the date in Table 9 to this subpart and according to the requirements in paragraphs (b)(1) through (5) of this section.
 - (1) The first compliance report must cover the period beginning on the compliance date that is specified for your affected source in Section 63.7495 and ending on June 30 or December 31, whichever date is the first date that occurs at least 180 days after the compliance date that is specified for your source in Section 63.7495.
 - (2) The first compliance report must be postmarked or delivered no later than July 31 or January 31, whichever date is the first date following the end of the first calendar half after the compliance date that is specified for your source in Section 63.7495.
 - (3) Each subsequent compliance report must cover the semiannual reporting period from January 1 through June 30 or the semiannual reporting period from July 1 through December 31.

Emissions Unit ID: **B011**

- (4) Each subsequent compliance report must be postmarked or delivered no later than July 31 or January 31, whichever date is the first date following the end of the semiannual reporting period.
 - (5) For each affected source that is subject to permitting regulations pursuant to 40 CFR part 70 or 40 CFR part 71, and if the permitting authority has established dates for submitting semiannual reports pursuant to 40 CFR 70.6(a)(3)(iii)(A) or 40 CFR 71.6(a)(3)(iii)(A), you may submit the first and subsequent compliance reports according to the dates the permitting authority has established instead of according to the dates in paragraphs (b)(1) through (4) of this section.
- (c) The compliance report must contain the information required in paragraphs (c)(1) through (11) of this section.
- (1) Company name and address.
 - (2) Statement by a responsible official with that official's name, title, and signature, certifying the truth, accuracy, and completeness of the content of the report.
 - (3) Date of report and beginning and ending dates of the reporting period.
 - (4) The total fuel use by each affected source subject to an emission limit, for each calendar month within the semiannual reporting period, including, but not limited to, a description of the fuel and the total fuel usage amount with units of measure.
 - (5) A summary of the results of the annual performance tests and documentation of any operating limits that were reestablished during this test, if applicable.
 - (6) A signed statement indicating that you burned no new types of fuel.
 - (7)-(8) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}
 - (9) If you had a startup, shutdown, or malfunction during the reporting period and you took actions consistent with your SSMP, the compliance report must include the information in Section 63.10(d)(5)(i).
 - (10) If there are no deviations from any emission limits or operating limits in this subpart that apply to you, and there are no deviations from the requirements for work practice standards in this subpart, a statement that there were no deviations from the emission limits, operating limits, or work

practice standards during the reporting period.

- (11) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
- (d) For each deviation from an emission limit or operating limit in this subpart and for each deviation from the requirements for work practice standards in this subpart that occurs at an affected source where you are not using a CMSs to comply with that emission limit, operating limit, or work practice standard, the compliance report must contain the information in paragraphs (c)(1) through (10) of this section and the information required in paragraphs (d)(1) through (4) of this section. This includes periods of startup, shutdown, and malfunction.
 - (1) The total operating time of each affected source during the reporting period.
 - (2) A description of the deviation and which emission limit, operating limit, or work practice standard from which you deviated.
 - (3) Information on the number, duration, and cause of deviations (including unknown cause), as applicable, and the corrective action taken.
 - (4) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
- (e) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
- (f) Each affected source that has obtained a title V operating permit pursuant to 40 CFR part 70 or 40 CFR part 71 must report all deviations as defined in this subpart in the semiannual monitoring report required by 40 CFR 70.6(a)(3)(iii)(A) or 40 CFR 71.6(a)(3)(iii)(A). If an affected source submits a compliance report pursuant to Table 9 to this subpart along with, or as part of, the semiannual monitoring report required by 40 CFR 70.6(a)(3)(iii)(A) or 40 CFR 71.6(a)(3)(iii)(A), and the compliance report includes all required information concerning deviations from any emission limit, operating limit, or work practice requirement in this subpart, submission of the compliance report satisfies any obligation to report the same deviations in the semiannual monitoring report. However, submission of a compliance report does not otherwise affect any obligation the affected source may have to report deviations from permit

requirements to the permit authority.

- (g) If you operate a new gaseous fuel unit that is subject to the work practice standard specified in Table 1 to this subpart, and you intend to use a fuel other than natural gas or equivalent to fire the affected unit, you must submit a notification of alternative fuel use within 48 hours of the declaration of a period of natural gas curtailment or supply interruption, as defined in Section 63.7575. The notification must include the information specified in paragraphs (g)(1) through (5) of this section.
- (1) Company name and address.
 - (2) Identification of the affected unit.
 - (3) Reason you are unable to use natural gas or equivalent fuel, including the date when the natural gas curtailment was declared or the natural gas supply interruption began.
 - (4) Type of alternative fuel that you intend to use.
 - (5) Dates when the alternative fuel use is expected to begin and end.

7. Table 9 to Subpart DDDDD of Part 63- Reporting Requirements

As stated in Section 63.7550, you must comply with the requirements for reports in Table 9 to this subpart. You must submit a compliance report. The report must contain:

- a. Information required in Section 63.7550(c)(1) through (11);
- b. If there are no deviations from any emission limitation (emission limit and operating limit) that applies to you and there are no deviations from the requirements for work practice standards in Table 8 to this subpart that apply to you, a statement that there were no deviations from the emission limitations and work practice standards during the reporting period;
- c. If you have a deviation from any emission limitation (emission limit and operating limit) or work practice standard during the reporting period, the report must contain the information in Section 63.7550(d); and
- d. If you had a startup, shutdown, or malfunction during the reporting period and you took actions consistent with your startup, shutdown, and malfunction plan, the compliance report must include the information in Section 63.10(d)(5)(i).

You must submit the report semi-annually according to the requirements in Section 63.7550(b).

8. Table 9 to Subpart DDDDD of Part 63- Reporting Requirements
As stated in Section 63.7550, you must comply with the requirements for reports in Table 9 to this subpart. You must submit an immediate startup, shutdown, and malfunction report if you had a startup, shutdown, or malfunction during the reporting period that is not consistent with your startup, shutdown, and malfunction plan, and the source exceeds and applicable emission limitation in the relevant emission standard. The report must contain:
 - a. Actions taken for the event; and
 - b. The information in Section 63.10(d)(5)(ii).

You must submit the report by fax or telephone within 2 working days after starting actions inconsistent with the plan and by letter within 7 working days after the end of the event unless you have made alternative arrangements with the permitting authority.

V. Testing Requirements

1. Compliance with the emission limitations in Section A.I.1. of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

NO_x emissions shall not exceed 2.50 lbs/hr and 10.95 tons/yr.

Compliance Method:

Compliance with the hourly emission limitation shall be demonstrated based on emission testing performed in accordance with Section V.2.

Compliance with the annual emission limitation shall be assumed provided that compliance with the hourly limitation is maintained (the annual limitation was calculated by multiplying the hourly limitation by the maximum operating schedule of 8760 hours/yr and then by 0.0005 ton/lb).

b. Emission Limitation:

CO emissions shall not exceed 400 ppm by volume on a dry basis corrected to 3% oxygen (3-run average), 4.20 lbs/hr and 18.40 tons/yr.

Compliance Method:

Compliance with the ppm and lbs/hr emission limitations shall be demonstrated based on emission testing performed in accordance with Sections V.2. through V.7.

Compliance with the annual emission limitation shall be assumed provided that compliance with the hourly limitation is maintained (the annual limitation was calculated by multiplying the hourly limitation by the maximum operating schedule of 8760 hours/yr and then by 0.0005 ton/lb).

c. Emission Limitation:

PE shall not exceed 0.10 lb/hr and 0.44 ton/yr.

Compliance Method:

Compliance with the hourly emission limitation shall be demonstrated by multiplying the emission factor of 1.9 lbs PE/million scf (from AP-42, Table 1.4-2, July 1998) by the maximum fuel use rate of 0.05 million scf/hr.

If required, compliance with the hourly emission limitation shall be determined according to test Methods 1 - 5, as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources" and the procedures specified in OAC rule 3745-17-03(B)(9). Specifically, only the particulate matter collected on, or prior to, the filter of a Method 5 sampling train shall be utilized to determine compliance with the PE limitation.

Compliance with the annual emission limitation shall be assumed provided that compliance with the hourly limitation is maintained (the annual limitation was calculated by multiplying the hourly limitation by the maximum operating schedule of 8760 hours/yr and then by 0.0005 ton/lb).

d. Emission Limitation:

SO₂ emissions shall not exceed 0.03 lb/hr and 0.14 ton/yr.

Compliance Method:

Compliance with the hourly emission limitation shall be demonstrated by

multiplying the emission factor of 0.6 lb SO₂/million scf (from AP-42, Table 1.4-2, July 1998) by the maximum fuel use rate of 0.05 million scf/hr.

If required, compliance with the hourly emission limitation shall be determined according to test Methods 1 - 4, and 6 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources."

Compliance with the annual emission limitation shall be assumed provided that compliance with the hourly limitation is maintained (the annual limitation was calculated by multiplying the hourly limitation by the maximum operating schedule of 8760 hours/yr and then by 0.0005 ton/lb).

e. Emission Limitation:

VOC emissions shall not exceed 0.28 lb/hr and 1.23 tons/yr.

Compliance Method:

Compliance with the hourly emission limitation shall be demonstrated by multiplying the emission factor of 5.5 lbs VOC/million scf (from AP-42, Table 1.4-2, July 1998) by the maximum fuel use rate of 0.05 million scf/hr.

If required, compliance with the hourly emission limitation shall be determined according to test Methods 1 - 4, and 25 or 25a, as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources."

Compliance with the annual emission limitation shall be assumed provided that compliance with the hourly limitation is maintained (the annual limitation was calculated by multiplying the hourly limitation by the maximum operating schedule of 8760 hours/yr and then by 0.0005 ton/lb).

f. Emission Limitation:

Visible particulate emissions from the boiler stack shall not exceed 10% opacity as a six-minute average.

Compliance Method:

Emissions Unit ID: B011

If required, compliance shall be determined according to test Method 9 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources."

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - a. The emission testing shall be conducted within 60 days after achieving the maximum production rate at which the emissions unit will be operated, but not later than 180 days after initial start-up of the emissions unit. Subsequent emission testing for CO shall be performed in accordance with Section V.4.
 - b. The emission testing shall be conducted to demonstrate compliance with the hourly emission limitation for NO_x and the ppm and lbs/hr emission limitations for CO.
 - c. The following test method(s) shall be employed to demonstrate compliance with the above emission limitations: for NO_x, Methods 1 through 4 and 7 of 40 CFR Part 60, Appendix A; and for CO, Methods 1 through 4 and 10 of 40 CFR Part 60, Appendix A. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.
 - d. The testing shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio EPA, Southeast District Office.
 - e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office refusal to accept the results of the emission test(s).
 - f. Personnel from the Ohio EPA, Southeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
 - g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Southeast District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written

report, where warranted, with prior approval from the Ohio EPA, Southeast District Office.

3. Section 63.7510 What are my initial compliance requirements and by what date must I conduct them?
 - (a)-(b) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}
 - (c) For affected sources that have an applicable work practice standard, your initial compliance requirements depend on the subcategory and rated capacity of your boiler or process heater. If your boiler or process heater is in any of the limited use subcategories or has a heat input capacity less than 100 MMBtu per hour, your initial compliance demonstration is conducting a performance test for carbon monoxide according to Table 5 to this subpart.
 - (d)-(f) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}
 - (g) If your new or reconstructed affected source commences construction or reconstruction after November 12, 2004, you must demonstrate initial compliance with the promulgated emission limits and work practice standards no later than 180 days after startup of the source.
4. Section 63.7515 When must I conduct subsequent performance tests or fuel analyses?
 - (a) You must conduct all applicable performance tests according to Section 63.7520 on an annual basis. Annual performance tests must be completed between 10 and 12 months after the previous performance test.
 - (b)-(d) {Language intentionally removed - These paragraphs are not currently applicable to this emissions unit.}
 - (e) If you have an applicable work practice standard for carbon monoxide and your boiler or process heater is in any of the limited use subcategories or has a heat input capacity less than 100 MMBtu per hour, you must conduct annual performance tests for carbon monoxide according to Section 63.7520. Each annual performance test must be conducted between 10 and 12 months after the previous performance test.

Emissions Unit ID: B011

- (f) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
 - (g) You must report the results of performance tests and fuel analyses within 60 days after the completion of the performance tests or fuel analyses. This report should also verify that the operating limits for your affected source have not changed or provide documentation of revised operating parameters established according to Section 63.7530 and Table 7 to this subpart, as applicable. The reports for all subsequent performance tests and fuel analyses should include all applicable information required in Section 63.7550.
- 5. Section 63.7520 What performance tests and procedures must I use?**
- (a) You must conduct all performance tests according to Section 63.7(c), (d), (f), and (h). You must also develop a site-specific test plan according to the requirements in Section 63.7(c) if you elect to demonstrate compliance through performance testing.
 - (b) You must conduct each performance test according to the requirements in Table 5 to this subpart.
 - (c) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
 - (d) You must conduct each performance test under the specific conditions listed in Table 5 to this subpart. You must conduct performance tests at the maximum normal operating load and you must demonstrate initial compliance based on these tests.
 - (e) You may not conduct performance tests during periods of startup, shutdown, or malfunction.
 - (f) You must conduct three separate test runs for each performance test required in this section, as specified in Section 63.7(e)(3). Each test run must last at least 1 hour.
 - (g) {Language intentionally removed - This paragraph is not currently applicable to this emissions unit.}
- 6. Section 63.7530 How do I demonstrate initial compliance with the emission limits and work practice standards?**
- (a) You must demonstrate initial compliance with each emission limit and work

practice standard that applies to you by either conducting initial performance tests and establishing operating limits, as applicable, according to Section 63.7520, paragraph (c) of this section, and Tables 5 and 7 to this subpart or conducting initial fuel analyses to determine emission rates and establishing operating limits, as applicable, according to Section 63.7521, paragraph (d) of this section, and Tables 6 and 8 to this subpart.

7. Table 5 to Subpart DDDDD of Part 63 - Performance Testing Requirements
As stated in Section 63.7520, you must comply with the requirements for performance test for existing, new or reconstructed affected sources in Table 5 to this subpart. To conduct a performance test for carbon monoxide, you must:
 - a. Select the sampling ports location and the number of traverse points using Method 1 in appendix A to part 60 of this chapter;
 - b. Determine oxygen and carbon dioxide concentrations of the stack gas using Method 3A or 3B in appendix A to part 60 of this chapter, or ASTM D6522-00 (IBR, see Section 63.14(b)), or ASME PTC 19, Part 10 (1981) (IBR, see Section 63.14(i));
 - c. Measure the moisture content of the stack gas using Method 4 in appendix A to part 60 of this chapter; and
 - d. Measure the carbon monoxide emission concentration using Method 10, 10A, or 10B in appendix A to part 60 of this chapter, or ASTM D6522-00 (IBR, see Section 63.14(b)) when the fuel is natural gas.

VI. Miscellaneous Requirements

1. Section 63.7505 What are my general requirements for complying with this subpart?
 - (a) You must be in compliance with the emission limits (including operating limits) and the work practice standards in this subpart at all times, except during periods of startup, shutdown, and malfunction.
 - (b) You must always operate and maintain your affected source, including air pollution control and monitoring equipment, according to the provisions in Section 63.6(e)(1)(i).
 - (c)-(d) {Language intentionally removed - These paragraphs are not currently

Solvay Advanced Polymers, LLC

PTI Application: 06 07762

Issue

Facility ID: 068402000

Emissions Unit ID: B011

applicable to this emissions unit.}

- (e) If you have an applicable emission limit or work practice standard, you must develop and implement a written startup, shutdown, and malfunction plan (SSMP) according to the provisions in Section 63.6(e)(3).
- 2.** Section 63.7565 What parts of the General Provisions apply to me?
Table 10 to this subpart shows which parts of the General Provisions in Section 63.1 through 63.15 apply to you.
- 3.** Table 10 to Subpart DDDDD of Part 63- Applicability of General Provisions to Subpart DDDDD As stated in Section 63.7565, you must comply with the applicable General Provisions according to Table 10 to this subpart.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
B011 - 50 MMBtu/hr Natural Gas-Fired Dowtherm Process Heater	None	None

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Record keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

33

Solva

PTI A

Issued: 7/28/2005

Emissions Unit ID: **B011**

None