



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
WASHINGTON COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 06-05387

Fac ID: 0684020223

DATE: 4/21/2005

East Ohio Gas Co Fearing Compressor
Sam Mathew
625 Liberty Ave. 20th Floor Dominion Tower
Pittsburgh, PA 15222

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

SEDO



**Permit To Install
Terms and Conditions**

**Issue Date: 4/21/2005
Effective Date: 4/21/2005**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 06-05387

Application Number: 06-05387
Facility ID: 0684020223
Permit Fee: **\$100**
Name of Facility: East Ohio Gas Co Fearing Compressor
Person to Contact: Sam Mathew
Address: 625 Liberty Ave. 20th Floor Dominion Tower
Pittsburgh, PA 15222

Location of proposed air contaminant source(s) [emissions unit(s)]:

**State Route 26
Marietta, Ohio**

Description of proposed emissions unit(s):

Administration modification to increase the maximum operating hours from 7000 to unrestricted at 8760 hours per year.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

East Ohio Gas Co Fearing Compressor
PTI Application: 06-05387
Modification Issued: 4/21/2005

Facility ID: 0684020223

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of

East Ohio Gas Co Fearing Compressor

PTI Application: 06-05387

Modification Issued: 4/21/2005

Facility ID: 0684020223

up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

East Ohio Gas Co Fearing Compressor

Facility ID: 0684020223

PTI Application: 06-05387

Modification Issued: 4/21/2005

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
NO _x	2.7
VOC	4.9
CO	10.1
PE	5.3

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	
B001 - 500 HP compressor engine-I.D. No. 7301 with catalytic converter*.	OAC rule 3745-31-05(A)(3)	OAC rule 3745-18-06(G)
*Administrative modification to reduce allowable emission rates and eliminate the hours per year restriction due to the addition of a catalytic converter.		OAC rule 3745-23-06(B)
	OAC rule 3745-17-11(B)(5)(a)	
	OAC rule 3745-17-07(A)(1)	

See Section A.2.d below

Applicable Emissions
Limitations/Control Measures

Emissions shall not exceed:

0.6 pounds per hour (lb/hr) and 2.7 tons per year (tpy) of nitrogen oxides (NOx);

1.1 pounds per hour (lb/hr) and 4.9 tons per year (tpy) of volatile organic compounds (VOC);

2.3 lb/hr and 10.1 tpy of carbon monoxide (CO).

The requirements of this rule also include compliance with the requirements of 3745-17-11(B)(5)(a) and 3745-17-07(A).

Particulate emissions shall not exceed 5.3 tons per year.

Particulate emissions shall not exceed 0.25 lb/million Btu actual heat input.

See A.I.2.a below.

Particulate emissions shall not exceed 0.310 lb/million Btu actual heat input.

See A.I.2.b below.

Visible particulate emissions shall not exceed 20% opacity as a six-minute average, except as provided by rule.

Exempt. See Section A.2.c below.

2. Additional Terms and Conditions

- 2.a** The requirement to comply with this particulate emission limitation shall terminate on the date the U.S. EPA approves the 0.310 lb/million Btu actual heat input emission limitation as a revision to the Ohio SIP for particulate matter.
- 2.b** This particulate emission limitation shall be effective and federally enforceable on the date the U.S. EPA approves this particulate emission limitation as a revision to the Ohio SIP for particulate matter.
- 2.c** This emissions unit is exempt from the requirements of OAC rule 3745-18-06(G) pursuant to OAC rule 3745-18-06(B).
- 2.d** The permittee has satisfied the "latest available control techniques and operating practices required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install.

B. Operational Restrictions

- 1. The permittee shall burn only natural gas in this emissions unit.

C. Monitoring and/or Recordkeeping Requirements

- 1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

D. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

E. Testing Requirements

- 1. Compliance with the emissions limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emissions Limitation:
Emissions shall not exceed 0.6 pounds per hour (lb/hour) of NO_x.

Applicable Compliance Method:

If required, nitrogen oxides emissions shall be determined according to test Methods 1 - 4, and 7 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources".

- b. Emissions Limitation:
Emissions shall not exceed 2.7 tons per year (tpy) of NOx.

Applicable Compliance Method:

The annual limit has been determined by multiplying the maximum hourly emission rate (0.6 lb/hr) by the maximum annual hours of operation (8,760 hours) and then dividing by 2,000 lbs/ton. Compliance with the annual limitation shall be assumed as long as compliance with the lb/hour limitation is maintained.

- c. Emissions Limitation:
Emissions shall not exceed 1.1 pounds per hour (lb/hr) of volatile organic compounds (VOC).

Applicable Compliance Method:

If required, organic compound emissions shall be determined according to test Methods 1 - 4, and 18, 25, or 25a as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources".

- d. Emissions Limitation:
Emissions shall not exceed 4.9 tons per year (tpy) of volatile organic compounds (VOC).

Applicable Compliance Method:

The annual limit has been determined by multiplying the maximum hourly emission rate (1.1 lb/hr) by the maximum annual hours of operation (8,760 hours) and then dividing by 2,000 lbs/ton. Compliance with the annual limitation shall be assumed as long as compliance with the lb/hour limitation is maintained.

- c. Emissions Limitation:
Emissions shall not exceed 2.3 pound per hour (lb/hr) of CO.

Applicable Compliance Method:

If required, carbon monoxide emissions shall be determined according to test Methods 1 - 4, and 10 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources".

- d. Emissions Limitation:
Emissions shall not exceed 10.1 tons per year (tpy) of CO.

Applicable Compliance Method:

The annual limit has been determined by multiplying the maximum hourly emission rate (2.3 lb/hr) by the maximum annual hours of operation (8,760 hours) and then dividing by 2,000 lbs/ton. Compliance with the annual limitation shall be assumed as long as compliance with the lb/hour limitation is maintained.

- e. Emission Limitation:
Particulate emissions shall not exceed 0.25 lb/million Btu actual heat input.

Applicable Compliance Method:

Compliance shall be demonstrated by the use of the AP-42, Table 3.2-3 (7/00) emission factor for Natural Gas Fired Pipeline Compressor Engines (9.5×10^{-3} lb of particulate matter/million Btu of actual heat input).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

- f. Emission Limitation:
Particulate emissions shall not exceed 0.310 lb/million Btu of actual heat input.

Applicable Compliance Method:

Compliance shall be demonstrated by the use of the AP-42, Table 3.2-3 (7/00) emission factor for Natural Gas Fired Pipeline Compressor Engines (9.5×10^{-3} lb of particulate matter/million Btu of actual heat input).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

- g. Emissions Limitation:
Particulate emissions shall not exceed 5.3 tons per year.

Applicable Compliance Method:

The annual limit has been determined by multiplying the maximum short-term emission rate (0.310 lb/million Btu) by the maximum capacity of the engine (3.9 million Btu/hr) and the maximum annual hours of operation (8,760 hours) and then dividing by 2,000 lbs/ton.

Compliance shall be demonstrated by the use of the AP-42, Table 3.2-3 (7/00) emission

East C**PTI A****Modification Issued: 4/21/2005**Emissions Unit ID: **B001**

factor for Natural Gas Fired Pipeline Compressor Engines (9.5×10^{-3} lb of particulate matter/million Btu of actual heat input) by the maximum capacity of the engine (3.9 million Btu/hr) and the maximum annual hours of operation (8,760 hours) and then dividing by 2,000 lbs/ton.

East C**PTI A****Modification Issued: 4/21/2005**Emissions Unit ID: **B001****F. Miscellaneous Requirements**

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.