OhioEPA
State of Ohio Environmental Protection Agency

PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 02/15/91 Application No. 1576050207K001

Effective Date 02/15/91 Permit Fee $100

This document constitutes issuance to:

SHANAFELT MANUFACTURING CO.
2633 WINFIELD WAY NE
CANTON OHIO 44705

of a permit to operate for:

MISC. METAL COATING LINE SPRAY BOOTH
DEVILBISS PAINT BOOTH J J-4212

The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 02/14/94
   You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:
   DIV. OF AIR POLLUTION CNTRL CANTON CITY HEALTH DEPT.
   THIRD FLOOR, CITY HALL
   CANTON, OH 44702 (216) 489-3385
10. ☑ If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

Gerry Loannil

Director

RECEIVED
FEB 19 1991
CANTON CITY HEALTH DEPT
AIR POLLUTION DIVISION

EPA 3834
Revised 9-90

23-S

APPLICATION NUMBER: 15 76 05 0207 K001

FACILITY NAME: Shanafelt Manufacturing Co.

EQUIPMENT DESCRIPTION: Misc. Metal Coating Line Spray Booth

COMPANY ID: Devilbiss Paint Booth J J-4212

SPECIAL TERMS AND CONDITIONS

1. The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements of this source:

   3745-21-09(U)
   3745-31

   (This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

2. <u>Record-Keeping and Reporting Requirements for Surface Coating Lines:</u>

   This facility shall maintain daily records which list the following information for <u>each</u> surface coating or ink employed in this source.

   (a) the company identification of the surface coating;
   (b) the number of gallons employed;
   (c) the VOC content, in pounds of VOC per gallon of coating;
   (d) the VOC content, in pounds of VOC per gallon of coating; minus water;
   (e) the water content, in percent by volume;
   (f) the nonvolatile (solids) content, in percent by volume; and
   (g) the type and amount of clean-up solvent employed.

   These daily records, as well as any supporting coating or ink analyses and computations, shall be retained in the company's files for a period of not less than two years and shall be made available to the Director or any authorized representative of the Director for review. Copies of these records will be made available upon request.

   This facility shall submit semi-annual reports to the Canton City Health Department, Air Pollution Control Division, City Hall, Canton, Ohio 44702, Phone (216) 489-3385, which summarize the following information <u>for each coating employed</u> in this source during the previous six calendar months: coating identification

of the surface coating; the total number of gallons employed; the VOC content in pounds of VOC per gallon of coating; the VOC content (in pounds VOC per gallon of coating, minus water); the water content; the nonvolatile (solids) content; and the type and amount of clean-up solvent employed. The reports shall be submitted by February 15 and August 15 of each year and shall cover the previous six calendar months (July through December and January through June, respectively).

This facility shall submit monthly reports to the Canton City Health Department, Air Pollution Control Division, City Hall, 218 Cleveland Avenue SW, Canton, OH 44702, Phone (216) 489-3385, which lists the paint usage for each day of the month. The reports shall be submitted by the 10th day of each month and shall cover the previous month's paint usage.

3. Paint usage is limited to no more than 10 gallons in any day.

PREPARED BY: DANIEL J. SCHILTZ
DATE PREPARED: 1/22/91