



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.  
Columbus, Ohio 43266-0149  
(614) 644-3020  
FAX (614) 644-2329

George V. Voinovich  
Governor

Donald R. Schregardus  
Director

Re: Permit to Install  
Muskingum County  
Application No: 06-4268  
TOXIC REVIEW

CERTIFIED MAIL

January 19, 1995

NEW BAKERY OF OHIO, INC.  
DON TINCHER  
750 AIRPORT RD.  
ZANESVILLE, ON 43701

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations & Permit Section  
Division of Air Pollution Control

cc: US EPA  
SOUTHEAST DISTRICT OFFICE, DAPC

## Permit to Install Terms and Conditions

Application No. 06-4268  
APS Premise No. 0660000235  
Permit Fee: \$3400.00

Name of Facility: NEW BAKERY OF OHIO, INC.

Person to Contact: DON TINCHER

Address: 750 AIRPORT RD.  
ZANESVILLE, ON 43701

Location of proposed source(s): 750 AIRPORT RD.  
ZANESVILLE, OHIO

Description of proposed source(s):  
3-YEAST LEAVENED BAKERY OVENS & 4 FLOUR STORAGE SILOS.


Date of Issuance: January 19, 1995

Effective Date: January 19, 1995

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
\_\_\_\_\_  
Director

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES(S)

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to

the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 15 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be made at least 90 days prior to start-up of the source.

NINETY DAY OPERATING PERIOD

The facility will be permitted to operate during a 90-day period in accordance with OAC Rule 3745-35-02(C)(4)(b). The purpose of this period of operation is to fulfill the performance tests conditions used in the determination of compliance with the provisions of this Permit to Install or other applicable Ohio EPA rules.

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for NEW BAKERY OF OHIO, INC. located in Muskingum County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
P001	600 Bakery Oven	Uncontrolled	3745-31-05	13.2 <sup>50</sup> #/hr and 57.8 tons/yr VOC emissions
P002	800 Bakery Oven	Uncontrolled	3745-31-05	17.5 <sup>50</sup> #/hr and 76.7 tons/yr VOC emissions
P003	1,000 Bakery Oven	Uncontrolled	3745-31-05	21.3 <sup>50</sup> #/hr and 93.3 tons/yr VOC emissions
F001	Bulk Flour Storage Silo	Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08 (B)(3)(a) and (b) which follows:	3745-31-05 3745-17-08	Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08(B)(3)(a) and (b) which follows:

Ohio EPA Source Number	Source Identification Description	BAT Determination	Applicable Federal & OAC Rules	Permit Allowable Mass Emissions and/or Control/Usage Requirements
F002	Bulk Flour Storage Silo	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stack(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08 (B)(3)(a) and (b) which follows:</p>	3745-31-05 3745-17-08	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stacks(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08(B)(3)(a) and (b) which follows:</p>

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
F003	Bulk Flour Storage Silo	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stack(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08 (B)(3)(a) and (b) which follows:</p>	3745-31-05 3745-17-08	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stacks(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08(B)(3)(a) and (b) which follows:</p>

Ohio EPA Source Number	Source Identification Description	BAT Determination	Applicable Federal & OAC Rules	Permit Allowable Mass Emissions and/or Control/Usage Requirements
F004	Bulk Flour Storage Silo	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stack(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08 (B)(3)(a) and (b) which follows:</p>	3745-31-05 3745-17-08	<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stacks(s), whichever is less stringent.</p> <p>Plant shall install a fugitive dust emission control system for the storage of flour in order to achieve the requirements as described in OAC 3745-17-08(B)(3)(a) and (b) which follows:</p>

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
		<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stack(s), whichever is less stringent.</p>		<p>(a) The collection efficiency is sufficient to minimize or eliminate visible emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design; and</p> <p>(b) The control equipment achieves an outlet emission rate of not greater than .030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there are no visible emissions from the exhaust stacks(s), whichever is less stringent.</p>

**SUMMARY**

**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons/Year</u>
Particulate VOC (ethanol)	0.036 TPY 227.8 TPY

CONSTRUCTION STATUS

The OEPA Southeast District Office - DAPC shall be notified in writing as to (a) the construction starting date, (b) the construction completion date, and (c) the date the facilities were placed into operation for the following sources: P003.

PERFORMANCE TEST REQUIREMENTS

The permittee shall conduct, or have conducted, performance testing on the air contaminant source(s) in accordance with procedures approved by the Agency. Two copies of the written report describing the test procedures followed and the results of such tests shall be submitted and signed by the person responsible for the test. The Director, or an Ohio EPA representative, shall be allowed to witness the test, examine testing equipment, and require the acquisition or submission of data and information necessary to assure that the source operation and testing procedures provide a valid characterization of the emissions from the source and/or the performance of the control equipment.

- A. A completed Intent to Test form shall be submitted to the appropriate Ohio EPA District Office or Local Air Pollution Control Agency where the original permit application was filed. This notice shall be made 30 days in advance and shall specify the source operating parameters, the proposed test procedures, and the time, date, place and person(s) conducting such tests.
- B. Two copies of the test results shall be submitted within 30 days after the completion of the performance test.
- C. Tests shall be performed for the following source(s) and pollutants(s):

Source

P003

Pollutants

VOC (ethanol)

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

**MAINTENANCE OF EQUIPMENT**

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

**MALFUNCTION/ABATEMENT**

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the OEPA Southeast District Office - DAPC, 2195 Front Street, Logan, Ohio 43138.

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

**AIR POLLUTION NUISANCES PROHIBITED**

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

**CONSTRUCTION COMPLIANCE CERTIFICATION**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.