



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

**CERTIFIED MAIL**

**RE: PERMIT TO INSTALL \*\*\*CORRECTED COPY 6/10/2003\*\*\*  
HAMILTON COUNTY  
Application No:14-04800**

**DATE: 6/10/2003**

Duke Solutions/Evendale, L.L.C.  
Andre Casavant  
500 Washington Avenue  
Portland, ME 04103

Attached please find a corrected copy of PTI 14-04800 issued **6-20-02**. This corrected copy is being sent due to administrative processing errors and does not affect the enforceability or effective date of the Directors final action. Please note, the appearance of the corrected document may have changed due to changing software or printers (e.g., total number of pages, margins, etc.). Areas of the permit that have been substantively affected by the correction(s) are **highlighted** in the enclosed "Corrected Copy". I urge you to review these areas in relation to the issued permit document. Please replace the copy provided to you on **6-20-02** with the attached corrected Permit To Install document. *Please note:* No payment is required for processing this corrected copy.

Very truly yours,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

HCDES



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL MODIFICATION**

**CERTIFIED MAIL**

**HAMILTON COUNTY**

**Application No: 14-04800**

**\*\*\*CORRECTED COPY 6/10/2003\*\*\***

**DATE: 6/20/2002**

Duke Solutions/Evendale, L.L.C.  
Andre Casavant  
500 Washington Avenue  
Portland, ME 04103

	TOXIC REVIEW
	PSD
Y	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
Y	NETTING
	MAJOR NON-ATTAINMENT
Y	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo  
Field Operations and Permit Section  
Division of Air Pollution Control

CC: USEPA

HCDES

## FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 14-04800

**\*\*\*CORRECTED COPY 6/10/2003\*\*\***

Application Number: 14-04800  
APS Premise Number: 1431154026  
Permit Fee: **\$200**  
Name of Facility: Duke Solutions/Evenale, L.L.C.  
Person to Contact: Andre Casavant  
Address: 500 Washington Avenue  
Portland, ME 04103

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**10155 Reading Road**  
**Cincinnati, Ohio**

Description of proposed emissions unit(s):  
**28.7 MMBtu/hr Wood Waste-Fired Boiler - Modification.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Permit To Install General Terms and Conditions

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and

October 31 of each year and shall cover the previous calendar quarters. See B.10 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition

depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

## **8. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## 9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

## 10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the

emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

#### **11. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

#### **12. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**B. State Only Enforceable Permit To Install General Terms and Conditions**

**1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

**2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**3. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**4. Termination of Permit To Install**

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**5. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**6. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**7. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**8. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**C. Permit To Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM/PM10	14.26
SO2	0.71
CO	21.4
NOx	43.1
VOC	0.71

**Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**

**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
B004 - 28.7 MMBtu/hr Wood Waste-Fired Boiler Controlled with a Baghouse (Derated to 22.0 MMBtu/hour) - Modification	OAC rule 3745-31-05(A)(3)	0.20 lb PM/PM10/MMBtu 0.01 lb SO2/MMBtu 0.30 lb CO/MMBtu 0.604 lb NOx/MMBtu 0.01 lbVOC/MMBtu
		The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A)(1) and 40 CFR Part 60 Subpart Dc.
	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed twenty percent (20%) opacity, except as a six-minute average, except as specified by rule.
	OAC rule 3745-17-10	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	40 CFR 60 Subpart Dc	See term A.III 1.
	Synthetic Minor to avoid Prevention of Significant Deterioration	14.26 TPY PM/PM10* 43.1 TPY NOx* 21.4 TPY CO* 0.71 TPY SO2* 0.71 TPY VOC*

**\*\*\*CORRECTED COPY 6/10/2003\*\*\***

Netting to avoid Prevention of Significant Deterioration

See term A.VI.1.

\* Based on a rolling, 12-month summation of the monthly emissions

**2. Additional Terms and Conditions**

**2.a** The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

**2.b** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the limited usage of wood waste, emissions limitations and the use of a baghouse and multiclone.

**II. Operational Restrictions**

1. The maximum annual wood waste fuel usage for this emissions unit shall not exceed 8487 tons per year based upon a rolling, 12-month summation of the wood waste usage figures.

To ensure enforceability during the first 12 calendar months of operation following issuance of this permit, the permittee shall not exceed the wood waste usage levels specified in this following table:

Month	Maximum Allowable Tons of Wood Waste
1-1	900
1-2	1,800
1-3	2,700
1-4	3,600
1-5	4,244
1-6	4,244
1-7	4,951
1-8	5,658
1-9	6,366
1-10	7,073
1-11	7,780
1-12	8,487

After the first 12 calendar months of operation following issuance of this permit, compliance with the annual wood waste usage limitation shall be based upon a rolling, 12-month summation of the wood waste usage figures.

2. The pressure drop across the baghouse shall be maintained within the range of 2.0 - 10.0 inches of water while the emissions unit is in operation.
3. Pursuant to OAC rule 3745-17-10, the total heat input for emissions unit B004 is derated from 28.7 MMBtu/hr to 22.0 MMBtu/hr. (The derated total heat input of 22.0 MMBtu/hr corresponds to a steam load of 18,259 pounds per hour.)

### III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain daily records of the quantity of wood waste burned in this emissions unit.
2. The permittee shall maintain monthly records of the following information for emissions unit B004:
  - a. The wood waste usage for each month; and,
  - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling 12-month summation of the wood waste usage figures.

Also, during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative wood waste usage for each calendar month.

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.
2. The permittee shall continuously monitor and record the hourly steam flow rate from emissions unit B004. Copies of all steam flow rate charts shall be maintained for a period of 5 years, and shall be made available to the Hamilton County Department of Environmental Services upon verbal or written request.

### IV. Reporting Requirements

1. The permittee shall submit annual reports which specify the total NO<sub>x</sub>, SO<sub>2</sub>, CO, PM and PM<sub>10</sub> emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 30 of each year.
2. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month wood waste usage limitation and, for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative wood waste usage limitation.

3. Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:
  - a. construction date (no later than 30 days after such date);
  - b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
  - c. actual start-up date (within 15 days after such date); and,
  - d. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency  
DAPC - Permit Management Unit  
P.O. Box 163669  
Columbus, Ohio 43216-3669

and

Department of Environmental Services  
250 William Howard Taft Road  
Cincinnati, Ohio 45219

4. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.
5. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in term A.II.2.
6. If for any reason the steam flow rate from emissions unit B004 exceeds 18,259 pounds per hour, the following information shall be reported within 5 business days after the exceedance:
  - a. the date of the exceedance;
  - b. the time interval over which the exceedance occurred;
  - c. the value of the exceedance;
  - d. the cause(s) of the exceedance;
  - e. the corrective action which has been or will be taken to prevent similar exceedances in the future; and

- f. a copy of the steam chart which shows the exceedance.

## V. Testing Requirements

1. Compliance with the visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.
2. Compliance with the emissions limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in PTI 14-4800 submitted August 16, 1999.
3. Compliance with the fuel usage limitation in term A.II.1. will be demonstrated by the recordkeeping in term A.III.2.
4. Compliance with the steam flow limitation in term A.II.3. shall be demonstrated by the recordkeeping in term A.III.4.
5. Compliance with the pressure drop limitation in term A.II.2. shall be demonstrated by the recordkeeping in term A.III.3.

## VI. Miscellaneous Requirements

1. The following is a summary of the netting emissions in tons per year (TPY):

<u>Emissions Unit</u>	<u>Pollutant</u>	<u>Decrease</u>	<u>Increase</u>
B001-B003 (1431154026)	NO <sub>x</sub>		+87.2
B004 (1431154026)	NO <sub>x</sub>		+43.1
B001-B005 (1431150801)	NO <sub>x</sub>	-150.24**	
K013 (1431150801) (PTI 14-4281)	NO <sub>x</sub>		+2.8
K014 (1431150801) (PTI 14-4511)	NO <sub>x</sub>		+9.95
Net Emissions Change	NO <sub>x</sub>	-7.19	
B001-B003 (1431154026)	CO		+96.6

**\*\*\*CORRECTED COPY 6/10/2003\*\*\***

B004 (1431154026)	CO		+21.4
B001-B005 (1431150801)	CO	-81.0**	
K013 (1431150801) (PTI 14-4281)	CO		+0.6
K014 (1431150801) (PTI 14-4511)	CO		+2.46
Net Emissions Change	CO		+40.1
B001-B003 (1431154026)	PM <sub>10</sub>		+5.38
B004 (1431154026)	PM <sub>10</sub>		+14.26
B001-B005 (1431150801)	PM <sub>10</sub>	-5.35**	
“ Coal Handling System	PM <sub>10</sub>	-0.37**	
“ Ash Handling System	PM <sub>10</sub>	-0.23**	
“ Material Handling	PM <sub>10</sub>	-0.05**	
K013 (1431150801) (PTI 14-4281)	PM <sub>10</sub>		+0.33
K014 (1431150801) (PTI 14-4511)	PM <sub>10</sub>		+0.99
Net Emissions Change	PM <sub>10</sub>		+14.96

\*\* Based on average actual emissions for 1997 and 1998.

- The terms and conditions of this permit to install shall supersede the terms and conditions of permit to install number 14-04800 issued November 24, 1999.

**\*\*\*CORRECTED COPY 6/10/2003\*\*\***

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
None	None	None

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None