



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
CLARK COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.
Center

Application No: 08-02949

DATE: 10/26/2000

Glasgo Plastics Inc
Jeff Tillman
PO Box 555
Springfield, OH 455010000

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

RAPCA



**Permit To Install
Terms and Conditions**

**Issue Date: 10/26/2000
Effective Date: 10/26/2000**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 08-02949

Application Number: 08-02949
APS Premise Number: 0812790457
Permit Fee: \$0
Name of Facility: Glasgo Plastics Inc
Person to Contact: Jeff Tillman
Address: PO Box 555
Springfield, OH 455010000

Location of proposed air contaminant source(s) [emissions unit(s)]:
**3240 E National Rd
Springfield, Ohio**

Description of proposed emissions unit(s):
two resin sprayup booths, one gelcoat resin spray booth, and two hand layup areas; administrative modification to PTI 08-2949 issued August 3, 1994 and modified September 2, 1998.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition

declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are

required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

5. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

8. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

9. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

10. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|-------------------|----------------------|
| Organic Compounds | 36.5 |

12

Glasgo Plastics Inc
PTI Application: **08-02949**
Issued: 10/26/2000

Facility ID: **0812790457**

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| P001 - fiberglass reinforced plastic chopper resin spray booth 1, with filter | OAC rule 3745-31-05(A)(3) | The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). |
| | OAC rule 3745-21-07(G)(2) | 7.3 TPY organic compounds, including cleanup |
| | OAC rule 3745-17-11(B)(1) | 8 lbs/hour and 40 lbs/day organic compounds, including cleanup |
| | OAC rule 3745-17-07(A) | 1.58 lbs/hour particulates |
| | | Opacity shall not exceed 20%, as a six-minute average, except as provided by rule |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The permittee shall operate the filter system whenever this emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for each resin, catalyst, resin flush, and cleanup material employed in this emissions unit:
 - a. The company identification for each material employed.
 - b. The total number of gallons of each material employed.
 - c. The organic compound content of each material, in pounds per gallon.
 - d. The method of application for each resin employed.
 - e. The styrene content of each resin employed, in percent by weight.
 - f. The total organic compound emissions, in pounds per day (see calculation methodology in section A.V.1.b.).
 - g. The total number of hours the emissions unit was in operation.
 - h. The average hourly organic compound emission rate, i.e., (f)/(g), in pounds.
2. The permittee shall maintain daily records that document any time periods when the filter system was not in service when the emissions unit was in operation.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the resin, catalyst, resin flush, and cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the resin, catalyst, resin flush, and cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

The quarterly deviation (excursion) reports shall be submitted in accordance with Section A.1.c. of the General Terms and Conditions.

2. The permittee shall submit quarterly reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total organic compound emissions and total material usages (resin, catalyst, resin flush, and cleanup material) for this emissions unit for the previous calendar quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

3. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the filter system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days after the event occurs.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation -
8 lbs/hour organic compounds

Applicable Compliance Method -

Compliance shall be based upon record keeping as specified in Section A.III.1 of this permit.

- b. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method -

Compliance shall be based upon record keeping as specified in Section A.III.1. and shall be determined as follows:

- i. The usage of each resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
- ii. The total usage rate of the catalyst (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the catalyst, in pounds per gallon.
- iii. The total usage rate of the resin flush (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the resin flush, in pounds per gallon. The product shall then be multiplied by a company derived mass balance emission factor of 0.25.
- iv. The total usage rate of the cleanup material (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the organic compound content of the cleanup material, in pounds per gallon.
- v. The total daily organic compound emission rate (in pounds), including cleanup,

shall then be the sum of the results from i, ii, iii, and iv.

- c. Emission Limitation -
7.3 TPY organic compounds, including cleanup

Applicable Compliance Method -

Compliance shall be the summation of the daily organic compound emission rates (pounds) including cleanup, as determined in Section A.V.1.b., **for the calendar year**, divided by 2,000.

- d. Emission Limitation -
1.58 lbs/hour particulates

Applicable Compliance Method -

To determine the actual worst case emissions rate for particulates, the following equation shall be used:

$$E = \text{maximum coating solids usage rate, in pounds per hour} \times (1 - TE) \times (1 - CE)$$

$$E = \text{particulates emission rate (lbs/hour)}$$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used

CE = control efficiency of the control equipment

- e. Emission Limitation -
20% opacity visible emissions, as a six-minute average

Applicable Compliance Method -

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

2. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the materials employed in this emissions unit.

VI. Miscellaneous Requirements

1. This permit allows the use of the materials specified by the permittee in the permit application. Prior to employing any material not specified in the permit application, the permittee shall provide written notification to, and obtain approval from, the Director (the appropriate Ohio EPA District Office or local air agency). Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC rule 3745-21-07(G)(2). This notification, at

20

Glasgc

PTI A₁

Issued: 10/26/2000

Emissions Unit ID: P001

a minimum, shall include the company identification of the new material to be employed, the organic compound content of the material, and the maximum amount to be used, in pounds per hour.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| P001 - fiberglass reinforced plastic chopper resin spray booth 1, with filter | None | None |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

22

Glasgc

PTI A₁

Issued: 10/26/2000

Emissions Unit ID: P001

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| P002 - fiberglass reinforced plastic chopper resin spray booth 2, with filter | OAC rule 3745-31-05(A)(3) | The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). |
| | OAC rule 3745-21-07(G)(2) | 7.3 TPY organic compounds, including cleanup |
| | OAC rule 3745-17-11(B)(1) | 8 lbs/hour and 40 lbs/day organic compounds, including cleanup |
| | OAC rule 3745-17-07(A) | 1.58 lbs/hour particulates |
| | | Opacity shall not exceed 20%, as a six-minute average, except as provided by rule |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The permittee shall operate the filter system whenever this emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

2. The permittee shall collect and record the following information for each day for each resin, catalyst, resin flush, and cleanup material employed in this emissions unit:
 - a. The company identification for each material employed.
 - b. The total number of gallons of each material employed.
 - c. The organic compound content of each material, in pounds per gallon.
 - d. The method of application for each resin employed.
 - e. The styrene content of each resin employed, in percent by weight.
 - f. The total organic compound emissions, in pounds per day (see calculation methodology in Section A.V.1.b.).
 - g. The total number of hours the emissions unit was in operation.
 - h. The average hourly organic compound emission rate, i.e., (f)/(g), in pounds.
2. The permittee shall maintain daily records that document any time periods when the filter system was not in service when the emissions unit was in operation.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the resin, catalyst, resin flush, and cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the resin, catalyst, resin flush, and cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

The quarterly deviation (excursion) reports shall be submitted in accordance with Section A.1.c. of the General Terms and Conditions.

2. The permittee shall submit quarterly reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total organic compound emissions and total material usages (resin, catalyst, resin flush, and cleanup material) for this emissions unit for the previous calendar quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

3. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the filter system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days after the event occurs.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation -
8 lbs/hour organic compounds

Applicable Compliance Method -
Compliance shall be based upon record keeping as specified in Section A.III.1 of this permit.
 - b. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method -
Compliance shall be based upon record keeping as specified in Section A.III.1. and shall be determined as follows:
 - i. The usage of each resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
 - ii. The total usage rate of the catalyst (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the catalyst, in pounds per gallon.
 - iii. The total usage rate of the resin flush (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the resin flush, in pounds per gallon. The product shall then be multiplied by a company derived mass balance emission factor of 0.25.

- iv The total usage rate of the cleanup material (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the organic compound content of the cleanup material, in pounds per gallon.
 - v The total daily organic compound emission rate (in pounds), including cleanup, shall then be the sum of the results from i, ii, iii, and iv.
- c. Emission Limitation -
7.3 TPY organic compounds, including cleanup

Applicable Compliance Method -

Compliance shall be the summation of the daily organic compound emission rates (pounds), as determined in Section A.V.1.b, for the calendar year, divided by 2,000.

- d. **Emission Limitation -**
1.58 lbs/hour particulates

Applicable Compliance Method -

To determine the actual worst case emissions rate for particulates, the following equation shall be used:

$$E = \text{maximum coating solids usage rate, in pounds per hour} \times (1 - TE) \times (1 - CE)$$

$$E = \text{particulates emission rate (lbs/hour)}$$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used

CE = control efficiency of the control equipment

- e. **Emission Limitation -**
20% opacity visible emissions, as a six-minute average

Applicable Compliance Method -

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

2. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the materials employed in this emissions unit.

VI. Miscellaneous Requirements

1. This permit allows the use of the materials specified by the permittee in the permit application. Prior to employing any material not specified in the permit application, the permittee shall provide written notification to, and obtain approval from, the Director (the appropriate Ohio EPA District Office or local air agency). Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC rule 3745-21-07(G)(2). This notification, at

28

Glasgc

PTI A₁

Issued: 10/26/2000

Emissions Unit ID: P002

a minimum, shall include the company identification of the new material to be employed, the organic compound content of the material, and the maximum amount to be used, in pounds per hour.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| P002 - fiberglass reinforced plastic chopper resin spray booth 2, with filter | None | None |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

30

Glasgo Plastics Inc

PTI Application: **08 07040**

Issued

Facility ID: **0812790457**

Emissions Unit ID: P002

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| P003 - fiberglass reinforced plastic gelcoat spray booth 3, with filter | OAC rule 3745-31-05(A)(3) | The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). |
| | OAC rule 3745-21-07(G)(2) | 7.3 TPY organic compounds, including cleanup |
| | OAC rule 3745-17-11(B)(1) | 8 lbs/hour and 40 lbs/day organic compounds, including cleanup |
| | OAC rule 3745-17-07(A) | 1.58 lbs/hour particulates |
| | | Opacity shall not exceed 20%, as a six-minute average, except as provided by rule |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

1. The permittee shall operate the filter system whenever this emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for each gelcoat resin, catalyst, resin flush, and cleanup material employed in this emissions unit:
 - a. The company identification for each material employed.
 - b. The total number of gallons of each material employed.
 - c. The organic compound content of each material, in pounds per gallon.
 - d. The method of application for each gelcoat resin employed.
 - e. The styrene content of each gelcoat resin employed, in percent by weight.
 - f. The total organic compound emissions, in pounds per day (see calculation methodology in Section A.V.1.b.).
 - g. The total number of hours the emissions unit was in operation.
 - h. The average hourly organic compound emission rate, i.e., (f)/(g), in pounds.
2. The permittee shall maintain daily records that document any time periods when the filter system was not in service when the emissions unit was in operation.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

The quarterly deviation (excursion) reports shall be submitted in accordance with Section A.1.c. of the General Terms and Conditions.

Issued: 10/26/2000

2. The permittee shall submit quarterly reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total organic compound emissions and total material usages (gelcoat resin, catalyst, resin flush, and cleanup materia) for this emissions unit for the previous calendar quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.
3. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the filter system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days after the event occurs.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation -
8 lbs/hour organic compounds

Applicable Compliance Method -
Compliance shall be based upon record keeping as specified in Section A.III.1 of this permit.
 - b. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method -
Compliance shall be based upon record keeping as specified in Section A.III.1. and shall be determined as follows:
 - i. The usage of each gelcoat (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the gelcoat density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each gelcoat, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
 - ii. The total usage rate of the catalyst (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the catalyst, in pounds per gallon.

- iii. The total usage rate of the resin flush (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the resin flush, in pounds per gallon. The product shall then be multiplied by a company derived mass balance emission factor of 0.25.
 - iv. The total usage rate of the cleanup material (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the organic compound content of the cleanup material, in pounds per gallon.
 - v. The total daily organic compound emission rate (in pounds), including cleanup, shall then be the sum of the results from i, ii, iii, and iv.
- c. Emission Limitation -
7.3 TPY organic compounds, including cleanup

Applicable Compliance Method -

Compliance shall be the summation of the daily organic compound emission rates (pounds) including cleanup, as determined in Section A.V.1.b., for the calendar year, divided by 2,000.

- d. **Emission Limitation -**
1.58 lbs/hour particulates

Applicable Compliance Method -

To determine the actual worst case emissions rate for particulates, the following equation shall be used:

$$E = \text{maximum coating solids usage rate, in pounds per hour} \times (1 - TE) \times (1 - CE)$$

$$E = \text{particulates emission rate (lbs/hour)}$$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used

CE = control efficiency of the control equipment

- e. **Emission Limitation -**
20% opacity visible emissions, as a six-minute average

Applicable Compliance Method -

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

VI. Miscellaneous Requirements

1. This permit allows the use of the materials specified by the permittee in the permit application. Prior to employing any material not specified in the permit application, the permittee shall provide written notification to, and obtain approval from, the Director (the appropriate Ohio EPA District Office or local air agency). Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC rule 3745-21-07(G)(2). This notification, at a minimum, shall include the company identification of the new material to be employed, the organic compound content of the material, and the maximum amount to be used, in pounds per hour.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| P003 - fiberglass reinforced plastic gelcoat spray booth 3, with filter | None | None |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|---|
| P005 - fiberglass reinforced plastic north hand layup area | OAC rule 3745-31-05(A)(3) | The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). |
| | OAC rule 3745-21-07(G)(2) | 7.3 TPY organic compounds (OC), including cleanup; 8 lbs/hour and 40 lbs/day OC, including cleanup |

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for each resin, gelcoat resin, catalyst, resin flush, primer/thinner, and cleanup material employed in this emissions unit:
 - a. The company identification for each material employed.
 - b. The total number of gallons of each material employed.
 - c. The organic compound content of each material, in pounds per gallon.
 - d. The method of application for each resin employed.

- e. The styrene content of each resin employed, in percent by weight.
- f. The total organic compound emissions, in pounds per day (see calculation methodology in Section A.V.1.b.).
- g. The total number of hours the emissions unit was in operation.
- h. The average hourly organic compound emission rate, i.e., (f)/(g), in pounds.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the resin, gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the resin, gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

The quarterly deviation (excursion) reports shall be submitted in accordance with Section A.1.c. of the General Terms and Conditions.

2. The permittee shall submit quarterly reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total organic compound emissions and total material usages (resin, gelcoat resin, catalyst, resin flush, primer/thinner, and cleanup) for this emissions unit for the previous calendar quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation -
8 lbs/hour organic compounds

Glasgo Plastics Inc
PTI Application: **08 03040**
Issued

Facility ID: **0812790457**

Emissions Unit ID: P005

Applicable Compliance Method -
Compliance shall be based upon record keeping as specified in Section A.III.1 of this permit.

- b. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method -

Compliance shall be based upon recordkeeping as specified in Section A.III.1. and shall be determined as follows:

- i. The usage of each resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
- ii. The usage of each gelcoat resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the gelcoat resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each gelcoat resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
- iii. The total usage rate of the catalyst (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the catalyst, in pounds per gallon.
- iv. The total usage rate of the resin flush (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the resin flush, in pounds per gallon. The product shall then be multiplied by a company derived mass balance emission factor of 0.25.
- v. The total usage rate of the cleanup material (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the organic compound content of the cleanup material, in pounds per gallon.
- vi. The total usage rate of the primer/thinner (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the primer/thinner, in pounds per gallon.
- vii. The total daily organic compound emission rate (in pounds), including cleanup,

shall then be the sum of the results from i, ii, iii, iv, v, and vi.

- c. Emission Limitation -
7.3 TPY organic compounds, including cleanup

Applicable Compliance Method -

Compliance shall be the summation of the daily organic compound emission rates (pounds), as determined in Section A.V.1.b. for the calendar year, divided by 2,000.

2. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the materials employed in this emissions unit.

VI. Miscellaneous Requirements

1. This permit allows the use of the materials specified by the permittee in the permit application. Prior to employing any material not specified in the permit application, the permittee shall provide written notification to, and obtain approval from, the Director (the appropriate Ohio EPA District Office or local air agency). Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC rule 3745-21-07(G)(2). This notification, at a minimum, shall include the company identification of the new material to be employed, the organic compound content of the material, and the maximum amount to be used, in pounds per hour.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| P005 - fiberglass reinforced plastic north hand layup area | None | None |

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|---|
| P006 - fiberglass reinforced plastic south hand layup area | OAC rule 3745-31-05(A)(3) | The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). |
| | OAC rule 3745-21-07(G)(2) | 7.3 TPY organic compounds (OC), including cleanup; 8 lbs/hour and 40 lbs/day OC, including cleanup |

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for each resin, gelcoat resin, catalyst, resin flush, primer/thinner, and cleanup material employed in this emissions unit:
 - a. The company identification for each material employed.
 - b. The total number of gallons of each material employed.
 - c. The organic compound content of each material, in pounds per gallon.
 - d. The method of application for each resin employed.

- e. The styrene content of each resin employed, in percent by weight.
- f. The total organic compound emissions, in pounds per day (see calculation methodology in Section A.V.1.b.).
- g. The total number of hours the emissions unit was in operation.
- h. The average hourly organic compound emission rate, i.e., (f)/(g), in pounds.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the resin, gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the resin, gelcoat resin, catalyst, resin flush, and cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

The quarterly deviation (excursion) reports shall be submitted in accordance with Section A.1.c. of the General Terms and Conditions.

2. The permittee shall submit quarterly reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total organic compound emissions and total material usages (resin, gelcoat resin, catalyst, resin flush, primer/thinner, and cleanup) for this emissions unit for the previous calendar quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation -
8 lbs/hour organic compounds

46

Glasgc

PTI A₁

Issued: 10/26/2000

Emissions Unit ID: P006

Applicable Compliance Method -

Compliance shall be based upon record keeping as specified in Section A.III.1. of this permit.

- b. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method -

Compliance shall be based upon recordkeeping as specified in Section A.III.1. and shall be determined as follows:

- i. The usage of each resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
- ii. The usage of each gelcoat resin (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the gelcoat resin density, in pounds per gallon and divided by 2,000 pounds per ton. The usage of each gelcoat resin, in tons, shall then be multiplied by the appropriate emission factor from Table 3 of the Engineering Environmental Consulting Services document, Technical Discussion of the Unified Emission Factors for Open Molding of Composites, April 7, 1999.
- iii. The total usage rate of the catalyst (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the catalyst, in pounds per gallon.
- iv. The total usage rate of the resin flush (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the resin flush, in pounds per gallon. The product shall then be multiplied by a company derived mass balance emission factor of 0.25.
- v. The total usage rate of the cleanup material (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the organic compound content of the cleanup material, in pounds per gallon.
- vi. The total usage rate of the primer/thinner (gallons per day), as required to be recorded in Section A.III.1., shall be multiplied by the maximum organic compound content of the primer/thinner, in pounds per gallon.
- vii. The total daily organic compound emission rate (in pounds), including cleanup,

shall then be the sum of the results from i, ii, iii, iv, v, and vi.

- c. Emission Limitation -
7.3 TPY organic compounds, including cleanup

Applicable Compliance Method -

Compliance shall be the summation of the daily organic compound emission rates (pounds), as determined in Section A.V.1.b. for the calendar year, divided by 2,000.

2. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the materials employed in this emissions unit.

VI. Miscellaneous Requirements

1. This permit allows the use of the materials specified by the permittee in the permit application. Prior to employing any material not specified in the permit application, the permittee shall provide written notification to, and obtain approval from, the Director (the appropriate Ohio EPA District Office or local air agency). Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC rule 3745-21-07(G)(2). This notification, at a minimum, shall include the company identification of the new material to be employed, the organic compound content of the material, and the maximum amount to be used, in pounds per hour.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| P006 - fiberglass reinforced plastic south hand layup area | None | None |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 08-02949 Facility ID: 0812790457

FACILITY NAME Glasgo Plastics Inc

FACILITY DESCRIPTION two resin sprayup booths, one gelcoat resin spray booth, and two hand layup areas; administrative modification to PTI 08-2949 issued August 3, 1994 and modified September 2, 1998 CITY/TWP Springfield

SIC CODE 3089 SCC CODE _____ EMISSIONS UNIT ID P001

EMISSIONS UNIT DESCRIPTION fiberglass reinforced plastic chopper resin spray booth 1, with filter

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? _____

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-02949 Facility ID: 0812790457

FACILITY NAME Glasgo Plastics Inc

FACILITY DESCRIPTION two resin spravn booths. one gelcoat resin CITY/TWP Springfield

Emissions Unit ID: P006

September 2, 1998

SIC CODE 3089 SCC CODE _____ EMISSIONS UNIT ID P002

EMISSIONS UNIT DESCRIPTION fiberglass reinforced plastic chopper resin spray booth 2, with filter

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-02949 Facility ID: 0812790457

FACILITY NAME Glasgo Plastics Inc

FACILITY DESCRIPTION two resin spravn booths. one gelcoat resin CITY/TWP Springfield

Emissions Unit ID: P006

September 2, 1998

SIC CODE 3089 SCC CODE _____ EMISSIONS UNIT ID P003

EMISSIONS UNIT DESCRIPTION fiberglass reinforced plastic gelcoat spray booth 3, with filter

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-02949 Facility ID: 0812790457

FACILITY NAME Glasgo Plastics Inc

FACILITY DESCRIPTION two resin spravn booths. one gelcoat resin CITY/TWP Springfield

Emissions Unit ID: P006

September 2, 1998

SIC CODE 3089 SCC CODE _____ EMISSIONS UNIT ID P005

EMISSIONS UNIT DESCRIPTION fiberglass reinforced plastic north hand layup area

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

55 NEW SOURCE REVIEW FORM B

PTI Number: 08-02949

Facility ID: 0812790457

FACILITY NAME Glasgo Plastics IncFACILITY DESCRIPTION two resin spray booths. one gelcoat resin CITY/TWP Springfield

Emissions Unit ID: P006

September 2, 1998SIC CODE 3089

SCC CODE _____

EMISSIONS UNIT ID _____

P006EMISSIONS UNIT DESCRIPTION fiberglass reinforced plastic south hand layup area

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____

NESHAP? _____

PSD? _____

OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? _____

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? _____

\$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____

YES _____

NO _____

IDENTIFY THE AIR CONTAMINANTS: _____