



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020
FAX (614) 644-2329

George V. Voinovich
Governor

Donald R. Schregardus
Director

Re: Permit to Install
Stark County
Application No: 15-768

CERTIFIED MAIL

April 8, 1992

REPUBLIC ENGINEERED STEELS INC
L.D. WISNIEWSKI
P.O. BOX 24700, 2633 8TH ST NE
CANTON, OH 44701

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.


You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations & Permit Section
Division of Air Pollution Control

cc: US EPA
CANTON AIR POLLUTION CONTROL



Permit to Install Terms and Conditions

Application No. 15-768
APS Premise No. 1576050694
Permit Fee: \$6800.00

Name of Facility: REPUBLIC ENGINEERED STEELS INC

Person to Contact: L.D. WISNIEWSKI

Address: P.O. BOX 24700, 2633 8TH ST NE
CANTON, OH 44701

Location of proposed source(s): 2633 8TH ST NE
CANTON, OHIO

Description of proposed source(s):
34 COLD CLEANERS.


Date of Issuance: April 8, 1992

Effective Date: April 8, 1992

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months, if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCE(S)

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Ohio Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 15 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application and a \$15 application fee must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be made at least 90 days prior to start-up of the source.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for REPUBLIC ENGINEERED STEELS INC located in Stark County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

REPUBLIC ENGINEERED STEELS INC

Application No. 15-768

Page 4 of 9

April 8, 1992

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L010	Cold Cleaner Mineral Spirits Item #23	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L011	Cold Cleaner Mineral Spirits Item #24	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L012	Cold Cleaner Mineral Spirits Item #25	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L013	Cold Cleaner Mineral Spirits Item #26	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L014	Cold Cleaner Mineral Spirits Item #27	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L015	Cold Cleaner Mineral Spirits Item #30	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L016	Cold Cleaner Mineral Spirits Item #31	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L017	Cold Cleaner Mineral Spirits Item #32	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L018	Cold Cleaner Mineral Spirits Item #33	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L019	Cold Cleaner Mineral Spirits Item #36	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L020	Cold Cleaner Mineral Spirits Item #39	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L021	Cold Cleaner Mineral Spirits Item #40	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L022	Cold Cleaner Mineral Spirits Item #43	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L023	Cold Cleaner Mineral Spirits Item #44	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L024	Cold Cleaner Mineral Spirits Item #45	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L025	Cold Cleaner Mineral Spirits Item #46	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L026	Cold Cleaner Mineral Spirits Item #48	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L027	Cold Cleaner Mineral Spirits Item #49	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L028	Cold Cleaner Mineral Spirits Item #50	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L029	Cold Cleaner Mineral Spirits Item #59	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month

REPUBLIC ENGINEERED STEELS INC

Application No. 15-768

Page 6 of 9

April 8, 1992

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L030	Cold Cleaner Mineral Spirits Item #62	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L031	Cold Cleaner Mineral Spirits Item #71	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L032	Cold Cleaner Mineral Spirits Item #72	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L033	Cold Cleaner Mineral Spirits Item #73	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L034	Cold Cleaner Mineral Spirits Item #74	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L035	Cold Cleaner Mineral Spirits Item #75	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L036	Cold Cleaner Mineral Spirits Item #80	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L037	Cold Cleaner Mineral Spirits Item #114	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L038	Cold Cleaner Mineral Spirits Item #116	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L039	Cold Cleaner Mineral Spirits Item #117	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month

<u>Ohio EPA Source Number</u>	<u>Source Identification/Description</u>	<u>BAT Determination</u>	<u>Applicable Federal and OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control & Usage Requirements</u>
L040	Cold Cleaner Mineral Spirits Item #118	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L041	Cold Cleaner Mineral Spirits Item #119	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L042	Cold Cleaner Mineral Spirits Item #120	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month
L043	Cold Cleaner Mineral Spirits N&T	Compliance With OAC Terms and Conditions	3745-31-05 3745-21-09 (0)	1.23 tons OC/yr .10 ton OC/month

SUMMARY
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
OC	41.8

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

BAT FOR COLD CLEANERS

In accordance with OAC Rule 3745-21-09(O)(2), each owner or operator of a cold cleaner shall:

- (a) Equip the cold cleaner with either:
 - (i) a cover, and if the solvent has a vapor pressure greater than 0.3 pound per square inch absolute measured at 100°F or the solvent is heated or agitated, the cover shall be signed and constructed so that it can be easily operated with one hand; or
 - (ii) a remote solvent reservoir from which solvent is pumped through a nozzle suspended over a sink-like work area which drains back to the reservoir, provided a sink-like area has an open drain area of less than 16 square inches and provided the solvent neither is heated above 120°F nor has a vapor pressure greater than 0.6 pound per square inch absolute, measured at 100°F;
- (b) Equip the cold cleaner with a device for draining the cleaned parts; and if the solvent has a vapor pressure greater than 0.6 pound per square inch absolute, measured at 100°F the drainage facility shall be constructed internally so that parts are enclosed under the cover during draining unless an internal type drainage device cannot fit into the cleaning system;
- (c) Install one of the following devices if the solvent vapor pressure is greater than 0.6 pound per square inch absolute measured at 100°F, or if the solvent is heated above 120°F
 - (i) freeboard that gives a freeboard ratio greater than or equal to 0.7;
 - (ii) water cover (solvent must be insoluble in and heavier than water); or

- (iii) other systems of equivalent control, such as refrigerated chiller or carbon adsorption, approved by the Director; and
- (d) Operate and maintain the cold cleaner in a manner which is consistent with good engineering practice and which minimizes solvent evaporation from the unit.