



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL
PREBLE COUNTY
Application No: 08-04219**

CERTIFIED MAIL

| | |
|--|------------------------------|
| | TOXIC REVIEW |
| | PSD |
| | SYNTHETIC MINOR |
| | CEMS |
| | MACT |
| | NSPS |
| | NESHAPS |
| | NETTING |
| | MAJOR NON-ATTAINMENT |
| | MODELING SUBMITTED |
| | GASOLINE DISPENSING FACILITY |

DATE: 1/30/2001

Wysong Gravel-Camden
Carroll Wysong
5897 St Rte 503 North
Lewisburg, OH 45338-0000

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

RAPCA



FINAL PERMIT TO INSTALL 08-04219

Application Number: 08-04219
APS Premise Number: 0868790148
Permit Fee: **\$3000**
Name of Facility: Wysong Gravel-Camden
Person to Contact: Carroll Wysong
Address: 5897 St Rte 503 North
Lewisburg, OH 45338-0000

Location of proposed air contaminant source(s) [emissions unit(s)]:
**320 Camden College Rd
Lewisburg, Ohio**

Description of proposed emissions unit(s):
primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|------------------|----------------------|
| particulates | 4.07 |

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--|---|
| F001 - 150 TPY Portable Primary Crusher (Terms in this permit supercede those identified in PTI 08-359 issued 5/19/81) | OAC rule 3745-31-05(A)(3) | 0.11 lb/hr and 0.48 ton/yr particulates 15% opacity, as a 6-minute average Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. |
| | OAC rule 3745-17-07(B)(1) (See Sections A.2.b.) | The visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average (see sections A.2.b. and a.2.c) |
| | OAC rule 3745-17-08(B) (See Sections A.2.b.) | Reasonable available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.(see sections A.2.b. and a.2.c) |

2. Additional Terms and Conditions

- 2.a The hourly emission limitation was established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b OAC rules 3745-17-07(B)(1) and 3745-17-08(B), the stated visible emission opacity requirement, and the application of RACM are applicable only when the emissions unit is located in an Appendix A area as specified in OAC rule 3745-17-08.
- 2.c The aggregate materials processed through the primary crusher, shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the

crusher and transfer points, so that compliance with the opacity requirements specified above is continuously maintained.

B. Operational Restrictions

none

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall conduct visible emission evaluations at a minimum annually or upon relocation of the primary crusher. The VE evaluations shall be performed during the period of May 1 through September 30. The duration of the Method 9 observations shall be 1 hour at a minimum (ten 6-minute averages), and twenty 3-minute averages.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirement(s) specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or laa) within 30 days after the exceedance occurs.

E. Testing Requirements

1. Within the period of May 1 through September 30, the permittee shall conduct, or have conducted, an opacity test for this emissions unit in order to demonstrate compliance with the specified allowable opacity limitation. The opacity test shall be conducted in accordance with the test method specified in USEPA Reference Method 9.

Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification to the Regional Air Pollution Control Agency (RAPCA). The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit parameters, the time(s) and the date(s) of the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in RAPCA's refusal to accept the results of the opacity test(s).

Personnel from RAPCA shall be permitted to witness the test(s), examine the testing equipment and acquire data and information regarding the emissions unit operating parameters.

A comprehensive written report on the results of the emission test(s) shall be submitted within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from RAPCA.

2. Compliance with the emission limitations in this permit for emissions unit F001 shall be determined in accordance with the following method(s):

- a. Emission Limitation-
0.11 lb/hr particulates

Applicable Compliance Method-

Compliance shall be determined by multiplying the maximum hourly production rate of 150 tons/hour by the emission factor of 0.00070 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95).

- b. Emission Limitation-
0.48 ton/yr particulates

Applicable Compliance Method-

The 0.48 ton/yr limitation was developed by multiplying the 0.11 lb/hr maximum limitation by the maximum operating schedule of 8760 hrs/yr. Therefore provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

- c. Emission Limitation-
15% opacity, as a 6-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9.

- d. Emission Limitation-
20% opacity, as a 3-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

Notice to Relocate a Portable or Mobile Source

- 1. Pursuant to OAC rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:
 - a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - b. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);

- c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA and/or the appropriate field office having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and,
- d. in RAPCA's and/or the appropriate field office's judgement, the proposed site is acceptable under OAC rule 3745-15-07.

OR

- 2. Under OAC rule 3745-31-05(F), portable or mobile emissions unit may relocate to sites that have been preapproved by the Director. This permittee may relocate the portable or mobile sources listed in this permit if:
 - a. the permittee has applied for and obtained a site approval for the new site from the Director;
 - b. the site approval is current and effective;
 - c. the permittee has complied with all of the conditions and restrictions contained in the site approval;
 - d. the permittee has provided the appropriate Ohio EPA District Office and/or local air agency having jurisdiction over the new site at least 15 days written notice of the relocation;

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--|--|
| F002 - 150 TPY Portable Primary Screen (Terms in this permit supercede those identified in PTI 08-359 issued 5/19/81) | OAC rule 3745-31-05(A)(3) | 0.26 lb/hr and 1.14 tons/yr particulates 10% opacity, as a 6-minute average Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. |
| | OAC rule 3745-17-07(B)(1) (See Sections A.2.b.) | The visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average.(see sections A.2.b. and a.2.c) |
| | OAC rule 3745-17-08(B) (See Sections A.2.b.) | Reasonable available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.(see sections A.2.b. and a.2.c) |

2. Additional Terms and Conditions

- 2.a The hourly emission limitation was established to reflect the potential to emit for the equipment identified this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b OAC rules 3745-17-07(B)(1) and 3745-17-08(B), the stated visible emission opacity requirement, and the application of RACM are applicable only when the emissions unit is located in an Appendix A area as specified in OAC rule 3745-17-08.

- 2.c** The aggregate materials processed through the primary screen shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen and transfer points so that compliance with the opacity requirements specified above is continuously maintained.

B. Operational Restrictions

none

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall conduct visible emission evaluations at a minimum annually or upon relocation of the primary screen. The VE evaluations shall be performed during the period of May 1 through September 30. The duration of the Method 9 observations shall be 1 hour at a minimum (ten 6-minute averages), and twenty 3-minute averages.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirement(s) specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or laa) within 30 days after the exceedance occurs.

E. Testing Requirements

1. Within the period of May 1 through September 30, the permittee shall conduct, or have conducted, an opacity test for this emissions unit in order to demonstrate compliance with the specified allowable opacity limitation. The opacity test shall be conducted in accordance with the test method specified in USEPA Reference Method 9.

Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification to the Regional Air Pollution Control Agency (RAPCA). The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit parameters, the time(s) and the date(s) of the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in RAPCA's refusal to accept the results of the opacity test(s).

Personnel from RAPCA shall be permitted to witness the test(s), examine the testing equipment and acquire data and information regarding the emissions unit operating parameters.

A comprehensive written report on the results of the emission test(s) shall be submitted within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from RAPCA.

2. Compliance with the emission limitations in this permit for emissions unit F002 shall be determined in accordance with the following method(s):

a. Emission Limitation-
0.26 lb/hr particulates

Applicable Compliance Method-

Compliance shall be determined by multiplying the maximum hourly production rate of 150 tons/hour by the emission factor of 0.001764 lb/ton determined by multiplying the emission factor for PM10 of 0.00084 by 2.1, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95).

b. Emission Limitation-
1.14 tons/yr particulates

Applicable Compliance Method-

The 1.14 tons/yr limitation was developed by multiplying the 0.26 lb/hr maximum limitation by the maximum operating schedule of 8760 hrs/yr. Therefore provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

c. Emission Limitation-
10% opacity, as a 6-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9.

d. Emission Limitation-
20% opacity, as a 3-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

Notice to Relocate a Portable or Mobile Source

1. Pursuant to OAC rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:

a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;

- b. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
- c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA and/or the appropriate field office having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and,
- d. in RAPCA's and/or the appropriate field office's judgement, the proposed site is acceptable under OAC rule 3745-15-07.

OR

- 2. Under OAC rule 3745-31-05(F), portable or mobile emissions unit may relocate to sites that have been preapproved by the Director. This permittee may relocate the portable or mobile sources listed in this permit if:
 - a. the permittee has applied for and obtained a site approval for the new site from the Director;
 - b. the site approval is current and effective;
 - c. the permittee has complied with all of the conditions and restrictions contained in the site approval;
 - d. the permittee has provided the appropriate Ohio EPA District Office and/or local air agency having jurisdiction over the new site at least 15 days written notice of the relocation;

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--|--|
| F003 - 150 TPY Portable Secondary Crusher (Terms in this permit supercede those identified in PTI 08-359 issued 5/19/81) | OAC rule 3745-31-05(A)(3) | 0.19 lb/hr and 0.83 ton/yr particulates 15% opacity, as a 6-minute average |
| | OAC rule 3745-17-07(B)(1) (See Sections A.2.b.) | Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. The visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average.(see sections A.2.b. and a.2.c) |
| | OAC rule 3745-17-08(B) (See Sections A.2.b.) | Reasonable available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.(see sections A.2.b. and a.2.c) |

2. Additional Terms and Conditions

- 2.a The hourly emission limitation was established to reflect the potential to emit for the equipment identified this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b OAC rules 3745-17-07(B)(1) and 3745-17-08(B), the stated visible emission opacity requirement, and the application of RACM are applicable only when the emissions unit is located in an Appendix A area as specified in OAC rule 3745-17-08.
- 2.c The aggregate materials processed through the secondary crusher shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the

crusher and transfer points so that compliance with the opacity requirements specified above is continuously maintained.

B. Operational Restrictions

none

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall conduct visible emission evaluations at a minimum annually or upon relocation of the secondary crusher. The VE evaluations shall be performed during the period of May 1 through September 30. The duration of the Method 9 observations shall be 1 hour at a minimum (ten 6-minute averages), and twenty 3-minute averages.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirement(s) specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or laa) within 30 days after the exceedance occurs.

E. Testing Requirements

1. Within the period of May 1 through September 30, the permittee shall conduct, or have conducted, an opacity test for this emissions unit in order to demonstrate compliance with the specified allowable opacity limitation. The opacity test shall be conducted in accordance with the test method specified in USEPA Reference Method 9.

Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification to the Regional Air Pollution Control Agency (RAPCA). The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit parameters, the time(s) and the date(s) of the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in RAPCA's refusal to accept the results of the opacity test(s).

Personnel from RAPCA shall be permitted to witness the test(s), examine the testing equipment and acquire data and information regarding the emissions unit operating parameters.

A comprehensive written report on the results of the emission test(s) shall be submitted within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from RAPCA.

2. Compliance with the emission limitations in this permit for emissions unit F003 shall be determined in accordance with the following method(s):

- a. Emission Limitation-
0.19 lb/hr particulates

Applicable Compliance Method-

Compliance shall be determined by multiplying the maximum hourly production rate of 150 tons/hour by the emission factor of 0.001239 lb/ton determined by multiplying the emission factor for PM10 of 0.00059 by 2.1, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95).

- b. Emission Limitation-
0.83 ton/yr particulates

Applicable Compliance Method-

The 0.83 ton/yr limitation was developed by multiplying the 0.19 lb/hr maximum limitation by the maximum operating schedule of 8760 hrs/yr. Therefore provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

- c. Emission Limitation-
15% opacity, as a 6-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9.

- d. Emission Limitation-
20% opacity, as a 3-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

Notice to Relocate a Portable or Mobile Source

- 1. Pursuant to OAC rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:
 - a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - b. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);

- c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA and/or the appropriate field office having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and,
- d. in RAPCA's and/or the appropriate field office's judgement, the proposed site is acceptable under OAC rule 3745-15-07.

OR

- 2. Under OAC rule 3745-31-05(F), portable or mobile emissions unit may relocate to sites that have been preapproved by the Director. This permittee may relocate the portable or mobile sources listed in this permit if:
 - a. the permittee has applied for and obtained a site approval for the new site from the Director;
 - b. the site approval is current and effective;
 - c. the permittee has complied with all of the conditions and restrictions contained in the site approval;
 - d. the permittee has provided the appropriate Ohio EPA District Office and/or local air agency having jurisdiction over the new site at least 15 days written notice of the relocation;

- 2.c The aggregate materials processed through the secondary screen shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen and transfer points so that compliance with the opacity requirements specified above is continuously maintained.

B. Operational Restrictions

none

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall conduct visible emission evaluations at a minimum annually or upon relocation of the secondary screen. The VE evaluations shall be performed during the period of May 1 through September 30. The duration of the Method 9 observations shall be 1 hour at a minimum (ten 6-minute averages), and twenty 3-minute averages.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirement(s) specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or laa) within 30 days after the exceedance occurs.

E. Testing Requirements

1. Within the period of May 1 through September 30, the permittee shall conduct, or have conducted, an opacity test for this emissions unit in order to demonstrate compliance with the specified allowable opacity limitation. The opacity test shall be conducted in accordance with the test method specified in USEPA Reference Method 9.

Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification to the Regional Air Pollution Control Agency (RAPCA). The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit parameters, the time(s) and the date(s) of the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in RAPCA's refusal to accept the results of the opacity test(s).

Personnel from RAPCA shall be permitted to witness the test(s), examine the testing equipment and acquire data and information regarding the emissions unit operating parameters.

A comprehensive written report on the results of the emission test(s) shall be submitted within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from RAPCA.

2. Compliance with the emission limitations in this permit for emissions unit F004 shall be determined in accordance with the following method(s):

a. Emission Limitation-
0.26 lb/hr particulates

Applicable Compliance Method-

Compliance shall be determined by multiplying the maximum hourly production rate of 150 tons/hour by the emission factor of 0.001764 lb/ton determined by multiplying the emission factor for PM10 of 0.00084 by 2.1, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95).

b. Emission Limitation-
1.14 tons/yr particulates

Applicable Compliance Method-

The 1.14 tons/yr limitation was developed by multiplying the 0.26 lb/hr maximum limitation by the maximum operating schedule of 8760 hrs/yr. Therefore provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

c. Emission Limitation-
10% opacity, as a 6-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9.

d. Emission Limitation-
20% opacity, as a 3-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

Notice to Relocate a Portable or Mobile Source

1. Pursuant to OAC rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:

a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;

- b. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
- c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA and/or the appropriate field office having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and,
- d. in RAPCA's and/or the appropriate field office's judgement, the proposed site is acceptable under OAC rule 3745-15-07.

OR

- 2. Under OAC rule 3745-31-05(F), portable or mobile emissions unit may relocate to sites that have been preapproved by the Director. This permittee may relocate the portable or mobile sources listed in this permit if:
 - a. the permittee has applied for and obtained a site approval for the new site from the Director;
 - b. the site approval is current and effective;
 - c. the permittee has complied with all of the conditions and restrictions contained in the site approval;
 - d. the permittee has provided the appropriate Ohio EPA District Office and/or local air agency having jurisdiction over the new site at least 15 days written notice of the relocation;

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--|--|
| F005 - 150 TPY Portable Conveyors(7) (Terms in this permit supercede those identified in PTI 08-359 issued 5/19/81) | OAC rule 3745-31-05(A)(3) | 0.0.11 lb/hr and 0.48 tons/yr particulates 10% opacity, as a 6-minute average Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. |
| | OAC rule 3745-17-07(B)(1) (See Sections A.2.b.) | The visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average.(see sections A.2.b. and a.2.c) |
| | OAC rule 3745-17-08(B) (See Sections A.2.b.) | Reasonable available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.(see sections A.2.b. and a.2.c) |

2. Additional Terms and Conditions

- 2.a The hourly emission limitation was established to reflect the potential to emit for the equipment identified this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b OAC rules 3745-17-07(B)(1) and 3745-17-08(B), the stated visible emission opacity requirement, and the application of RACM are applicable only when the emissions unit is located in an Appendix A area as specified in OAC rule 3745-17-08.

- 2.c The aggregate materials processed through the conveyor transfer points shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the conveyor transfer points so that compliance with the opacity requirements specified above is continuously maintained.

B. Operational Restrictions

none

C. Monitoring and/or Recordkeeping Requirements

none

D. Reporting Requirements

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirement(s) specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or laa) within 30 days after the exceedance occurs.

E. Testing Requirements

- 1. Compliance with the emission limitations in this permit for emissions unit F005 shall be determined in accordance with the following method(s):

- a. Emission Limitation-
0.11 lb/hr particulates

Applicable Compliance Method-

Compliance shall be determined by multiplying the maximum hourly production rate of the conveyors 150 tons/hour for each conveyor by the emission factor of 0.0001008 lb/ton determined by multiplying the emission factor for PM10 of 0.000048 by 2.1, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95) and summing the emission rates for the 7 conveyors.

- b. Emission Limitation-
0.48 ton/yr particulates

Applicable Compliance Method-

The 0.48 ton/yr limitation was developed by multiplying the 0.26 lb/hr maximum limitation by the maximum operating schedule of 8760 hrs/yr. Therefore provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

- c. Emission Limitation-

10% opacity, as a 6-minute average

Applicable Compliance Method-
Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9.

- d. Emission Limitation-
20% opacity, as a 3-minute average

Applicable Compliance Method-
Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

Notice to Relocate a Portable or Mobile Source

1. Pursuant to OAC rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:
 - a. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - b. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
 - c. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA and/or the appropriate field office having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and,
 - d. in RAPCA's and/or the appropriate field office's judgement, the proposed site is acceptable under OAC rule 3745-15-07.

OR

2. Under OAC rule 3745-31-05(F), portable or mobile emissions unit may relocate to sites that have been preapproved by the Director. This permittee may relocate the portable or mobile sources listed in this permit if:
 - a. the permittee has applied for and obtained a site approval for the new site from the Director;
 - b. the site approval is current and effective;

- c. the permittee has complied with all of the conditions and restrictions contained in the site approval;
- d. the permittee has provided the appropriate Ohio EPA District Office and/or local air agency having jurisdiction over the new site at least 15 days written notice of the relocation.

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

SIC CODE 1442 SCC CODE 3-05-020-01 EMISSIONS UNIT ID F001

EMISSIONS UNIT DESCRIPTION 150 TPY Primary Crusher

DATE INSTALLED 1981

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | | | 0.11lb/hr | 0.48 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

SIC CODE 1442 SCC CODE 3-05-020-02 EMISSIONS UNIT ID F002

EMISSIONS UNIT DESCRIPTION 150 TPY Primary Screen

DATE INSTALLED 1981

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | | | 0.26 lb/hr | 1.14 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

SIC CODE 1442 SCC CODE 3-05-020-02 EMISSIONS UNIT ID F003

EMISSIONS UNIT DESCRIPTION 150 TPY Secondary Crusher

DATE INSTALLED 1981

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | | | 0.19 lb/hr | 0.83 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

SIC CODE 1442 SCC CODE 3-05-020-02 EMISSIONS UNIT ID F004

EMISSIONS UNIT DESCRIPTION 150 TPY Secondary Screen

DATE INSTALLED 1981

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | | | 0.26 lb/hr | 1.14 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

SIC CODE 1442 SCC CODE 3-05-020-06 EMISSIONS UNIT ID F005

EMISSIONS UNIT DESCRIPTION 150 TPY Conveyors(7)

DATE INSTALLED 1981

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | | | 0.11lb/hr | 0.48 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

FACILITY DESCRIPTION primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. CITY/TWP Lewisburg

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to **airpti@epa.state.oh.us**

| <u>Please fill out the following. If the checkbox does not work, replace it with an 'X'</u> | <u>Electronic</u> | <u>Additional information File Name Convention (your PTI # plus this letter)</u> | <u>Hard Copy</u> | <u>None</u> |
|---|--------------------------|--|-------------------------------------|--------------------------|
| <u>Calculations (required)</u> | | 0000000c.wpd | <input checked="" type="checkbox"/> | |
| <u>Modeling form/results</u> | <input type="checkbox"/> | 0000000s.wpd | <input type="checkbox"/> | <input type="checkbox"/> |
| <u>PTI Application (complete or partial)*</u> | <input type="checkbox"/> | 0000000a.wpd | <input type="checkbox"/> | <input type="checkbox"/> |
| <u>BAT Study</u> | <input type="checkbox"/> | 0000000b.wpd | <input type="checkbox"/> | <input type="checkbox"/> |
| <u>Other/misc.</u> | <input type="checkbox"/> | 0000000t.wpd | <input type="checkbox"/> | <input type="checkbox"/> |

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

Wysong Gravel Company located in Camden, Ohio has requested a PTI modification for its portable aggregate processing plant due to the installation and replacement of equipment. The facility replaced some of the equipment in 1981, this permit will attempt to identify all of the equipment at this plant, the equipment at this plant is not subject to NSPS. Terms in this permit supercede those identified in PTI 08-359 issued on 5/19/81.

The primary crusher sets the process capability of the plant at 150 ton/hr, the hourly allowable emission rates are based on the maximum capacity of each unit and the controlled emission factors from AP-42. The annual allowable emission rates are based on the maximum allowable emission rates times the maximum operating schedule of 8760 hrs/yr.

BAT is determined to be compliance with the applicable OAC rules, specified mass emission rates, the inherent high moisture content of the limestone and compliance with the visible opacity limits specified.

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or **Netting Determination**
Permit To Install **ENTER PTI NUMBER HERE**

- A. Source Description
- B. Facility Emissions and Attainment Status
- C. Source Emissions
- D. Conclusion

NEW SOURCE REVIEW FORM B

PTI Number: 08-04219

Facility ID: 0868790148

FACILITY NAME Wysong Gravel-Camden

| | | | |
|----------------------|---|----------|-----------|
| FACILITY DESCRIPTION | primary and secondary crusher and screen; wash screen; material handling; chapter 31 replacing 08-359 issued 5-19-81. | CITY/TWP | Lewisburg |
|----------------------|---|----------|-----------|

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|------------------|----------------------|
| particulates | 4.07 |