



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL
HAMILTON COUNTY
Application No: 14-05738
Fac ID: 1431264186**

CERTIFIED MAIL

Y	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 7/21/2005

Custom Metal Finishers, Inc.
John Metz
7616 Anthony Wayne Ave
Cincinnati, OH 45216

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 7/21/2005
Effective Date: 7/21/2005**

FINAL PERMIT TO INSTALL 14-05738

Application Number: 14-05738
Facility ID: 1431264186
Permit Fee: **\$400**
Name of Facility: Custom Metal Finishers, Inc.
Person to Contact: John Metz
Address: 7616 Anthony Wayne Ave
Cincinnati, OH 45216

Location of proposed air contaminant source(s) [emissions unit(s)]:
**7616 Anthony Wayne Ave
Cincinnati, Ohio**

Description of proposed emissions unit(s):
Miscellaneous metal parts paint spray booth.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and

regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions

may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this

permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	8.14

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K001 - Miscellaneous metal parts paint spray booth	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 7.0 lbs VOC/hour from the application of coatings.</p> <p>Volatile organic compound emissions shall not exceed 13.0 lbs VOC/day from cleanup material usage.</p> <p>Volatile organic compound emissions shall not exceed 8.14 TPY.</p> <p>See terms and conditions A.2.d, B.1. and B.2.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-09(U)(1)(d).</p>
	OAC rule 3745-21-09(U)(1)(d)	See term and condition A.2.c.

2. Additional Terms and Conditions

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the VOC content limitations, compliance with the usage limitations, and compliance with the VOC emissions limitations.

- 2.b** The hourly emission limitation outlined in term A.1. is based upon the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this limit.
- 2.c** The VOC content as applied, of each coating employed shall not exceed 3.5 pounds of VOC per gallon of coating, excluding water and exempt solvents.
- 2.d** The maximum VOC content of each cleanup material employed in emissions unit K001 shall not exceed 6.5 pounds of VOC per gallon of cleanup material, as applied.

B. Operational Restrictions

- 1. The maximum annual coating usage for emissions unit K001 shall not exceed 4000 gallons per year as applied, excluding water and exempt solvents.
- 2. The maximum daily cleanup material usage in emissions unit K001 shall not exceed 2 gallons per day. The maximum annual cleanup material usage in emissions unit K001 shall not exceed 350 gallons per year.

C. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the following information each day for emissions unit K001:
 - a. the name and identification number of each coating and cleanup material;
 - b. the volume in gallons, as applied, of each coating employed, excluding water and exempt solvents;
 - c. the total volume, in gallons, of all of the coatings employed, excluding water and exempt solvents;
 - d. the volume in gallons of each cleanup material employed;
 - e. the VOC content of each coating employed, in pounds VOC per gallon of coating, as applied, excluding water and exempt solvents;
 - f. the VOC content of each cleanup material employed, in pounds VOC per gallon;
 - g. the VOC emissions from the application of coatings and cleanup materials, in pounds VOC per day [the summation of b. multiplied by e. for the coating(s) and d. multiplied by f. for the cleanup material(s) employed in K001];

- h. The total daily VOC emission rate (g) shall be summed at the end of each month to obtain the monthly VOC emission rate; and
 - i. the VOC emissions from the application of cleanup materials, in pounds VOC per day [d. multiplied by f. for the cleanup material(s) employed in K001.]
 2. The permittee shall maintain annual records of the volume, in gallons, of all coatings (excluding water and exempt solvents) and cleanup materials employed in this emissions unit by summarizing the coating usage records and cleanup material usage records at the end of each calendar year.
 3. The permittee shall maintain annual records of the total VOC emissions, in tons (summation of the emissions from term C.1.h at the end of each calendar year divided by 2000 pounds per ton.)
 4. The permit to install for this emissions unit was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Ground-Level Concentration (MAGLC).

The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: xylene

TLV (ug/m3): 434,192

Maximum Hourly Emission Rate (lbs/hr): 7.0

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 7,705

MAGLC (ug/m3): 10,338

Physical changes to or in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxics Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change.

Changes that can affect the parameters used in the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will satisfy the Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. when the computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

D. Reporting Requirements

1. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any monthly record showing the use of noncomplying coatings or cleanup materials (i.e., VOC contents). The notification shall include a copy of such record and

shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

2. The permittee shall notify the Hamilton County Department of Environmental Services of any daily record showing that emissions unit K001 employed more than the applicable maximum daily cleanup material usage limit outlined in term and condition B.2. A copy of such record shall be sent to the Hamilton County Department of Environmental Services within 30 days after the exceedance occurred. For each usage limit exceedance the permittee shall also identify if an exceedance of the applicable daily VOC emissions limit occurred.
3. The permittee shall submit annual reports to the Hamilton County Department of Environmental Services which specify the total VOC emissions from emissions unit K001 for the previous calendar year. This report shall also specify the total volume, in gallons, of coatings, excluding water and exempt solvents employed in emissions unit K001 and the total volume, in gallons, of cleanup materials employed in emissions unit K001 for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the emission limitations and VOC content limitations in Section A. of these terms and conditions shall be determined in accordance with the following methods:

- a. Emissions Limitations

7.0 lbs VOC/hour from coating usage
13.0 lbs VOC/day from cleanup material usage

Applicable Compliance Method

Compliance with the hourly VOC emissions limitations shall be demonstrated by multiplying the maximum hourly coating usage of 2 gallons per hour, excluding water and exempt solvents, by the coating VOC content of 3.5 pounds of VOC per gallon of coating, excluding water and exempt solvents. Compliance with daily cleanup material usage limit is determined by multiplying maximum daily cleanup material usage of 2 gallons per day by the VOC content limit of 6.5 lbs per gallon.

- b. Emissions Limitations

8.14 TPY VOC

Applicable Compliance Method

Compliance with the annual VOC emissions limitations shall be demonstrated by a summation of the daily VOC emissions as recorded in term and condition C.1.g. for coatings and a summation of the daily VOC emissions as recorded in term and condition C.1.g. for cleanup materials, and the summations divided by 2000 pounds, such that the summations equal Tons per Year (TPY) VOC emissions.

c. Emissions Limitations

3.5 pounds of VOC per gallon of coating, as applied, excluding water and exempt solvents,

6.5 pounds of VOC per gallon of cleanup material, as applied

Applicable Compliance Method

USEPA methods 24 and 24A shall be used to determine the VOC content for coatings and cleanup materials, respectively. If, pursuant to 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or cleanup material, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or cleanup material to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

2. Compliance with the usage limitations in terms and conditions B.1 and B.2 shall be demonstrated by the record keeping in terms and conditions C.1 and C.2.

F. Miscellaneous Requirements

None

Custom Metal Finishers, Inc.
PTI Application: 14-05738
Issued: 7/21/2005

Facility ID: 143126418

SIC CODE 3449 SCC CODE 40202501 EMISSIONS UNIT ID K001

EMISSIONS UNIT DESCRIPTION Miscellaneous metal parts paint spray booth

DATE INSTALLED 8/97

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	Non-attainment	coating: 3.2 lb/hr cleanup: 6.2 lb/day	4.77	coating: 7.0 lb/hr cleanup: 13.0 lb/day	8.14
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the VOC content limitations, compliance with the usage limitations, and compliance with the VOC emissions limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? Yes

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ NA

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? X YES NO

IDENTIFY THE AIR CONTAMINANTS: xylene

Custom Metal Finishers, Inc.
PTI Application: 14-05738
Issued: 7/21/2005

Facility ID: 143126418

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to airpti@epa.state.oh.us

<u>Please fill out the following. If the checkbox does not work, replace it with an 'X'</u>	<u>Electroni</u> <u>c</u>	<u>Additional information File</u> <u>Name Convention (your PTI</u> <u># plus this letter)</u>	<u>Hard</u> <u>Copy</u>	<u>Non</u> <u>e</u>
Calculations (required)	<input type="checkbox"/>	0000000c.wpd	<input checked="" type="checkbox"/>	
Modeling form/results	<input type="checkbox"/>	0000000s.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PTI Application (complete or partial)*	<input type="checkbox"/>	0000000a.wpd	<input checked="" type="checkbox"/>	<input type="checkbox"/>
BAT Study	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other/misc.	<input type="checkbox"/>	0000000t.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

PTI 14-05738

Custom Metal Finishers, Inc.
 7616 Anthony Wayne Avenue
 Cincinnati, OH 45216

PN: 1431264186

Custom Metal Finishers is a tank reclamation facility that sprays epoxy liners into clean metal tanks; there is no burning of residue at the facility. This PTI was initiated due to an odor complaint against the facility. The facility moved several years ago and failed to submit a new PTI application. This PTI is for one miscellaneous metal paint spray booth (K001).

The OAC rules governing emissions unit K001 are 3745-31-05(A)(3) and 3745-21-09(U)(1)(d). A coating usage limit is set at 4,000 gallons per year and cleanup usage limits are set at 2 gallons per day and 350 gallons per year. The VOC emissions will be limited to 7.0 lbs/hr for coatings, 13.0 lbs/day for cleanup and 8.1 TPY for coatings and cleanup combined. Daily record keeping will demonstrate compliance with all limitations, as will exceedance and annual reports.

SCREEN3 modeling was required for emissions unit K001 using xylene and passed the MAGLC.

BAT for emissions unit K001 is compliance with the VOC content limitations, compliance with the usage limitations, and compliance with the VOC emissions limitations.

The permit fee is:

\$400.00 Process between 1 and 1,000 lbs/hr (K001) - Double

C:\temp\permits3\12950.wpd

Custom Metal Finishers, Inc.
PTI Application: 14-05738
Issued: 7/21/2005

Facility ID: 143126418

\$400 = Total

Prepared by: Chris Boss

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or **Netting Determination**
Permit To Install **ENTER PTI NUMBER HERE**

- A. Source Description
- B. Facility Emissions and Attainment Status
- C. Source Emissions
- D. Conclusion

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	8.14