



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL
FRANKLIN COUNTY
Application No: 01-01281
Fac ID: 0125073091**

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
Subpart 000	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 6/14/2005

Central Valley Recycling Inc
Robert Stiles
318 Carpenter Road
Gahanna, OH 43230

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

CDO



Permit To Install
Terms and Conditions

Issue Date: 6/14/2005
Effective Date: 6/14/2005

FINAL PERMIT TO INSTALL 01-01281

Application Number: 01-01281
Facility ID: 0125073091
Permit Fee: **\$5800**
Name of Facility: Central Valley Recycling Inc
Person to Contact: Robert Stiles
Address: 318 Carpenter Road
Gahanna, OH 43230

Location of proposed air contaminant source(s) [emissions unit(s)]:
318 Carpenter Road
Gahanna, Ohio

Description of proposed emissions unit(s):
Concrete crusher, roadway, material handling and storage piles.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	12.77
NOx	6.17
CO	1.33
SO2	0.41
OC	0.49

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F001 - Unpaved Roadways	OAC rule 3745-31-05(A)(3)	Particulate emissions (PE) shall not exceed 2.24 tons per year. No visible particulate emissions except for 3 minutes during any 60-minute period Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b through A.2.g)
	OAC rule 3745-17-07 (B)(5)	Less stringent than the above-mentioned visible emission limitation
	OAC rule 3745-17-08 (B), (B)(2)	Less stringent than the above-mentioned control measure requirements

2. **Additional Terms and Conditions**

- 2.a The unpaved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

unpaved roadways:

All unpaved roadways.

unpaved parking areas:

All unpaved parking areas.

- 2.b The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable

requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas with water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.c** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for an unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.d** Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled using water. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to a visible emission limitation of no visible particulate emissions except for three minutes during any 60-minute period.
- 2.e** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- 2.f** Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- 2.g** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

- 1. Except as otherwise provided in this section, the permittee shall perform inspections of the unpaved roadways and parking areas in accordance with the following frequencies:

unpaved roadways	minimum inspection frequency
------------------	------------------------------

All Daily
unpaved parking areas minimum inspection frequency

All Daily

2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in 4.d. shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and

- vi. the owner of the proposed site has provided the portable source owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable source to this proposed site; and
- vii. the portable source owner has provided Ohio EPA with 15 days written notice of the relocation.

Any site approvals issued by the Ohio EPA, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), shall be valid for no longer than 3 years and are subject to renewal.

In order for the permitting Ohio EPA District Office or local air agency and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the permittee of the portable source must file a " Notice of Intent to Relocate" within the specified time frame (30 or 15 days), prior to the relocation of the portable source with the Ohio EPA District Office or local air agency responsible for the permits for the source and the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Upon receipt of the notice, the Ohio EPA District Office or local air agency responsible for the permits for the portable source, and/or appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

Pursuant to OAC rule 3745-31-05(F), the Director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

E. Testing Requirements

- 1. Compliance with the emission limitation for the unpaved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.
- 2. Emission Limitation:
Particulate emissions (PE) shall not exceed 2.24 tons per year from unpaved roadways and parking areas.

Applicable Compliance Method:

Compliance may be determined by summing unpaved roadway and parking segments using the following procedure for each segment: multiply the emission factor, Eext, by the total annual vehicle miles traveled. The emission factor, Eext, shall be determined by the following equation found in AP-42 section 13.2.2 (equations 1a and 2) for Unpaved Roads (December 2003).

Unpaved Roadways:

$$E = k(s/12)a(W/3)b$$

$$E_{ext} = E[(365 - p)/365]$$

$$E_{ext} = k(10/12)0.7 (27.5/3)0.45 [(365 - 165)/365]$$

$$4.9(0.88)(2.7)(0.55) = 6.4 \text{ Lb/VMT}$$

$$6.4(3,500 \text{ VMT/Yr})(\text{control efficiency-watering, surface improvement, and speed reduction} \\ = 0.2)/2000 = 2.24 \text{ TPY PE from paved roadways and parking areas.}$$

E = size-specific particulate emission factor (lb/VMT)

k = constant - 4.9 for PE (particle size multiplier for pounds/VMT)

s = 10.0 percent - surface material silt content

W = mean vehicle weight in tons (27.5 tons)

a = constant - 0.7 for PE

b = constant - 0.45 for PE

E_{ext} = emission factor extrapolated for natural mitigation, lb/VMT

p = number of days with at least 0.01 inches of precipitation per year = 165 days for central Ohio, Figure 13.2.2-1, AP-42, section 13.2.2

Control efficiency (watering, and/or surface improvement, and/or speed control, and/or chemical stabilizer) = 80 percent

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F002 - Material Handling	OAC rule 3745-31-05(A)(3)	<p>Particulate emissions from the material handling shall not exceed 0.17 pounds per hour and 0.73 tons per year.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b through A.2.d)</p> <p>The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO.</p>
	40 CFR Part 60, Subpart OOO	Visible emissions or fugitive dust shall not exceed 10% opacity except as provided by rule.
	OAC rule 3745-17-07 (B)(1)	Less stringent than the above-mentioned control measure requirements
	OAC rule 3745-17-08 (B)	Less stringent than the above-mentioned control measure requirements

2. Additional Terms and Conditions

- 2.a The material handling operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:

All material handling operations.

- 2.b The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned

applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

material handling operation(s)	control measure(s)
All	Inherent moisture / water suppression system.

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

2.c For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.

2.d Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

2.e The above hourly and annual particulate emission limitations were established to reflect the potential to emit for these emissions units. Therefore, with the exception of implementation and record keeping of the above control measures, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with these limits.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material handling operation(s)	minimum inspection frequency
All	Daily

2. The above-mentioned inspections shall be performed during representative, normal operating conditions.

3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 4d shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.
3. Pursuant to OAC rule 3745-31-03(A)(1)(p), the permittee of a portable source may relocate within the State of Ohio without first obtaining a permit to install (PTI) providing certain criteria are met. The portable source shall meet one of the two following scenarios in order to qualify for this PTI exemption for the new location:
 - a. The following determinations have been documented, pursuant to OAC rule 3745-31-03(A)(1)(p)(i):
 - i. the portable source is equipped with the best available technology for such portable source;

- ii. the portable source is operating pursuant to a currently effective permit to install, permit to operate (PTO), or registration status;
 - iii. the applicant has provided proper notice of the intent to relocate the portable source to the (1.) Ohio EPA District Office or local air agency responsible for the permit(s) for the source and (2.) the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and
 - iv. in the judgement of the Ohio EPA District Office or local air agency having jurisdiction over the new site, the proposed site is acceptable under OAC rule 3745-15-07.
- b. In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable source may relocate within the State of Ohio without first obtaining a PTI, providing the following criteria of OAC rule 3745-31-05(E) are met:
- i. the portable source permittee possesses an Ohio EPA PTI, PTO or registration status;
 - ii. the portable source is equipped with best available technology;
 - iii. the portable source owner has identified the proposed site to Ohio EPA;
 - iv. Ohio EPA has determined that the portable source, at the proposed site, will have an acceptable environmental impact;
 - v. a public notice, consistent with OAC Chapter 3745-47, is published in the county where the proposed site is located;
 - vi. the owner of the proposed site has provided the portable source owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable source to this proposed site; and
 - vii. the portable source owner has provided Ohio EPA with 15 days written notice of the relocation.

Any site approvals issued by the Ohio EPA, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), shall be valid for no longer than 3 years and are subject to renewal.

In order for the permitting Ohio EPA District Office or local air agency and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the permittee of the portable source must file a " Notice of Intent to Relocate" within the specified time frame (30 or 15 days), prior to the relocation of the portable source with the Ohio EPA District Office or local air agency responsible for the permits for the source and the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Upon receipt of the notice,

the Ohio EPA District Office or local air agency responsible for the permits for the portable source, and/or appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

Pursuant to OAC rule 3745-31-05(F), the Director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

Particulate emissions from the material handling shall not exceed 0.17 pound per hour and 0.73 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by summing the calculated hourly emission rate for each conveying or handling or loading operation, these emission factors are specified in USEPA reference document AP-42, 11.19.2-2 (8/2004). The resulting sum shall be multiplied by the maximum hourly production rate (300 tons/hr. PTI application 4/27/05). See the following calculations:

Material Handling

Where:

$$E = (e)(p)(t)/2000$$

$$E = 0.00014 (300) (4) = 0.17 \text{ Lbs/hr PE}$$

$$0.17 (8760 \text{ Hours/yr}) / 2000 = 0.73 \text{ TPY PE}$$

e = Emission factor (0.00014 Lb/ton controlled)

p = Maximum rated production capacity. (300 TPH)

t = Number of transfer points (4 points)

Screening (Grizzly)

$$E = (e)(p)/2000$$

$$E = 0.0022 (300) = 0.66 \text{ Lbs/hr PE}$$

$$0.66 (8760 \text{ Hours/yr}) / 2000 = 2.89 \text{ TPY PE}$$

- b. Emission Limitation:

Visible emissions of fugitive dust shall not exceed 10% opacity, except as provided by rule.

Applicable Compliance Method:

The permittee shall conduct, or have conducted, emission testing for each conveying operation in accordance with the following requirements.

- i. On or after the sixtieth day after the PTI is issued, but not later than 180 days after PTI issuance, emissions testing shall be conducted.
- ii. The emission testing shall be conducted to demonstrate compliance with the opacity limitation.
- iii. The following test method shall be employed to demonstrate compliance with the 40 CFR Part 60 Subpart OOO: 40 CFR Part 60, Appendix A, Method 9. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- iv. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Central District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Central District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of these test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Central District Office's refusal to accept the results of the emission test(s).

Personnel from the Central District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Central District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Central District Office.

F. Miscellaneous Requirements

1. The following source is subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

Central Valley Recycling Inc
PTI Application: 01-01281
Issued: 6/14/2005

Facility ID: 0125073091
Emissions Unit ID: F002

Source Number	Source Description	NSPS Regulation (Subpart)
F002	Material Handling	OOO

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. construction date (no later than 30 days after such date);
- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and
- d. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:
Ohio Environmental Protection Agency
DAPC - Air Quality Modeling and Planning
P.O. Box 1049
Columbus, OH 43216-1049
and
Central District Office
Division of Air Pollution Control
3232 Alum Creek Drive
Columbus, OH 43207

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F003 - Storage Pile Load In and Load Out	OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 6.41 tons per year. No visible emissions except for one minute in any hour Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b, A.2.c, and A.2.f)
Wind erosion from storage piles (see Section A.2.a for identification of storage piles)	OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.07 ton per year. No visible emissions except for one minute in any hour Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.d through A.2.f)
	OAC rule 3745-17-07 (B)(6)	Less stringent than the above-mentioned visible emission limitation
	OAC rule 3745-17-08 (B)(6)	Less stringent than the above-mentioned control measure requirements

2. Additional Terms and Conditions

- 2.a** The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:

All storage piles (3) used by sources contained in the application.

- 2.b** The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to add water in sufficient quantities to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.

- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to add water in sufficient quantities to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.

- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

- 2.g** The above annual particulate emission limitations were established to reflect the potential to emit for these emissions units. Therefore, with the exception of implementation and record keeping of the above control measures, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with these limits.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

storage pile identification	minimum load-in inspection frequency
All	Daily

2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

storage pile identification	minimum load-out inspection frequency
All	Daily

3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

storage pile identification	minimum wind erosion inspection frequency
All	Daily

4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

6. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

7. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in 7.d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.
3. Pursuant to OAC rule 3745-31-03(A)(1)(p), the permittee of a portable source may relocate within the State of Ohio without first obtaining a permit to install (PTI) providing certain criteria are met. The portable source shall meet one of the two following scenarios in order to qualify for this PTI exemption for the new location:
 - a. The following determinations have been documented, pursuant to OAC rule 3745-31-03(A)(1)(p)(i):
 - i. the portable source is equipped with the best available technology for such portable source;

- ii. the portable source is operating pursuant to a currently effective permit to install, permit to operate (PTO), or registration status;
 - iii. the applicant has provided proper notice of the intent to relocate the portable source to the (1.) Ohio EPA District Office or local air agency responsible for the permit(s) for the source and (2.) the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and
 - iv. in the judgement of the Ohio EPA District Office or local air agency having jurisdiction over the new site, the proposed site is acceptable under OAC rule 3745-15-07.
- b. In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable source may relocate within the State of Ohio without first obtaining a PTI, providing the following criteria of OAC rule 3745-31-05(E) are met:
- i. the portable source permittee possesses an Ohio EPA PTI, PTO or registration status;
 - ii. the portable source is equipped with best available technology;
 - iii. the portable source owner has identified the proposed site to Ohio EPA;
 - iv. Ohio EPA has determined that the portable source, at the proposed site, will have an acceptable environmental impact;
 - v. a public notice, consistent with OAC Chapter 3745-47, is published in the county where the proposed site is located;
 - vi. the owner of the proposed site has provided the portable source owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable source to this proposed site; and
 - vii. the portable source owner has provided Ohio EPA with 15 days written notice of the relocation.

Any site approvals issued by the Ohio EPA, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), shall be valid for no longer than 3 years and are subject to renewal.

In order for the permitting Ohio EPA District Office or local air agency and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the permittee of the portable source must file a " Notice of Intent to Relocate" within the specified time frame (30 or 15 days), prior to the relocation of the portable source with the Ohio EPA District Office or local air agency responsible for the permits for the source and the

appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Upon receipt of the notice, the Ohio EPA District Office or local air agency responsible for the permits for the portable source, and/or appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

Pursuant to OAC rule 3745-31-05(F), the Director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

E. Testing Requirements

1. Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.
2. Emission Limitation:
Particulate emissions shall not exceed and 6.48 tons per year.

Applicable Compliance Method:

Compliance shall be demonstrated by summing the calculated emission rate for each ton of material placed in and removed from the storage piles as per emission factors are specified in USEPA reference document AP-42, 13.2.4 (1/95). The resulting sum shall be multiplied by the maximum yearly production rate (2,628,000 tons/yr. PTI application, 04/27/05). See the following calculations:

Storage Pile Load In and Out

$$E = K(0.0032)[(U/5)^{1.3} / M^{1.4}]$$

$$(0.0024) [(1.93) / (0.38)]$$

$$(0.0024) (5.08) = 0.0122 \text{ lb/ton } (2,628,000 \text{ Tons/yr})(2 \text{ load in and out}) (80 \% \text{ control efficiency}) / 2000 \text{ lb/ton} = 6.41 \text{ TPY PE}$$

Where:

E = emission factor (lb/ton)

k = particle size multiplier (dimensionless) (0.74)

U = mean wind speed, (mph) (8.3 mph)

M = worst case material moisture content (1.0 %)

Wind Erosion

$$E = (1.7)(s/1.5)[365-p] / 235] (f/15)(365)(A/2000)$$

$$(11.33) (0.85) (1.1) (365) (0.0005)$$

$$(9.63) (401.5) (0.0005)$$

$$1.93 \text{ Lbs/day (control efficiency 0.2) = 0.39 Lbs/day PE}$$

$$0.39 (365 \text{ days/yr})/2000 = 0.07 \text{ TPY PE}$$

Where:

E = Emission factor

s = Silt content of the stored material (worst case estimate) (10%)

p = Number of days > 0.01 inch precipitation (Columbus station) (165 days)

f = Percent of time winds exceed 12 mph (Columbus station) (16.2%)

A = Total surface area of storage piles (worst case estimate) (1.0 acre).

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P001 - 300 Ton Per Hour Eagle Crusher Model 1400, Serial Number 30235	OAC rule 3745-31-05(A)(3)	<p>Particulate emissions from the crusher shall not exceed 0.36 lb/hr and 1.58 tons per year.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. See sections A.2.a through A.2.c.</p> <p>There shall be no visible PE from the crusher, except for a period of time not to exceed 6-minutes during any 60-minute observation period.</p> <p>NOx emissions shall not exceed 6.17 lbs/hr and 6.17 tons/yr.</p> <p>CO emissions shall not exceed 1.33 lbs/hr and 1.33 tons/yr.</p> <p>SO2 emissions shall not exceed 0.41 lb/hr and 0.41 ton/yr.</p> <p>OC emissions shall not exceed 0.49 lb/hr and 0.49 ton/yr.</p> <p>PE from the diesel engine shall not exceed 0.43 lb/hr and 0.43 ton/yr.</p> <p>The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO.</p>

	The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A)(1)
40 CFR Part 60, Subpart OOO	The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(B)(5)(a)
OAC rule 3745-17-08(B)(3)	Visible emissions of fugitive dust from the crusher shall not exceed 15% opacity except as provided by rule.
OAC rule 3745-17-07(A)(1)	The emissions limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-07(B)(1)	Visible PE from the diesel engine exhaust stack shall not exceed 20% opacity as a 6-minute average, except as provided by rule.
OAC rule 3745-17-11(B)(5)(a)	The emissions limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-21-08(B)	PE from the engine exhaust shall not exceed 0.25 lb/MMBTU actual heat input. See A.2e.
OAC rule 3745-18-06(B)	See A.2.g. below.
OAC rule 3745-23-06(B)	See A.2.f. below.
	See A.2.h. below.

2. Additional Terms and Conditions

- 2.a** The permittee shall employ best available control measures for the above-identified material handling operation for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee’s permit application, the permittee has committed to perform the following control measure to ensure compliance:

material processing operation	control measure
crusher	water spray

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- 2.b** For each material handling operation that is not adequately enclosed, the above-identified control measure shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure is necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure shall continue during the operation of the material handling operation until further observation confirms that use of the control measure is unnecessary.
- 2.c** Implementation of the above-mentioned control measure in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.
- 2.d** The above hourly and annual particulate emission limitations for the crusher were established to reflect the potential to emit for these emissions units. Therefore, with the exception of implementation and record keeping of the above control measures, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with these limits. The diesel engine has record keeping and reporting to ensure compliance with its emission limitations.
- 2.e** This particulate emission limitation shall be effective and federally enforceable on the date the U.S. EPA approves this particulate emission limitation as a revision to the Ohio SIP for particulate matter.
- 2.f** OAC rule 3745-18-06(B) exempts stationary internal combustion engines which have rated heat input capacities equal to, or less than, 10 MMBTU/hr from the sulfur dioxide emission limit in OAC rule 3745-18-06(G). This emissions unit has a rated heat input of less than 10 MMBTU/hr.
- 2.g** The design of the emissions unit and the technology associated with the current operating practices will satisfy the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- 2.h The permittee has satisfied the "latest available control techniques and operating practices required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this permit to install.

B. Operational Restrictions

- 1. The maximum annual operating hours for this emissions unit shall not exceed 3000 hours, based upon a rolling, 12-month summation of the operating hours.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the cumulative operating hours in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	720
1-2	1440
1-3	2000
1-4	2000
1-5	2000
1-6	2000
1-7	2000
1-8	2000
1-9	2000
1-10	2000
1-11	2000
1-12	2000

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual cumulative operating hour limitation shall be based upon a rolling, 12-month summation of the hours of operation.

- 2. The permittee shall burn only no. 2 fuel oil in this emissions unit.
- 3. The quality of the no. 2 fuel oil burned in this emissions unit shall meet a sulfur content which is equal to or less than 0.5 weight percent sulfur on an "as burned" basis.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the following information:
 - a. the operating hours for each month;
 - b. the rolling, 12-month summation of the operating hours; and
 - c. the type and amount (gallons or cubic feet) of fuel burned based upon the number of hours of operation and the manufacturers fuel consumption specifications.
2. For each day during which the permittee burns a fuel other than no. 2 fuel oil, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
3. The permittee shall collect or require the oil supplier to collect a representative grab sample for each shipment of any oil that is received for burning in this emission unit. The permittee shall perform or require the supplier to perform the analyses for sulfur content and heat content in accordance with the following ASTM methods: ASTM method D4294, ASTM method D240, or ASTM method 6010 for sulfur content and ASTM method D240 for heat content. Alternative, equivalent methods may be used upon approval by the Ohio EPA, Central District Office.
4. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

material processing operation	minimum inspection frequency
Crusher	Daily
5. The above-mentioned inspections shall be performed during representative, normal operating conditions. Results of the aforementioned inspections shall be recorded.
6. The permittee may, upon receipt of written approval from the Ohio EPA, CDO , modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
7. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure;

- c. the dates the control measure was implemented;
- d. on a calendar quarter basis, the total number of days the control measure was implemented; and
- e. the name of the person reporting each observation.

The information in 4.d. shall be kept separately for each material processing operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports which identify the following:
 - a. For the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative fuel use.
 - b. Any exceedance of the rolling 12-month maximum allowable cumulative operating hours.
 - c. Any exceedance of the sulfur content fuel restriction specified in Section B.1.

These reports are due by the date described in Part 1- General Terms and Condition of this permit under section (A)(2).

2. The permittee shall submit quarterly deviation (excursion) reports that identify each day when a fuel other than no. 2 fuel oil was burned in the emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
3. The permittee shall submit quarterly deviation (excursion) reports that identify each month during which records were not maintained on the amount of no. 2 fuel oil combusted in the emissions unit. These reports are due by the date described in Part 1- General Terms and Condition of this permit under section (A)(2).
4. The permittee shall notify the Ohio EPA, Central District Office, in writing of any record which shows an exceedance of the sulfur content limitation specified in Section B.3. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days after the deviation occurs.
5. The permittee shall submit quarterly deviation (excursion) reports that identify any of the following occurrences:
 - a. each day when excess visible emissions were observed, and at which location;

- b. each day during which an inspection was not performed by the required frequency; and
 - c. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.
6. The quarterly deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.
7. Pursuant to OAC rule 3745-31-03(A)(1)(p), the permittee of a portable source may relocate within the State of Ohio without first obtaining a permit to install (PTI) providing certain criteria are met. The portable source shall meet one of the two following scenarios in order to qualify for this PTI exemption for the new location:
- a. The following determinations have been documented, pursuant to OAC rule 3745-31-03(A)(1)(p)(i):
 - i. the portable source is equipped with the best available technology for such portable source;
 - ii. the portable source is operating pursuant to a currently effective permit to install, permit to operate (PTO), or registration status;
 - iii. the applicant has provided proper notice of the intent to relocate the portable source to the (1.) Ohio EPA District Office or local air agency responsible for the permit(s) for the source and (2.) the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site within a minimum of 30 days prior to the scheduled relocation; and
 - iv. in the judgement of the Ohio EPA District Office or local air agency having jurisdiction over the new site, the proposed site is acceptable under OAC rule 3745-15-07.
 - b. In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable source may relocate within the State of Ohio without first obtaining a PTI, providing the following criteria of OAC rule 3745-31-05(E) are met:
 - i. the portable source permittee possesses an Ohio EPA PTI, PTO or registration status;
 - ii. the portable source is equipped with best available technology;
 - iii. the portable source owner has identified the proposed site to Ohio EPA;
 - iv. Ohio EPA has determined that the portable source, at the proposed site, will have an acceptable environmental impact;

- v. a public notice, consistent with OAC Chapter 3745-47, is published in the county where the proposed site is located;
- vi. the owner of the proposed site has provided the portable source owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable source to this proposed site; and
- vii. the portable source owner has provided Ohio EPA with 15 days written notice of the relocation.

Any site approvals issued by the Ohio EPA, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), shall be valid for no longer than 3 years and are subject to renewal.

In order for the permitting Ohio EPA District Office or local air agency and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the permittee of the portable source must file a " Notice of Intent to Relocate" within the specified time frame (30 or 15 days), prior to the relocation of the portable source with the Ohio EPA District Office or local air agency responsible for the permits for the source and the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Upon receipt of the notice, the Ohio EPA District Office or local air agency responsible for the permits for the portable source, and/or appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

Pursuant to OAC rule 3745-31-05(F), the Director may modify the site approval to add or delete certain portable sources or add or delete certain terms and conditions as appropriate.

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emissions Limitations:
PE from the crushing of aggregate shall not exceed 0.36 lbs/hr per hour and 1.58 tons per year.

Applicable Compliance Method:

Compliance shall be based on calculated hourly emissions using a AP-42 emission factors (Emission Factors For Crushed Stone Processing Operations (lb/ton) section 11.19.2-8 8/04) for crushed stone processing. Yearly totals shall be calculated by multiplying the hourly emission factor by 8760 hours and dividing by 2000 (lbs/ton).

AP-42 Table 11.19.2-2 for emissions for crushed stone operations

Hourly:

$0.0012 \text{ lbs PE/ton (Tertiary Crushing - controlled)} * 300 \text{ tons/hr} = 0.36 \text{ Lbs PE/hr}$

Annual:

$0.36 \text{ lb PE/hr} * 8760 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lb} = 1.58 \text{ tons PE/yr.}$

b. Emissions Limitation:

There shall be no visible PE from the crusher, except for a period of time not to exceed 6-minutes during any 60-minute observation period.

Applicable Compliance Method:

Compliance with the emission limitation for visible emissions from the the crusher identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

c. Emissions Limitations:

Combustion emissions shall not exceed the following: NOx emissions shall not exceed 6.17 lbs/hr and 6.17 tons/yr; CO emissions shall not exceed 1.33 lbs/hr and 1.33 tons/yr; SO2 emissions shall not exceed 0.41 lb/hr and 0.41 ton/yr ; and OC emissions shall not exceed 0.49 lb/hr and 0.49 ton/yr ; and PE shall not exceed 0.43 lb/hr and 0.43 tons/yr.

Applicable Compliance Method:

Compliance with the emission limitations identified above for the diesel engine shall be determined by using the emission factors from AP-42, 5th Edition (October 1996), Table 3.3-1, "Emission Factors for Uncontrolled Gasoline and Diesel Industrial Engines". The hourly emission rates are multiplied by 2000 hours and converted to tons by dividing by 2000 lbs/ton to obtain the yearly emission rates.

AP-42 Table 3.3-1 for combustion emissions from diesel engines

Hourly:

$0.31 \text{ lb PE/MMBTU} * 10 \text{ gal diesel fuel used/hr} * 0.140 \text{ MMBTU/gal} = 0.43 \text{ lb PE/hr}$

$4.41 \text{ lb NOx/MMBTU} * 10 \text{ gal diesel fuel used/hr} * 0.140 \text{ MMBTU/gal} = 6.17 \text{ lbs NOx/hr}$

NOx/hr

$0.95 \text{ lb CO/MMBTU} * 10 \text{ gal diesel fuel used/hr} * 0.140 \text{ MMBTU/gal} = 1.33 \text{ lb CO/hr}$

$0.29 \text{ lb SO2/MMBTU} * 10 \text{ gal diesel fuel used/hr} * 0.140 \text{ MMBTU/gal} = 0.41 \text{ lb SO2/hr}$

$0.35 \text{ lb OC/MMBTU} * 10 \text{ gal diesel fuel used/hr} * 0.140 \text{ MMBTU/gal} = 0.49 \text{ lb OC/hr}$

Annual:

$0.43 \text{ lb PE/hr} * 2000 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lb} = 0.43 \text{ ton PE/yr.}$

$6.17 \text{ lbs NOx/hr} * 2000 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lbs} = 6.17 \text{ tons NOx/yr}$

$1.33 \text{ lb CO/hr} * 2000 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lbs} = 1.33 \text{ tons CO/yr}$

$0.41 \text{ lb SO2/hr} * 2000 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lbs} = 0.41 \text{ tons SO2/yr}$

$0.49 \text{ lb OC/hr} * 2000 \text{ hrs/yr of operation} * 1 \text{ ton/2000 lbs} = 0.49 \text{ tons OC/yr}$

- d Emissions Limitation:
Visible PE from the diesel engine exhaust stack shall not exceed 20% opacity as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Test Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

- e. Emissions Limitation:
PE emissions from the engine exhaust shall not exceed 0.25 lb per MMBTU of actual heat input.

Applicable Compliance Method:

The permittee cannot demonstrate compliance with this emission limitation based upon the current emission factor contained in the U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 3.3, Table 3.3-1 (10/96). The Ohio EPA revised the emission limitation specified in this rule citation based upon the currently applicable emission factor. The revised rule was adopted by the Director of Ohio EPA in December of 1997, and it will be submitted to the U.S. EPA as a proposed revision to the Ohio SIP for particulate matter. When the SIP revision is approved by the U.S. EPA, the 0.25 lb/MMBTU actual heat input emission limitation will no longer be applicable, and the permittee will be able to demonstrate compliance with the new emission limitation (0.310 lb/MMBTU actual heat input) using the current emission factor.

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

- f. Emission Limitation:
Visible emissions of fugitive dust from the crusher shall not exceed 15% opacity, except as provided by rule.

Applicable Compliance Method:

The permittee shall conduct, or have conducted, emission testing for each conveying operation in accordance with the following requirements.

- i. On or after the sixtieth day after the PTI is issued, but not later than 180 days after PTI issuance, emissions testing shall be conducted.
- ii. The emission testing shall be conducted to demonstrate compliance with the opacity limitation.

- iii. The following test method shall be employed to demonstrate compliance with the 40 CFR Part 60 Subpart OOO: 40 CFR Part 60, Appendix A, Method 9. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- iv. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Central District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Central District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of these test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Central District Office's refusal to accept the results of the emission test(s).

Personnel from the Central District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Central District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Central District Office.

F. Miscellaneous Requirements

- 1. The following source is subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

Source Number	Source Description	NSPS Regulation (Subpart)
P001	300 TPH Portable Crusher	Subpart OOO

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

Central Valley Recycling Inc
PTI Application: 01-01281
Issued: 6/14/2005

Facility ID: 0125073091
Emissions Unit ID: P001

- a. construction date (no later than 30 days after such date);
- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and
- d. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:
Ohio Environmental Protection Agency
DAPC - Air Quality Modeling and Planning
P.O. Box 1049
Columbus, OH 43216-1049

and

Central District Office
Division of Air Pollution Control
3232 Alum Creek Drive
Columbus, OH 43207