



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
50 West Town Street, Suite 700
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

CERTIFIED MAIL

RE: FINAL PERMIT TO INSTALL MODIFICATION

LORAIN COUNTY

Application No: 02-22554

Fac ID: 0247040928

DATE: 9/25/2007

Castek Aluminum, Inc.
Gary Schroeder
527 Ternes Ave.
Elyria, OH 44035

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO



FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 02-22554

Application Number: 02-22554
Facility ID: 0247040928
Permit Fee: **\$1600**
Name of Facility: Castek Aluminum, Inc.
Person to Contact: Gary Schroeder
Address: 527 Ternes Ave.
Elyria, OH 44035

Location of proposed air contaminant source(s) [emissions unit(s)]:
527 Ternes Ave.
Elyria, Ohio

Description of proposed emissions unit(s):
To correct miscalculated emission limits.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and

regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions

may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this

permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Organic Compounds	8.27
Particulate Matter	29.74

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P001) - Palmer Mixer

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	<p>Organic compound emissions shall not exceed 5.28 pounds per day, 0.97 ton per year.</p> <p>Visible emissions from building openings shall not exceed 5 percent opacity as a six-minute average.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2).</p> <p>Particulate emissions shall not exceed 1.63 pounds per day and 0.30 ton per year.</p>
OAC rule 3745-17-08(B)	Exempt, because the facility is not located within an Appendix A area.
OAC rule 3745-17-07(B)	Exempt, per OAC rule 3745-17-07(B)(11)

2. Additional Terms and Conditions

- 2.a None

B. Operational Restrictions

None

C. Monitoring and/or Record keeping Requirements

1. The permittee shall collect and record the following information each day:
 - a. the name and identification number of each liquid organic employed;
 - b. the weight, in pounds or tons, of sand and liquid organic material mixed;

- c. the daily organic compound emission rate (pounds) using an emission factor of 0.033 pound per ton of sand mixed;
 - d. the number of hours of operation;
2. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the building that houses this emission unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
- a. the color of the emission;
 - b. whether the emissions are representative of normal operation;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal operations;
 - d. the total duration of any visible emissions incident; and,
 - e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. an identification of each day during which the average daily organic compound emissions exceeded 5.28 pounds per day, and the actual average daily organic compounds emissions for each such day.
- 2. The permittee shall submit an annual written report which (a) identify all days during which any visible emissions were observed from the building which houses this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. This report shall be submitted to the Northeast District Office of the Ohio EPA by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

- 1. Emission Limitation: Particulate emissions shall not exceed 1.63 pounds per day

Applicable Compliance Method:

Compliance shall be based on the following equation:

$$Ed = Tsd \times 0.3$$

where

Ed = emission rate, pounds per day

Tsd = tons of sand used per day

0.3 = emission factor (pound of particulate per ton of sand) based on RACM document, Table 2-7.1

2. Emission Limitation:
Particulate emission shall not exceed 0.30 ton per year.

Applicable Compliance Method:
Compliance shall be based on the following equation:

$$E_y = (T_{sy} \times 0.3) / 2000$$

where

E_y = ton of particulate emissions per year

T_{sy} = tons of sand used per year, based on record keeping required in C.1.

0.3 = emission factor (pound of particulate per ton of sand) based on RACM document, Table 2-7.1

2000 = conversion factor, pounds per ton.

3. Emission Limitation:
Visible emissions from building openings shall not exceed 5 percent opacity as a six-minute average.

Applicable Compliance Method:
Compliance shall be demonstrated by using Method 9 of 40 CFR, Part 60, Appendix A.

4. Emission Limitation:
Organic compound emissions shall not exceed 5.28 pounds per day.

Applicable Compliance Method:
Compliance shall be based on the following equation:

$$E_d = (O_{md} \times 0.033)$$

where

E_d = emission rate of organic compounds, pounds per day.

O_{md} = pounds of organic material used per day, record keeping requirement in section C.

0.033 = emission factor, from American Foundrymen's Society, Inc. and Casting Industry Supplier's Association document labeled "Form R Reporting of Binder Chemicals Used in Foundries, second edition" also based on information provided in Ohio Cast Metals Association study.

5. Emission Limitation:
Organic compound emissions shall not exceed 0.97 ton per year.

Applicable Compliance Method:

Compliance shall be based on the following equation:

$$E_y = (O_{my} \times 0.033) / 2000$$

where

E_y = emission rate of organic compounds, tons per year.

O_{my} = pounds of organic material used per year, record keeping requirements in Section C.

0.033 = emission factor, from American Foundrymen's Society, Inc. and Casting Industry Supplier's Association document labeled "Form R Reporting of Binder Chemicals Used in Foundries, second edition" also based on information provided in Ohio Cast Metals Association study.

2000 = conversion factor, pounds per ton.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P002) - Kloster Mixer

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	<p>Organic compound emissions shall not exceed 8.0 pounds per hour, 40 pounds per day, 7.3 tons per year.</p> <p>Visible emissions from building openings shall not exceed 5 percent opacity as a six-minute average.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2).</p> <p>Particulate emissions shall not exceed 14.48 pounds per day and 2.64 tons per year.</p>
OAC rule 3745-17-08(B)	Exempt, because the facility is not located within an Appendix A area.
OAC rule 3745-17-07(B)	Exempt, per OAC rule 3745-17-07(B)(11)

2. Additional Terms and Conditions

2.a None

B. Operational Restrictions

None

C. Monitoring and/or Record keeping Requirements

1. The permittee shall collect and record the following information each day:
 - a. the name and identification number of each liquid organic employed;
 - b. the weight, in pounds or tons, of sand and liquid organic material mixed;

- c. the daily organic compound emission rate (pounds) using an emission factor of 1.17 pounds per ton of sand mixed;
 - d. the number of hours of operation;
 - e. the average hourly organic compound emission rate (c)/(d)
2. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the building that houses this emission unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
- a. the color of the emission;
 - b. whether the emissions are representative of normal operation;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal operations;
 - d. the total duration of any visible emissions incident; and,
 - e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. an identification of each day during which the average hourly organic compound emissions exceeded 8.0 pounds per hour, and the actual average hourly organic compounds emissions for each such hour; and,
 - b. an identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall submit an annual written report which (a) identify all days during which any visible emissions were observed from the building which houses this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. This report shall be submitted to the Northeast District Office of the Ohio EPA by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Emission Limitation:
Particulate emissions shall not exceed 14.48 pounds per day

Applicable Compliance Method:

Compliance shall be based on the following equation:

$$Ed = Tsd \times 0.3$$

where

Ed = emission rate, pounds per day

Tsd = tons of sand used per day

0.3 = emission factor (pound of particulate per ton of sand) based on RACM document, Table 2-7.1

2. Emission Limitation:
Particulate emission shall not exceed 2.64 tons per year.

Applicable Compliance Method:

Compliance shall be based on the following equation:

$$Ey = (Tsy \times 0.3)/2000$$

where

Ey = ton of particulate emissions per year

Tsy = tons of sand used per year, based on record keeping required in C.1.

0.3 = emission factor (pound of particulate per ton of sand) based on RACM document, Table 2-7.1

2000 = conversion factor, pounds per ton.

3. Emission Limitation:
Visible emissions from building openings shall not exceed 5 percent opacity as a six-minute average.

Applicable Compliance Method:

Compliance shall be demonstrated by using Method 9 of 40 CFR, Part 60, Appendix A.

4. Emission Limitation:
Organic compound emissions shall not exceed 8.0 pounds per hour.

Applicable Compliance Method:

Compliance shall be based on the following equation:

$$Eh = (Omd \times 1.17)/H$$

where

Eh = emission rate of organic compounds, pounds per hour.

Omd = pounds of organic materials used per day, record keeping requirements in Section C

1.17 = emission factor pounds, of VOC per ton of sand used, from information provided in Ohio Cast Metals Association study.

H = hours of operation per day.

5. Emission Limitation:
Organic compound emissions shall not exceed 40 pounds per day.

Applicable Compliance Method:
Compliance shall be based on the following equation:

$$E_d = (O_{md} \times 1.17)$$

where

E = emission rate of organic compounds, pounds per day.
O_{md} = pounds of organic material used per day, record keeping requirement in section C.
1.17 = emission factor, pounds of VOC per ton of sand used, from information provided in Ohio Cast Metals Association study.

6. Emission Limitation:
Organic compound emissions shall not exceed 7.3 tons per year.

Applicable Compliance Method:
Compliance shall be based on the following equation:

$$E_y = (O_{my} \times 1.17) / 2000$$

where

E_y = emission rate of organic compounds, tons per year.
O_{my} = pounds of organic material used per year, record keeping requirements in Section C.
1.17 = emission factor, pounds of VOC per ton of sand used, from information provided in Ohio Cast Metals Association study.
2000 = conversion factor, pounds per ton.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P003) - Sand Blaster controlled by Torit Baghouse

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-02(A)	Particulate emissions shall be less than 10.0 tons per year. (see A.2.c)
OAC rule 3745-17-11(B)	None (see Section A.2.a)
OAC rule 3745-17-07(A)	None (see Section A.2.b)

2. Additional Terms and Conditions

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds per hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply.
- 2.b The emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A).
- 2.c This permit to install for this air contaminant source takes into account the use of a baghouse system, whenever this air contaminant source is in operation, with a minimum control efficiency of 90%, by weight for PE, as voluntary restriction as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

C. Monitoring and/or Record keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the building that houses this emissions unit. the presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

- a. the color of the emissions;
- b. whether the emissions are representative of normal operation;
- c. if the emissions are not representative of normal operations, the cause of the abnormal operations;
- d. the total duration of any visible emissions incident; and,
- e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit an annual written report which (a) identify all days during which any visible emissions were observed from the building which houses this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. This report shall be submitted to the Northeast District Office of the Ohio EPA by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Emission Limitation:
Particulate emissions shall not exceed 10.0 tons per year

Applicable Compliance Method:

The permittee may demonstrate compliance with the annual allowable PE limitation above by multiplying the maximum hourly uncontrolled PE rate [(15.5 pounds per hour) x (1-0.9) = 1.55 pounds per hour] by the maximum annual number of hours of operation (8760 hours per year), and then dividing by 200 pounds per ton.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P901) - Sand Reclaim System

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
Sand Reclaimer (R503 Palmer)	
OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.02 grains per dry standard cubic feet , 2.57 pounds per hour, 11.26 tons per year. Visible emissions from building openings shall not exceed 5 percent opacity as six-minute average.
OAC rule 3745-17-07(A)(1)	The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
OAC rule 3745-17-11(B)(1)	The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
Facing Sand Silo (50 Ton)	
OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.43 pound per hour, 1.88 tons per year. Visible emissions from building openings shall not exceed 5 percent opacity as six-minute average.
OAC rule 3745-17-07(A)(1)	The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
OAC rule 3745-17-08(B)	Exempt, the facility is not located within an Appendix A area
Reclaim Sand Silo (40 Ton)	

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.43 pound per hour, 1.88 tons per year. Visible emissions from building openings shall not exceed 5 percent opacity as six-minute average.
OAC rule 3745-17-07(A)(1)	The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
OAC rule 3745-17-08(B)	Exempt, the facility is not located within an Appendix A area
Backup Sand Silo (50 Ton)	
OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 0.43 pound per hour, 1.88 tons per year. Visible emissions from building openings shall not exceed 5 percent opacity as six-minute average.
OAC rule 3745-17-07(A)(1)	The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
OAC rule 3745-17-08(B)	Exempt, the facility is not located within an Appendix A area

2. Additional Terms and Conditions

2.a None

B. Operational Restrictions

None

C. Monitoring and/or Record keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the building that houses this emissions unit. the presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operation;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal operations;

- d. the total duration of any visible emissions incident; and,
- e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

- 1. The permittee shall submit an annual written report which (a) identify all days during which any visible emissions were observed from the building which houses this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. This report shall be submitted to the Northeast District Office of the Ohio EPA by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

- 1. Emission Limitation:
Particulate emissions shall not exceed 0.02 grains per dry standard cubic foot

Applicable Compliance Method:
If required, compliance shall be determined by using Method 5 of 40 CFR, Part 60, Appendix A.
- 2. Emission Limitation:
Particulate emission shall not exceed 2.57 pounds per hour

Applicable Compliance Method:
If required, particulate emission shall be determined by using Method 5 of 40 CFR, Part 60 , Appendix A.
- 3. Emission Limitation:
Particulate emissions shall not exceed 11.26 tons per year.

Applicable Compliance Method:
Compliance with the pounds per hour emission rate, demonstrates compliance with this emissions limitation.
- 4. Emission Limitation:
Visible emissions from building openings shall not exceed 5 percent opacity as a six-minute average.

Applicable Compliance Method:
Compliance shall be demonstrated by using Method 9 of 40 CFR, Part 60, Appendix A.
- 5. Emission Limitation:
Particulate emission shall not exceed 0.43 pound per hour.

Applicable Compliance Method:

If required, particulate emissions shall be determined by using Method 5 of 40 CFR, Part 60, Appendix A.

6. Emission Limitation:
Particulate emissions shall not exceed 1.88 tons per year.

Applicable Compliance Method:

Compliance with the pounds per hour emission rate, demonstrates compliance with this emissions limitation.

7. Emission Limitation:
Visible emissions shall not exceed 5 percent opacity as a six-minute average.

Applicable Compliance Method:

Compliance shall be demonstrated by using Method 9 of 40 CFR, Part 60, Appendix A.

F. Miscellaneous Requirements

None