



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL
HANCOCK COUNTY
Application No: 03-13980**

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

DATE: 8/28/2003

Molten North America Corporation
Brian Smith
1835 Industrial Drive
Findlay, OH 45840

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

NWDO



**Permit To Install
Terms and Conditions**

**Issue Date: 8/28/2003
Effective Date: 8/28/2003**

FINAL PERMIT TO INSTALL 03-13980

Application Number: 03-13980
APS Premise Number: 0332010080
Permit Fee: **\$500**
Name of Facility: Molten North America Corporation
Person to Contact: Brian Smith
Address: 1835 Industrial Drive
Findlay, OH 45840

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1835 Industrial Drive
Findlay, Ohio**

Description of proposed emissions unit(s):
Fluidized bed system.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and

conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	4.38
CO	3.10
NO _x	2.15

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P004 - Fluidized bed cleaning system with cyclone	OAC rule 3745-31-05(A)(3)	1.00 lb particulate emissions (PE)/hour; 4.38 tons of PE/year Opacity Restrictions (see A.2.a) 0.70 lb carbon monoxide (CO)/hour 3.10 tons CO/year 0.49 lb nitrogen oxide (NO _x)/hour 2.15 tons NO _x /year Control Requirements (see A.2.b)
	OAC rule 3745-17-07(A)	See A.2.c
	OAC rule 3745-17-11(B)	See A.2.d
	OAC rule 3745-23-06(B)	See A.2.e
	OAC rule 3745-21-08(B)	See A.2.e

2. Additional Terms and Conditions

- 2.a** Visible particulate emissions from this emissions unit shall not exceed 5% opacity except for 6 minutes in any continuous 60-minute period during which opacity shall not exceed 10%.
- 2.b** Best Available Technology (BAT) control requirements for this emissions unit has been determined to be compliance with the design and operational requirements specified in B.2 and the use of a cyclone. BAT requirements also include compliance with the terms and conditions of this permit.

- 2.c** The visible particulate emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.d** The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.e** The permittee has satisfied the "latest available control techniques and operating practices required pursuant to OAC rule 3745-23-06 (B) and the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08 (B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05 (A) (3) in this permit to install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally approved SIP for Ohio.

B. Operational Restrictions

- 1.** The emissions unit shall be installed, operated and maintained in accordance with the manufacturer's specifications. The permittee shall not change any of the manufacturer's factory preset parameters for the fluidized bed cleaning system, or physically modify the fluidized bed cleaning system in any way, without first verifying with the manufacturer that the change(s) would not adversely affect air contaminant emissions from the unit.
- 2.** The emissions unit shall be designed and operated in accordance with the following requirements:
 - a.** The fluidized bed cleaning system shall be operated at a minimum, 800 degrees Fahrenheit, taking into account normal start-up procedures.
- 3.** The permittee shall adhere to the manufacturer's recommendations pertaining to the operation of this furnace and shall comply with the following operational restrictions:
 - a.** The permittee shall ensure that the fluidized bed cleaning system is operated only by properly trained personnel who have read, and understand, the fluidized bed cleaning system operation manual;
 - b.** The permittee shall not operate the fluidized bed cleaning system if the built-in safeguards and interlocks are not operating properly; and
 - c.** The permittee shall not process organic coatings or plastics which contain halogens (such as chlorine, fluorine, sulfur, or bromine), plastics, polymers, or other organic materials which

emit significant amounts of volatile, flammable vapors at room temperature or at temperatures up to about 500 degrees Fahrenheit, parts which may contain large amounts of volatile solvents, and nonconventional hydrocarbon coatings (polymer coatings, paint/powder coatings, oil/grease coatings). Any hazardous waste materials defined in 40 CFR, Part 261, Subpart D are also prohibited from being processed in this emissions unit. In addition, coatings that contain chlorine (PVC), fluorine (Teflon), sulfur, bromine, or elements other than carbon, hydrogen, and oxygen shall not be processed, as they may form dangerous, toxic, and corrosive acids.

- d. To ensure proper operation of the emissions unit, the permittee shall employ an "electrical interlock system" that only allows operation when the fluidized bed cleaning system is in compliance with the operational restrictions in section B.2.a. The electrical interlock system shall also only allow operation of the emissions unit when the monitoring devices associated with operational restriction parameter are operational (i.e. temperature monitor failure will shutdown emission unit operation).

C. Monitoring and/or Record keeping Requirements

1. The permittee shall employ and maintain an electrical interlock system which complies with the requirements in section B.2.a. The electrical interlock system shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.
2. The permittee shall maintain monthly records that document any time periods when the electrical interlock system failed to operate in accordance with the requirement in section B.2.a.
3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. The color of the emissions;
 - b. Whether the emissions are representative of normal operations;
 - c. If the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. The total duration of any visible emission incident; and
 - e. Any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify any time periods the electrical interlock system did not operate in compliance with the requirements specified in section B.2.a. The deviation reports shall be submitted in accordance with the general terms and conditions of this permit.
2. The permittee shall submit semiannual written reports that (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Ohio EPA, Northwest District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation
1.00 lb PE/hr

Applicable Compliance Method

The emission limitation was established in accordance with the manufacturer's guaranteed emission rate of 1.00 lb per hour. If required, compliance with the particulate emission limitations shall be determined in accordance with the test method and procedures in Methods 1-5 of 40 CFR Part 60, Appendix A.

- b. Emission Limitation
4.38 tons of PE/year

Applicable Compliance Method

The annual emission limit was developed by multiplying the hourly limitation by a maximum operating schedule of 8760 hours/year and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitation, compliance with the annual limitation will be assumed.

- c. Emission Limitation:
0.70 lb CO/hr

Applicable Compliance Method

The emission limitation was established in accordance with the manufacturer's guaranteed emission rate of 0.70 lb per hour. If required, compliance with the particulate emission limitations shall be determined in accordance with the test method and procedures in Methods 1-5 of 40 CFR Part 60, Appendix A.

- d. Emission Limitation:
3.10 tons CO/yr

Applicable Compliance Method

The annual emission limit was developed by multiplying the hourly limitation by a maximum operating schedule of 8760 hours/year and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitation, compliance with the annual limitation will be assumed.

e. Emission Limitation:

0.49 lb NO_x/hr

Applicable Compliance Method

The emission limitation was established in accordance with the manufacturer's guaranteed emission rate of 0.49 lb per hour. If required, compliance with the particulate emission limitations shall be determined in accordance with the test method and procedures in Methods 1-5 of 40 CFR Part 60, Appendix A.

f. Emission Limitation:

2.15 tons NO_x/yr

Applicable Compliance Method

The annual emission limit was developed by multiplying the hourly limitation by a maximum operating schedule of 8760 hours/year and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitation, compliance with the annual limitation will be assumed.

g. Emission Limitation

Visible particulate emissions from this emissions unit shall not exceed 5% opacity except for 6 minutes in any continuous 60-minute period during which opacity shall not exceed 10%.

Applicable Compliance Method

If required, compliance shall be determined in accordance with the test method and procedures in Method 9 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 03-13980

Facility ID: 0332010080

FACILITY NAME Molten North America Corporation

FACILITY DESCRIPTION Fluidized bed system. CITY/TWP Findlay

SIC CODE 3089 SCC CODE _____ EMISSIONS UNIT ID P004

EMISSIONS UNIT DESCRIPTION Fluidized Bed Incineration with cyclone

DATE INSTALLED _____

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment	1.00	4.38	1.00	4.38
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides	attainment	0.49	2.15	0.49	2.15
Carbon Monoxide	attainment	0.70	3.10	0.70	3.10
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

compliance with the terms and conditions of this permit

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____