



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

**RE: FINAL PERMIT TO INSTALL  
LUCAS COUNTY  
Application No: 04-01275**

**CERTIFIED MAIL**

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

**DATE: 10/2/2001**

Borden Chemical Inc  
Jeff Krause  
10330 W Roosevelt Rd  
Westchester, IL 60154

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

TDES



**Permit To Install  
Terms and Conditions**

**Issue Date: 10/2/2001  
Effective Date: 10/2/2001**

**FINAL PERMIT TO INSTALL 04-01275**

Application Number: 04-01275  
APS Premise Number: 0448011215  
Permit Fee: **\$1600**  
Name of Facility: Borden Chemical Inc  
Person to Contact: Jeff Krause  
Address: 10330 W Roosevelt Rd  
Westchester, IL 60154

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**4243 South Ave  
Toledo, Ohio**

Description of proposed emissions unit(s):  
**2 Milshar mixers.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

## **Part I - GENERAL TERMS AND CONDITIONS**

### **A. Permit to Install General Terms and Conditions**

#### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and

conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**  
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	0.36

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P022 - water paste machine "MilShar1" (three 1,000 gallons) mixer (24,000 lbs/hr) with fabric filtration	OAC rule 3745-31-05(A)(3)	0.04 pound per hour of particulates, 0.18 ton per year of particulates, and see Section II.A.2.a.
	OAC rule 3745-31-05(D)	See Section II.A.2.b.
	OAC rule 3745-17-07(B)(1)	20 per cent opacity from fugitive sources as a 3-minute average.
	OAC rule 3745-17-08(B), (B)(3)	No visible emissions from the stack.
	OAC rule 3745-21-07(G)(9)(c), (d)	See Section II.A.2.c.

**2. Additional Terms and Conditions**

- 2.a The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(B)(1), OAC rule 3745-17-08(B), (B)(3) and OAC rule 3745-21-07(G)(9)(c), (d).
- 2.b The combined facility-wide emissions of formaldehyde shall not exceed 175 pounds as a rolling 12-month summation.
- 2.c The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC 3745-21-07(G)(2). This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

**B. Operational Restrictions**

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.
2. The permittee shall collect and record the following information for each month for all emissions units:
  - a. The company identification for each formaldehyde containing material employed.
  - b. The number of gallons of each formaldehyde containing material employed.
  - c. The formaldehyde content of each formaldehyde containing material, in pounds per gallon.
  - d. The formaldehyde emission rate for all formaldehyde containing materials, in pounds per rolling 12-month period.

**D. Reporting Requirements**

1. The permittee shall notify the Toledo Division of Environmental Services in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Toledo Division of Environmental Services within 30 days after the event occurs.
2. The permittee shall submit deviation (excursion) reports which include an identification of each month during which the combined formaldehyde emissions from all emissions units exceeded 175 pounds as a rolling 12-month summation, and the actual formaldehyde emissions for each such 12-month period.
3. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.

**E. Testing Requirements**

Compliance with the emission limitations in section II.A.1. of these terms and conditions shall be determined in accordance with the following methods:

1. Emission limitation:

20 per cent opacity from fugitive sources as a 3-minute average.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, compliance shall also be demonstrated through visible emissions readings performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(3).

2. Emission limitation:

no visible emissions from the stack.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, compliance shall be also be demonstrated through visible emissions readings performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(7).

3. Emission limitation:

0.04 pound per hour of particulates and 0.18 ton per year of particulates.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, the permittee shall also demonstrate compliance through stack testing performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(7).

4. Formulation data or USEPA Method 24 shall be used to determine organic compound contents.

5. Emission limitation:

The combined facility-wide emissions of formaldehyde shall not exceed 175 pounds as a rolling 12-month summation.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.2. Formulation data shall be used to determine the formaldehyde contents of the materials. If required, the permittee shall also demonstrate compliance through stack testing performed in accordance with the methods and procedures of Method 18 of 40 CRF Part 60, Appendix A, or approved alternate.

**Borden Chemical Inc**

**PTI Application: 04-01275**

**Issued: 10/2/2001**

**Facility ID: 0448011215**

**Emissions Unit ID: P022**

**F. Miscellaneous Requirements**

None

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P023 - water paste machine "MilShar2" (three 1,000 gallons) mixer (24,000 lbs/hr) with fabric filtration	OAC rule 3745-31-05(A)(3)	0.04 pound per hour of particulates, 0.18 ton per year of particulates, and see Section II.A.2.a.
	OAC rule 3745-31-05(D)	See Section II.A.2.b.
	OAC rule 3745-17-07(B)(1)	20 per cent opacity from fugitive sources as a 3-minute average.
	OAC rule 3745-17-08(B), (B)(3)	No visible emissions from the stack.
	OAC rule 3745-21-07(G)(9)(c), (d)	See Section II.A.2.c.

**2. Additional Terms and Conditions**

- 2.a The combined facility-wide emissions of formaldehyde shall not exceed 175 pounds as a rolling 12-month summation.
- 2.b The use of photochemically reactive materials, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.

Prior to employing any photochemically reactive materials, the permittee shall provide written notification to, and obtain approval from, the Ohio EPA field office. Such notification shall include information sufficient to determine that the emissions associated with the proposed change in materials will comply with the emission limits and/or control requirements as defined in OAC 3745-21-07(G)(2). This notification, at a minimum, shall include the company identification of the new material to be employed, the solvent composition of the material, and the maximum amount to be used, in pounds per hour.

**B. Operational Restrictions**

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.
2. The permittee shall collect and record the following information for each month for all emissions units:
  - a. The company identification for each formaldehyde containing material employed.
  - b. The number of gallons of each formaldehyde containing material employed.
  - c. The formaldehyde content of each formaldehyde containing material, in pounds per gallon.
  - d. The formaldehyde emission rate for all formaldehyde containing materials, in pounds per rolling 12-month period.

**D. Reporting Requirements**

1. The permittee shall notify the Toledo Division of Environmental Services in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Toledo Division of Environmental Services within 30 days after the event occurs.
2. The permittee shall submit deviation (excursion) reports which include an identification of each month during which the combined formaldehyde emissions from all emissions units exceeded 175 pounds as a rolling 12-month summation, and the actual formaldehyde emissions for each such 12-month period.
3. The permittee shall submit deviation (excursion) reports in accordance with paragraph 3.b of the General Terms and Conditions of this permit.

**E. Testing Requirements**

Compliance with the emission limitations in section II.A.1. of these terms and conditions shall be determined in accordance with the following methods:

1. Emission limitation:

20 per cent opacity from fugitive sources as a 3-minute average.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, compliance shall also be demonstrated through visible emissions readings performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(3).

2. Emission limitation:

no visible emissions from the stack.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, compliance shall be also be demonstrated through visible emissions readings performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(7).

3. Emission limitation:

0.04 pound per hour of particulates and 0.18 ton per year of particulates.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.1. If required, the permittee shall also demonstrate compliance through stack testing performed in accordance with the methods and procedures of OAC rule 3745-17-03(B)(7).

4. Formulation data or USEPA Method 24 shall be used to determine organic compound contents.

5. Emission limitation:

The combined facility-wide emissions of formaldehyde shall not exceed 175 pounds as a rolling 12-month summation.

Applicable compliance method:

compliance shall be demonstrated through monitoring and record keeping requirements of Section II.C.2. Formulation data shall be used to determine the formaldehyde contents of the materials. If required, the permittee shall also demonstrate compliance through stack testing performed in accordance with the methods and procedures of Method 18 of 40 CRF Part 60, Appendix A, or approved alternate.

**Borden Chemical Inc**

**PTI Application: 04-01275**

**Issued: 10/2/2001**

**Facility ID: 0448011215**

**Emissions Unit ID: P023**

**F. Miscellaneous Requirements**

None