



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

RE: PERMIT TO INSTALL REGISTRATION

ADAMS COUNTY

Application No: 07-00548

Fac ID: 0701000069

DATE: 3/15/2005

Columbus Industries/West Union Plant LLC

Michael Haufe

2938 SR 752

Ashville, OH 43103-0257

CERTIFIED MAIL

	TOXIC REVIEW
	PSD
	SYNTHETIC MINOR
	CEMS
	MACT
	NSPS
	NESHAPS
	NETTING
	MAJOR NON-ATTAINMENT
	MODELING SUBMITTED
	GASOLINE DISPENSING FACILITY

Enclosed please find an Ohio EPA Permit to Install Registration which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit registration contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager

Permit Issuance and Data Management Section

Division of Air Pollution Control

cc: PCHD

**Permit to Install Registration
Terms and Conditions**

PERMIT TO INSTALL REGISTRATION

Application Number: 07-00548

APS Premise Number: 0701000069

Permit Fee: **\$200**

Name of Facility: Columbus Industries/West Union Plant LLC

Person to Contact: Michael Haufe

Address: 2938 SR 752

Ashville, OH 43103-0257

Location of proposed air contaminant source(s) [emissions unit(s)]:

11545 State Route 41**West Union, Ohio**

Description of proposed emissions unit(s):

Polyester coating line, spray booths and curing ovens with a baghouse.

Date of Issuance: 3/15/2005

Effective Date: 3/15/2005

The above named entity is hereby granted a Permit to Install Registration for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may

be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM/PM10	0.19
VOC	2.59
CO	1.44
Nox	1.72

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K001 - Polyester coating line, spray booth and curing oven with a two pocket synthetic bag filter system.	OAC rule 3745-31-05(A)(3) (PTI 07-00548)	Nitrogen Oxides (NOx) emissions shall not exceed 0.39 lb/hr and 1.72 tons per year (TPY). Carbon Monoxides (CO) emissions shall not exceed 0.33 lb/hr and 1.44 tons per year(TPY). Particulate Matter/Particulate matter emissions less than 10 microns(PM/PM10) shall not exceed 0.05 lb/hr and 0.19 tons per year(TPY). Volatile Organic Compounds (VOC) emissions shall not exceed 0.59 lb/hr and 2.59 tons per year(TPY).
	OAC rule 3745-21-07 (G)(2)	The limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-07(A)(1)	Visible particulate emissions shall not exceed 20% opacity as a 6-minute average, except as provided by rule.

2. **Additional Terms and Conditions**

- 2.a None

B. Operational Restrictions

1. The permittee shall not operate the polyester coating line without the two pocket synthetic bag filter system.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for the line:
 - a. the name and identification number of each coating employed,
 - b. the VOC content of each coating, in percent weight,
 - c. the amount of each coating employed, in pounds,
 - d. the total VOC emissions from all coating employed, in tons (i.e., $b \times c \div 2000$ lbs/ton),
2. The permittee shall maintain daily records that document any time periods when the two pocket synthetic bag filter system was not in service when the emission unit was in operation.

D. Reporting Requirements

1. The permittee shall notify the Portsmouth Local Air Agency in writing of any daily record showing that the two pocket synthetic bag filter system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Portsmouth Local Air Agency within 30 days after the event occurs.

E. Testing Requirements

Compliance with the emissions limitations in section A.1. of these terms and conditions shall be determined in accordance with the following method:

1. Emission Limitation:

NOx emissions shall not exceed 0.39 lbs/hr and 1.72 tpy

CO emissions shall not exceed 0.33 lbs/hr and 1.44 tpy.

Applicable Compliance Method:

The hourly emissions limitations were determined by multiplying the maximum natural gas usage from the oven (0.0039 MMCF/hr) by the emission factors for each pollutant (lbs of pollutant/MMCF) found in Compilation of Air Pollutant Emission Factors, 5th edition of Ap-42, Table 1.4-1 (7/98). The annual emission limitations were determined by multiplying the hourly emissions by 8760 hours/year, dividing by 2000 lbs/ton.

2. Emission Limitation:

VOC emissions shall not exceed 0.59 lbs/hr and 2.59 tpy.

Applicable Compliance Method:

The hourly emissions limitations were determined by the sum of the emissions from the oven and coating booth. Emissions from the oven were determined by multiplying the maximum natural gas usage from the oven (0.0039 MMCF/hr) by the emission factors for each pollutant (lbs of VOC/MMCF) found in Compilation of Air Pollutant Emission Factors, 5th edition of Ap-42, Table 1.4-1 (7/98). VOC emissions from the coating line were determined by multiplying the emission factor from the binder supplier data (0.0015 lb/lb binder) by the pounds of binder applied (370.38 lbs/hr). The annual emissions limitation was determined by multiplying total hourly emissions by 8760 hours/year and dividing by 2000 pounds/ton.

The permittee shall demonstrate compliance with the annual VOC emissions limitation through the recordkeeping in section C.1.d. as a summation of the monthly VOC emissions for each calendar year.

3. Emission Limitation:

PM/PM10 emissions shall not exceed 0.05 lbs/hr and 0.19 tpy

Applicable Compliance Method:

The hourly emissions limitations were determined by the sum of the emissions from the oven and coating booth. Emissions from the oven were determined by multiplying the maximum natural gas usage from the oven (0.0039 MMCF/hr) by the PM/PM10 emission factor, 7.6 lb/MMCF, found in compilation of Air Pollutant Emission Factors, 5th edition of AP-42, Table 1.4-2 (7/98). PM/PM10 emissions from the coating line were determined for each pollutant using facility testing data for a similar process. PM/PM10 emissions from the coating booth were determined by multiplying the emission factor supplied by permittee based on test data (0.0022 lb/lb binder) by the pounds of binder applied (370.38 lbs/hr). The annual emissions limitation was determined by multiplying total hourly emissions by 8760 hours/year and dividing by 2000 pounds/ton and multiplying by the control efficiency of the filter system(100-95%).

If required, the permittee shall demonstrate compliance with the hourly PM/PM10 limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

4. Emission Limitation:

Visible particulate emissions shall not exceed 20% opacity as a 6-minute average, except as provided by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

1. Pursuant to Ohio EPA's Engineering Guide #69, modeling to demonstrate compliance with the Ohio EPA Air Toxic Policy was not necessary since the emission unit's maximum annual emissions for each air toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittee's to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials or use of new materials, that would result in an increase in emissions of any pollutant, that has a listed TLV, to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.