

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 21, 2002, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle Inc., 28161 N Keith Dr., Lake Forest, IL 60045, ID No.: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 21, 2002, the director of Ohio EPA issued an amended infectious waste transporter certificate to Environmental Management Group Inc, 290 Chapel Dairy Rd, PO Box 3453, Somerset KY 42501, ID No.: 00-T-00245. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215.

Statewide

**Public Notice By: November 1, 2002**

**PUBLIC NOTICE  
DEADLINE FOR WATER RESOURCE RESTORATION SPONSORSHIP PROGRAM  
PROJECT NOMINATIONS  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE CONSIDERATION  
DURING  
PROGRAM YEAR 2003**

The Director of the Ohio Environmental Protection Agency is providing notice of the submission deadline for project nominations for Water Resource Restoration Sponsorship Program Projects (WRRSP) to be considered for inclusion on the Water Pollution Control Loan Fund (WPCLF) Program Year (PY) 2003 project priority list. The nomination forms must be submitted by the project sponsors and received at the following address, no later than close of business on December 2, 2002:

Ohio Environmental Protection Agency  
Division of Environmental and Financial Assistance  
ATTN: Amanda Nickell  
122 South Front Street  
P. O. Box 1049  
Columbus, OH 43216-1049

WRRSP project nominations received after the deadline of December 2, 2002 will not be considered for funding during PY 2003.

A letter regarding this submission deadline will be mailed out to all of the entities that currently have projects on the WPCLF project priority list and other interested parties that are currently on our mailing list, along with a project nomination form to be used for WRRSP projects and instructions for completing and submitting the forms. This same information will be available at <http://www.epa.state.oh.us/defa/>. Additional information regarding this deadline or submission of nominations can also be obtained by contacting Theresa Gordon at (614) 644-3664.

**Date of Notice: October 31, 2002**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION  
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit No. OPB00013 for the discharge from the existing Village of Flushing Wastewater Treatment Plant wastewater disposal system. The NPDES permit application was submitted by Joe Beas, Wastewater Treatment Plant Technical Supervisor, PO Box 66, Flusing, Ohio 43977.

The disposal system submitted for approval is proposed to treat 200,000 gallons per day of sanitary wastewaters associated with municipal sewage. The disposal system is located on Mill Road, Flushing, (section 20 of Flushing Township), Belmont County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to an unnamed tributary of Wheeling Creek and subsequently the Ohio River.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Wheeling Creek and subsequently Wheeling Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate an exclusion from various portions of the antidegradation review and information submittal requirements applies as outlined by section 3745-1-05 (D)(1) of the antidegradation rule (effective as of October 1, 1996). The exclusion relates to a source discharging to limited quality waters.

Copies of the pending NPDES applications are available for review at Ohio EPA's Southeast District Office, 2195 Front Street, Logan, Ohio, (740) 385-8501. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

**Date of Public Notice: October 29, 2002**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to relocate and reconfigure approximately 360 linear feet of an unnamed tributary to Twelvemile Creek in Order to construct a new Clermont County Public Library. The application was submitted by the Clermont County Public Library, 326 Broadway Street, Batavia, Ohio. The project is located at the northeast corner of Old Highway 52 and River Valley Boulevard in New Richmond. The Louisville District Corps of Engineers will be issuing a Nationwide Permit for this project. The Ohio EPA ID Number for this project is 022067.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the unnamed tributary to Twelvemile Creek in the Southwest Ohio River Tributaries watershed (HUC 05090201). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 29, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: October 29, 2002**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT  
APPLICATION (LEVEL 2) AND 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) and a Section 401 water quality certification for a fill 5.0 acres of non-isolated wetlands, 130 linear ft of perennial stream, 500 linear feet of ephemeral stream and 0.12 acres of isolated wetland to construct 3,000 ft of roadway and 50 single family residences. The applications were submitted by Bailey Development Company, 11528 Royalton Road, North Royalton, Ohio 44133. The project is located east of Abbey Rd and south of Albion Rd, North Royalton, Cuyahoga County. The Buffalo Army Corps of Engineers number for this permit is 2002-02342(0). The Ohio EPA I.D Number for this project is 021737.

In accordance with Ohio Revised Code (ORC) Section 6111.026 (F), the applicant has requested that the Isolated Wetland Permit (Level 2) public comment period and, if a hearing is requested, the public hearing, coincide with the time periods for the Section 401 water quality certification.

The review of the Isolated Wetland Permit (Level 2) application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with ORC Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

The review of the Section 401 water quality certification application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Administrative Code (OAC) Chapters 3745-1 and 3745-32, and other applicable provisions of state law. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives as proposed by the applicant resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

For the Section 401 water quality certification, no exclusions or waivers, as outlined in Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 29, 2002, copies of the applications and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the applications should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: October 29, 2002**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct the Middlefield Northwest By-Pass which will connect State Route 87 and State Route 608. This project will require impacts to 6 federally jurisdictional wetlands totaling 1.56 acres, 1 isolated wetland totaling 0.05 acres, and 84 linear feet of an unnamed tributary to Tare Creek, a tributary to the East Branch of the Cuyahoga River. The application was submitted by the Village of Middlefield, 14870 North State Street, P.O. Box 1019, Middlefield, Ohio 44062. The project is located on the northwest side of the Village of Middlefield, Geauga County. The Buffalo District Corps of Engineers Public Notice Number for this project is (B)2002-00962(1). The Ohio EPA ID Number for this project is 021863.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the unnamed tributary to Tare Creek, in the Cuyahoga River watershed (HUC 04110002). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 29, 2002, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Notice:     October 30, 2002**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION  
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Cedarville University Water Treatment Plant filter backwash wastewater lagoon disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) No. 05-12215 for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by Cedarville University, 251 North Main Street, Cedarville, Ohio 45314.

Cedarville University's preferred wastewater disposal alternative submitted for approval is proposed to treat 7,500 gallons per day of filter backwash wastewaters associated with the water treatment plant. The disposal system is proposed to be located at 251 North Main Street, Cedarville, Cedarville Township, Greene County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to an unnamed tributary and subsequently Massie Creek.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary and subsequently Massie Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate no exclusions or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio, (937) 285-6357. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216 within thirty days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN**

On September 30, 2002, Ohio EPA received an amended hazardous waste closure plan from National Extrusion and Manufacturing Company (National Extrusion) for its hazardous waste underground tank storage unit located at Orchard and Elm Streets, Bellefontaine, Ohio 43311. The EPA Identification Number for this facility is OHD004295358.

**Why is National Extrusion submitting this amended Closure Plan?**

At the request of Ohio EPA, National Extrusion submitted this amended closure plan. The plan addresses the quantities of waste and contaminated soil removal, soil sample analysis, and groundwater monitoring around the underground tank unit. The plan also includes a summary of hazardous waste decontamination activities and laboratory results from soil samples and findings. Additionally, the amended plan includes a Leaching Model which describes the level of soil contaminate movement into groundwater, and also discusses several remediation plan and procedure options.

**When and how do I submit written comments about this Closure Plan?**

You can submit written comments anytime between October 11 and November 9, 2002. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Bellefontaine Public Library**, Main Branch, 220 North Main Street, Bellefontaine, Ohio 43311, tel: (937) 599-5503,

**Ohio EPA, Southwest District Office**, 401 East Fifth Street, Dayton, Ohio 45402, tel: (937) 285-6357,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

**Date of Public Notice: October 28, 2002**

**Public Notice  
Notice of Receipt of Public Application  
Antidegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit No. 3IS00123 for the discharge from the proposed Alco Manufacturing disposal system. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) No. 02-15070 for the construction of the proposed disposal system. The NPDES and PTI applications were submitted by Mr. Matt Basinski, of Alco Manufacturing, 10584 Middle Avenue, Elyria, OH 44035.

The preferred wastewater disposal alternative submitted for approval is proposed to treat 7000 gallons per day of sanitary wastewater. The disposal system is proposed to be located at 10584 Middle Avenue, Elyria, Lorain County, Ohio. Treated wastewaters are to be discharged into an un-named tributary of the Black River. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharge from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Black River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated application(s) indicate no exclusion or waivers, as outlined by section 3745-1-05 (D) of the antidegradation rule (effective as of October 1, 1996), apply or may be granted by the Director of Ohio EPA.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northeast District Office, 2110 E. Aurora Road, Twinsburg, Ohio, (330) 425-9171. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration in reviewing the application, or 3) request a public hearing must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, Columbus, Ohio, 43216, within thirty days of the date of this public notice.

**PUBLIC NOTICE**

**OAC 3745-27-10(D)(7)(c) Authorization**

Notice is hereby given on October 23, 2002, pursuant to OAC Rule 3745-27-10(D)(7)(c), that the director of Ohio EPA authorized Waste Management Inc (WMI), 7616 Chapel Street SE, Waynesburg, OH 44688, to continue detection monitoring for MKS-3, at the Mahoning Landfill, Mahoning County. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL TEMPORARY AUTHORIZATION**

On August 30, 2002, Ohio EPA issued a final temporary authorization to the Aristech Chemical Corporation for its facility at 1019 Haverhill-Ohio Furnace Road, Haverhill, Ohio 45636. The EPA Identification Number for this facility is OHD005108477.

**Why does the Aristech Chemical Corporation need this temporary authorization?**

Aristech Chemical Corporation is permitted to operate a hazardous waste tank storage unit at its facility. The facility wants to allow Sunoco, Inc. R & M to be designated as the facility operator, and to change the name of the facility from Aristech Chemical Corporation to Sunoco Chemicals -Haverhill prior to issuance of a modified permit. A Class 3 permit modification request is currently under review.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC) in accordance with Ohio Revised Code §§ 3745.04 or 3745.07.

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than November 16, 2002. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal with ERAC in accordance with Ohio Revised Code §§ 3745.04 or 3745.07 at the following address: ***Environmental Review Appeals Commission***, 236 E. Town Street, Room 300, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Christopher Jones, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Union County**

**PUBLIC NOTICE  
Withdrawal of Draft Permit To Install 01-05194  
Honda of America Mfg., Inc.  
0180000130**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) hereby withdraws the June 11, 2002 Draft Permit To Install 01-005194 for installation of a plastic components repair operation at the facility located at 24000 Honda Parkway Marysville, Ohio because the operation has been determined to be De Minimis. This withdrawal is effective pursuant to Ohio Administrative Code rule 3745-47-05(D)(2)(b).

Questions concerning this withdrawal may be directed to Mark Hartman, Ohio Environmental Protection Agency, Central District Office (614-728-3778).

**Union County**

**PUBLIC NOTICE  
Withdrawal of Draft Permit To Install 01-06649  
Honda of America Mfg., Inc.  
0180000130**

Public Notice is hereby given that the Director of the Ohio Environmental Protection Agency (EPA) hereby withdraws the July 02, 2002 Draft Permit To Install 01-06649 for the modification to operations at the facility located at 24000 Honda Parkway Marysville, Ohio. This withdrawal is effective pursuant to Ohio Administrative Code rule 3745-47-05(D)(2)(b).

Questions concerning this withdrawal may be directed to Mark Hartman, Ohio Environmental Protection Agency, Central District Office (614-728-3778).

**PUBLIC NOTICE**

**ALTERNATIVE DAILY COVER APPROVAL**

Pursuant to OAC Rule 3745-27-19(F)(3), notice is hereby given that on October 23, 2002, the director of Ohio EPA authorized the use of one or more of the following materials (Beltech woven polypropylene geosynthetic geotextile, Amcon woven geotextiles or woven coated polypropylene geosynthetic, Airspace Saver high density woven polyethylene coated fabric with polyester straps, Exxon geotextile (3601), Fabrene high tensile strength lightweight woven polyethylene, GeoCover geotextile, GSE high-density polyethylene geomembrane) as an alternative to six inches of soil for daily cover at the Mt Eaton Landfill (Facility), located in Wayne County. The authorization is for a trial period to end one hundred eighty (180) days from the effective date of the authorization. This authorization is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 236 East Town Street, Room 300, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.