

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Huron County Solid Waste Management District Plan Approval

Pursuant to ORC Section 3734.55 (C), notice is hereby given that on November 5, 2004, the director of Ohio EPA issued Final Findings and Orders which approves the ratified, draft, amended Solid Waste Management Plan (Plan) for the Huron County Solid Waste Management District, County Admin. Building, 180 Milan Avenue, Norwalk, OH 44857. These Final Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION OF PORTION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on November 5, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to TestAmerica Analytical Testing Corp. ("TestAmerica") of 2960 Foster Creighton Drive, Nashville, Tennessee, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for Iron by method 6010B. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

TestAmerica has been issued a revised laboratory certificate that reflects the analytes, parameter groups and methods for which they remain certified. TestAmerica may perform analyses under the Voluntary Action Program only for those parameter groups, analytes and methods identified in its revised certificate.

The issuance of the suspension and revised certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

NOTICE

Please be advised that a Covenant Not to Sue **DENIAL** was issued by Director Jones, November 5, 2004, for the following property.

Name of site: **Providence Machinery Corporation - Dayton Property (99NFA068)**

Address: 319 Leo Street
Dayton OH 45404

O&M Agreement? n/a

Certified Professional **J. Michael Clinch, Ph.D., P.G. - CP 207**
EHS Technology Group, LLC
P.O. Box 3040
720 Mound Avenue COS Bldg
Miamisburg OH 45343-3040
(937) 865-3989

If you need additional information, please let me know.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
United Technologies, Corp. / former Armored Plastics Site

Notice is hereby given that on November 9, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to United Technologies, Corp. for the property identified as the former Armored Plastics Site (the "Property").

United Technologies, Corp. conducted a voluntary action of the approximately 2.7 acre-Property located at 303 Dura Avenue, Toledo, Lucas County. A no further action letter was submitted on April 19, 2004 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of United Technologies by Bruce W. Baker, P.G., a Certified Professional (No. CP 198), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Park Place at Lytle LLC (R.L. Polk Building)

Notice is hereby given that on November 10, 2004, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Park Place at Lytle LLC for the property identified as the R.L. Polk Building property (the "Property").

Park Place at Lytle LLC conducted a voluntary action of the approximately 1.3 acre-Property located at 400 Pike Street, Cincinnati, Hamilton County, Ohio. A no further action letter was submitted on October 8, 2004 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Park Place at Lytle LLC by Michael Weinstein, a Certified Professional (CP126), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA Permit No. OHU00003

National Pollutant Discharge Elimination System (NPDES) Permit Program

**PUBLIC NOTICE
OF
DRAFT MODIFICATION OF THE
GENERAL NPDES PERMIT
FOR
PETROLEUM-RELATED CORRECTIVE ACTIONS**

Ohio Environmental Protection Agency
Division of Surface Water, Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 04-11-028
Date of Issue of Public Notice: November 17, 2004

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)–Division of Surface Water (DSW) has issued a draft modification of the general National Pollutant Discharge Elimination System (NPDES) permit that may potentially provide coverage to discharges from petroleum corrective actions in the state of Ohio.

The modifications to this permit are changes to the stream classifications that are eligible for coverage under this permit (See Part I. C. 2. g.). These changes are proposed to make the permit consistent with the Ohio's current antidegradation rule. The current permit excludes discharges to waterbodies classified as:

- Outstanding National Resource Waters
- Outstanding High Quality Waters
- Superior High Quality Waters
- State Resource Waters

The modified permit would exclude discharges to waterbodies with the following classifications:

- Outstanding National Resource Waters
- Outstanding State Waters (takes the place of OHQW classification)
- Superior High Quality Waters
- Category 3 wetlands

The modified permit would allow discharges to State Resource Waters, if these waters are not also classified in one of the categories above. Key parameters limited in this permit are: Benzene, Toluene, Ethylbenzene, Xylenes and pH.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at www.epa.state.oh.us/dsw/permits/gpfact.html or by contacting one of the following Ohio EPA district offices:

Southeast District Office	(740) 385-8501
Southwest District Office	(937) 285-6357
Northwest District Office	(419) 352-8461
Northeast District Office	(330) 963-1200
Central District Office	(614) 728-3778

Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Eric Nygaard, Permits and Compliance Section, P.O. Box 1049, Columbus, Ohio 43216-1049.

Statewide

**Ohio EPA Permit No. 5PGV0001
U.S. EPA Permit No. OHV000001**

National Pollutant Discharge Elimination System (NPDES) Permit Program

**PUBLIC NOTICE
OF
ISSUANCE OF THE DRAFT GENERAL NPDES PERMIT
FOR
SMALL SANITARY DISCHARGES THAT CANNOT MEET BADCT STANDARDS
(LESS THAN 25,000 GALLONS PER DAY)**

Ohio Environmental Protection Agency
Division of Surface Water, Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 04-11-013
Date of Issue of Public Notice: November 17, 2004

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)–Division of Surface Water (DSW) has issued a draft of a new general National Pollutant Discharge Elimination System (NPDES) permit that may potentially provide coverage to small sanitary discharge systems in the state of Ohio.

This new permit covers existing sanitary treatment discharges that are not currently meeting Best Available Demonstrated Control Technology (BADCT) treatment standards. The permit includes a compliance schedule requiring operators to upgrade their treatment systems to meet BADCT standards within three (3) years of obtaining coverage under the permit.

The BADCT standards apply to the following parameters: Dissolved Oxygen, Biochemical Oxygen Demand, Total Suspended Solids, Ammonia, Fecal Coliform and Residual Chlorine.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at www.epa.state.oh.us/dsw/permits/gpfact.html or by contacting one of the following Ohio EPA district offices:

Southeast District Office (740) 385-8501
Southwest District Office (937) 285-6357
Northwest District Office (419) 352-8461

Northeast District Office (330) 963-1200
Central District Office (614) 728-3778

Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Eric Nygaard, Permits and Compliance Section, P.O. Box 1049, Columbus, Ohio 43216-1049.

Statewide

Ohio EPA Permit No. 5PGS0002
U.S. EPA Permit No. OHS000002

National Pollutant Discharge Elimination System (NPDES) Permit Program

**PUBLIC NOTICE
OF
ISSUANCE OF THE DRAFT GENERAL NPDES PERMIT
FOR
SMALL SANITARY DISCHARGES
(LESS THAN 25,000 GALLONS PER DAY)**

Ohio Environmental Protection Agency
Division of Surface Water, Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 04-11-014
Date of Issue of Public Notice: November 17, 2004

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)–Division of Surface Water (DSW) has issued a draft renewal of the general National Pollutant Discharge Elimination System (NPDES) permit that may potentially provide coverage to small sanitary discharge systems in the state of Ohio. This draft permit represents a renewal of the original small sanitary permit issued in 1999.

Applicants under this permit include sanitary systems from public, industrial and commercial facilities. Key parameters limited in this permit are: Dissolved Oxygen, Biochemical Oxygen Demand, Total Suspended Solids, Ammonia, Fecal Coliform and Residual Chlorine.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at www.epa.state.oh.us/dsw/permits/gpfact.html or by contacting one of the following Ohio EPA district offices:

Southeast District Office	(740) 385-8501
Southwest District Office	(937) 285-6357
Northwest District Office	(419) 352-8461
Northeast District Office	(330) 963-1200
Central District Office	(614) 728-3778

Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Eric Nygaard, Permits and Compliance Section, P.O. Box 1049, Columbus, Ohio 43216-1049.

Ohio EPA PA No. 03-15933

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No.: 04-11-026
Date of Issue of Public Notice: November 15, 2004

Name and Address of Applicant: Mayor and Council, City of Delphos, 608 North Canal Street, Delphos, Ohio 45833

Name and Address of Facility Where Discharge Occurs: Delphos WWTP, 1111 North Jefferson Street, Delphos, Allen County, Ohio

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term Control Plan for CSO Abatement for the City of Delphos WWTP.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, PO Box 466, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA District Office, address by first calling, (614) 644-2028 to make an appointment.

PUBLIC NOTICE

**Ohio EPA Director Issues
Final Findings and Orders for
United States Shoe, Ripley, Ohio**

On November 8, 2004, the Director of the Ohio Environmental Protection Agency (Ohio EPA) issued as a final action Director's Final Findings and Orders to the United States Shoe Corporation of Port Washington, New York and The Incorporate Village of Ripley to implement an Interim Action at the United States Shoe Corporation facility, located at 1009 South Second Street, Ripley, Brown County, Ohio. The purpose of the Interim Action is to perform a source control, plume delineation, and plume remediation of volatile organic compounds (VOC) in ground water at the site. The Director's Final Findings and Orders require the following actions: a) determine the nature and extent of the source areas and develop, evaluate, design and implement interim actions to eliminate or otherwise control the source area; b) delineate any VOC ground water contamination, identify and analyze potential plume remedial actions for remediating any VOC ground water contamination, and remediate any VOC ground water contamination; and c) evaluate the soil vapor intrusion exposure pathway to determine whether soil vapor poses an unacceptable treat to human health and mitigate any unacceptable threat to human health posed by the soil vapor intrusion exposure pathway.

The action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Sections 3745.04 or 3745.07 of the Ohio Revised Code. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action or issuance of the Director's Final Findings and Orders. A copy of the appeal must be served upon the Director of Ohio EPA within three (3) days of filing the appeal at the ERAC. The ERAC is located at 309 South Fourth Street, Room 222, Columbus, OH 43215.

The Director's Final Findings and Orders, and related documents, are available for review at Ohio EPA's Southwest District Office by calling or e-mailing 937-285-5060 or luann.irwin@epa.state.oh.us for an appointment.

PUBLIC NOTICE

**Ohio EPA Director Issues
Final Findings and Orders for
United States Shoe, Ripley, Ohio**

On November 8, 2004, the Director of the Ohio Environmental Protection Agency (Ohio EPA) issued as a final action Director's Final Findings and Orders to the United States Shoe Corporation of Port Washington, New York and The Incorporate Village of Ripley to implement an Interim Action at the United States Shoe Corporation facility, located at 1009 South Second Street, Ripley, Brown County, Ohio. The purpose of the Interim Action is to perform a source control, plume delineation, and plume remediation of volatile organic compounds (VOC) in ground water at the site. The Director's Final Findings and Orders require the following actions: a) determine the nature and extent of the source areas and develop, evaluate, design and implement interim actions to eliminate or otherwise control the source area; b) delineate any VOC ground water contamination, identify and analyze potential plume remedial actions for remediating any VOC ground water contamination, and remediate any VOC ground water contamination; and c) evaluate the soil vapor intrusion exposure pathway to determine whether soil vapor poses an unacceptable treat to human health and mitigate any unacceptable threat to human health posed by the soil vapor intrusion exposure pathway.

The action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Sections 3745.04 or 3745.07 of the Ohio Revised Code. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action or issuance of the Director's Final Findings and Orders. A copy of the appeal must be served upon the Director of Ohio EPA within three (3) days of filing the appeal at the ERAC. The ERAC is located at 309 South Fourth Street, Room 222, Columbus, OH 43215.

The Director's Final Findings and Orders, and related documents, are available for review at Ohio EPA's Southwest District Office by calling or e-mailing 937-285-5060 or luann.irwin@epa.state.oh.us for an appointment.

PUBLIC NOTICE

ALTERNATIVE DAILY COVER (ADC) APPROVAL

Pursuant to OAC Rule 3745-27-19(F)(3)(a), notice is hereby given that on November 9, 2004, the director of Ohio EPA authorized the Crawford County Board of Commissioners, Crawford County Courthouse, 112 East Mansfield Street, Bucyrus, Ohio 44820, to use Fabrene L257 as Alternative Daily Cover (ADC) material at the Crawford County Landfill (Facility). The facility is located at 5128 Lincoln Highway East, Bucyrus, Ohio 44820. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

PUBLIC NOTICE

**Ohio EPA Director Issues
Final Findings and Orders for
SCM Glidden Resin Facility, Huron, Ohio**

On November 10, 2004, the Director of the Ohio Environmental Protection Agency (Ohio EPA) issued as a final action Director's Final Findings and Orders to The Glidden Company of Cleveland, Ohio, to implement a Remedial Design and Remedial Action (RD/RA) at The Glidden Resin Facility, located at 300 Sprowl Road in Huron, Erie County, Ohio. The purpose of the RD/RA Orders is to address soils, sludge and ground water contamination at the site. The Director's Final Findings and Orders require the following actions: removal of contaminated soil and sludge; installation and operation and maintenance of a ground water collection system; treatment of collected ground water to acceptable levels; and preparation and implementation of a long-term ground water monitoring plan including interim reports.

The action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Sections 3745.04 or 3745.07 of the Ohio Revised Code. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action or issuance of the Director's Final Findings and Orders. A copy of the appeal must be served upon the Director of Ohio EPA within three (3) days of filing the appeal at the ERAC. The ERAC is located at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

The Director's Final Findings and Orders, and related documents, are available for review at Ohio EPA's Northwest District Office, located at 347 North Dunbridge Road, Bowling Green, Ohio 43402, by calling or e-mailing Linda Tilse at (419)373-3081 or <http://www.epa.state.oh.us/nwdo/> for an appointment.

PUBLIC NOTICE

Annual Survey
Solid & Infectious Waste Program
C&DD Program

Notice is hereby given on November 5, 2004, in accordance with OAC Rule 3745-37-08, the director of Ohio EPA have determined that the Fairfield Department of Health, 1587 Granville Pike, Lancaster, Ohio 43130, is in substantial compliance and hereby place the Fairfield Department of Health on Ohio EPA's Approved List(s) of health districts authorized to administer and enforce the Solid and Infectious Waste and Construction and Demolition Debris laws and rules in accordance with Sections 3734.08 and 3714.09 of the Ohio Revised Code (ORC). This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

Date of Public Notice: November 15, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to create paved parking area. The application was submitted by Columbus Fair Auto Auction, 2170 New World Drive, Columbus, Ohio 43207. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would eliminate 2.68 wetland acres. The applicant's proposed minimal degradation alternative, if approved, would eliminate 0.5 wetland acres. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands. The project is located North of 1-270 and Alum Creek Drive, 1.75 miles. The U.S. Army Corps of Engineers Number for this project is 200300387. The Ohio EPA ID Number for this project is 042099.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Alum Creek watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting November 15, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: November 16, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a commercial development. The application was submitted by Central Park LTD., 3841 Green Hills Village Drive, Suite 400, Nashville, TN 37215. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would culvert 804 linear feet of intermittent/ephemeral stream. The applicant's proposed minimal degradation alternative, if approved, would relocate 804 linear feet. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands. The project is located east of I-270 and north of Hilliard Cemetery Road, Hilliard Ohio. The U.S. Army Corps of Engineers Number for this project is 200100388-3. The Ohio EPA ID Number for this project is 037782.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Upper Scioto watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting November 16, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

ISSUANCE OF OAC 3745-27-13 AUTHORIZATION

Notice is hereby given that on November 5, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized the Village of Amberley (Amberley Village) to engage in grading activities at the closed Amberley Village Landfill (Facility) . The facility is located at 8601 Ridge Road, in Hamilton County. This authorization is subject to all rules, regulations, and specified conditions. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Ohio EPA PA No. 02-0516pw

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No.: 04-11-029
Date of Issue of Public Notice: November 17, 2004

Name and Address of Applicant: City of Avon Lake Municipal Utilities, Attn: John Kniepper,
201 Miller Road, Avon Lake, Ohio 44012

Name and Address of Facility Where Discharge Occurs: Avon Lake WPCF, 33370 Lake
Road, Avon Lake, Ohio 44012, Lorain County

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-
Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term
Control Plan for CSO Abatement for the City of Avon Lake WPCF.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public
comment concerning this project. Comments received shall be considered by the Director
before the plan is issued as final. Any person may submit written comments on the draft
plan and administrative record and may request a public hearing. A request for public
hearing shall be in writing and shall state the nature of the issues to be raised. In
appropriate cases, including cases where there is significant public interest, the director
may hold a public hearing on a draft plan or plans prior to final issuance of the plan or
plans. Written comments and/or public hearing requests must be received by the Ohio
EPA, Division of Surface Water no later than 30 days from the date of this public notice.
Comments and/or public hearing requests should be delivered or mailed to both of the
following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water,
Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216
and 2) Ohio Environmental Protection Agency, Northeast District Office, 2110 East Aurora

Road, Twinsburg, OH 44087. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA District Office, address by first calling, (614) 644-4823 to make an appointment.

PUBLIC NOTICE

CORRECTIVE MEASURES DEMONSTRATION

Notice is hereby given that on November 5, 2004, the director of Ohio EPA approves a corrective measures demonstration for Waste Management's Seneca East Recycling and Disposal Facility (Facility), located at 2780 Co. Rd. 43, Republic, Ohio 44867, Seneca County. The demonstration approved pertains to monitoring wells MW-105D and MW-106D. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid & Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

PUBLIC NOTICE

PROPOSED CONSENT ORDER

The Ohio Environmental Protection Agency (Ohio EPA) has entered into a proposed Consent Order with Defendants, Debra L. & David Wayne Whipkey and D & H Whipkey Construction Co., Inc., to resolve all claims alleged in the Complaint filed by the State of Ohio in the Stark County Court of Common Pleas, case number 2004-CV-02165. The proposed Consent Order requires the Defendants to comply with all applicable provisions of Ohio's Water Pollution Control Law, R.C. Chapter 6111 and the rules adopted thereunder, and the terms and conditions of the currently effective General or Individual National Pollutant Discharge Elimination System (NPDES) Permit for Stormwater Discharges Associated with Construction Activities.

The proposed Consent Order assesses a civil penalty settlement in the amount of \$10,000 against Defendants for violations of R.C. Chapter 6111. The Consent Order requires the payment of the civil penalty within 45 days of its final entry date.

Copies of the Consent Order can be obtained by writing to:

Ohio Environmental Protection Agency
Northeast District Office
2110 East Aurora Road
Twinsburg, Ohio 44087

Written comments should be submitted to Ohio EPA, Northeast District Office at the above address. Written comments should be submitted on or before December 16, 2004.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty-day period commences on November 16, 2004. The State of Ohio and the Defendants reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On November 3, 2004, Ohio EPA received an amended hazardous waste closure plan from Ace Precision Industries, Inc. for its hazardous waste disposal area located at 850 Moe Drive, Akron, Ohio 44310. The EPA Identification Number for this facility is OHD987056066.

Why is Ace Precision Industries, Inc. submitting this amended Closure Plan?

At the request of Ohio EPA, Ace Precision Industries, Inc. submitted this amended closure plan. Small amounts of TCA hazardous waste was disposed on the soil at the site. The plan includes a summary of soil sampling activities, a summary of ground water sampling activities, and proposals using bioaugmentation to remediate ground water. Also, the amended plan calls for soil removal around the dock area.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between November 11 and December 10, 2004. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Akron-Summit County District Library, North Branch, 183 East Cuyahoga Falls Avenue, Akron, Ohio 44310, tel: (330) 535-0169;

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

Date of Public Notice: November 15, 2004

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to remove sediments containing elevated levels of chemicals of concern from approximately 380 linear feet of a stormwater drainage ditch which flows into the Little Chippewa Creek. The application was submitted by Rosemont Analytical, Inc., 1201 North Main Street, Orrville, Ohio 44667. The project is located at the same location. The Huntington District Corps of Engineers has issued a Nationwide Permit #38 for this project. The Corps ID for this project is (H)200301202. The Ohio EPA ID Number for this project is 042153.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to the Little Chippewa Creek in the Tuscarawas River watershed (HUC 05040001). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting November 15, 2004, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. An application can also be made available at the Ohio EPA Northeast District Office by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS

Wood County Solid Waste Management District Plan Approval

Pursuant to ORC Section 3734.55 (C)(1), notice is hereby given that on November 5, 2004, the director of Ohio EPA issued Final Findings and Orders which approves the ratified, draft Solid Waste Management Plan (Plan) for the Wood County Solid Waste Management District, One Courthouse Square, Bowling Green, Ohio 43202-2431. These Final Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.