

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on November 17, 2005, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following *Professionals*:

**John Zampino, CP280
Jeffrey P. Hullinger, CP214
Brian H. Hackett, CP279**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 236 East Town Street, Room 300, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact the Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

Notice is hereby given that on November 15, 2005, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Progressive Casualty Insurance Company, 6300 Wilson Mills Road, Mayfield Village, Ohio 44143. The permit was issued for a project to construct the Mayfield Village Service Center at 651 Beta Drive, Mayfield Heights, Cuyahoga County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

**PUBLIC NOTICE
ISSUANCE OF OAC 3745-27-13 AUTHORIZATION**

Notice is hereby given that on November 8, 2004, pursuant to OAC 3745-27-13, the director of Ohio EPA authorized 200 Egbert Road, LLC, to engage in filling, grading, excavating, and building activities at the closed Egbert Captive Landfill Facility (the "Facility"). The Facility is located at 200 Egbert Road, Bedford, Cuyahoga County, Ohio. This authorization is subject to all rules, regulations, and the specified conditions set forth in the Authorization. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. A copy of the OAC 3745-27-13 authorization document for the Facility including the plans and drawings is on file with the Ohio EPA -Northeast District Office, Division of Emergency and Remedial Response, Voluntary Action Program at 2110 East Aurora Road, Twinsburg, Ohio 44087. The Ohio EPA Northeast District Office phone number is 330-963-1200.

PUBLIC NOTICE

OHIO EPA ISSUES TWO FINAL HAZARDOUS WASTE PERMIT MODIFICATIONS

On November 10, 2005, Ohio EPA issued two (2) final class 2 modifications to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Hukill Chemical Corporation for its facility at 7013 Krick Road, Bedford, Ohio. The EPA Identification Number for this facility is OHD001926740.

Why is Hukill Chemical Corporation modifying its Permit?

Hukill Chemical Corporation is permitted to store hazardous waste in containers and tanks. Hukill wishes to: 1) reduce the minimum tank shell thickness criteria for when Tanks 8-3-F, 9-3-F, 10-3-F, and 11-3-F must be taken out of service; and 2) reduce the frequency of thickness testing from semi-annually to biennially. These final permit modifications will allow Hukill Chemical Corporation to make the requested changes. To issue these final modifications, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal the final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by these Permit modifications, you have the right to appeal the Permit decisions to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal the final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than December 14, 2005. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

**OHIO EPA APPROVES CLOSURE PLAN FOR
BEDFORD HEIGHTS COLLISION CENTER**

On November 16, 2005, Ohio EPA approved a closure plan for the Bedford Heights Collision Center for its container storage unit located at 23380 Miles Avenue, Bedford Heights, Ohio. The EPA I.D. number for this facility is OH0000059550.

Pursuant to Ohio Revised Code rule 3745-55-11 & 12, the facility's closure plan submitted on September 26, 2005 was approved with modifications as outlined in the Director's November 16, 2005 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Notice: November 23, 2005

Erie County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit for the proposed expansion of the Quarry Condominium Association wastewater treatment plant. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) for the construction of the proposed wastewater treatment plant expansion. The NPDES and PTI applications were submitted by Quarry Condominium Association, P.O. Box 914, Kelleys Island, Ohio 43438.

The proposed wastewater treatment plant expansion includes construction of an 8,800 gallon extended aeration tank with blowers, final clarification, chlorination/dechlorination tank, 750 gallon trash trap at Portside Marina for the addition of a new 32 seat restaurant with a 16 seat bar and 40 seat outdoor tiki bar. The Quarry Condominium Association wastewater treatment plant is to located at 111 West Lakeshore Drive, Kelleys Island, Erie County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Lake Erie.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

The contents of the above stated applications indicate an exclusion from various portions of the antidegradation review and information submittal requirements applies as outlined by section 3745-1-05(D)(1) of the antidegradation rule. The exclusion relates to a de minimis net increase in the discharge of a regulated pollutant.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, (419) 352-8461. An Ohio EPA public hearing on the proposed project has been scheduled for 1:00 P.M. on January 11, 2006, at the Village of Kelleys Island Municipal Building, 121 Addison Street, Kelleys Island, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for

this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on January 18, 2006. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: November 14, 2005

Lorain County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct approximately 91 LF of concrete block seawall with an armor stone revetment from Elev. 577.0 to 587.0 FT along the shoreline of the property. The application was submitted by Keith & Maryana Colton. The project is located at 4755 Park Drive, Sheffield Lake, OH 45054. The Buffalo District of the U.S. Army Corps of Engineers' Public Notice Number for this application is 2005-01013(0). The Ohio EPA ID Number for this project is 052409.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct 91 LF of new concrete block seawall with armor stone revetment from 577.0 to 587.0 ft. along the shoreline an average distance of 43 ft from the OHW line to the face of the seaall. Total 439 CY of fill below OHW. The applicant's proposed minimal degradation alternative, if approved, would construct 91 LF of new concrete block seawall with armor stone revetment from 577.0 to 587.0 ft. along the shoreline an average distane of 38 ft from the OHW line to the face of the seawall. Total of 342 CY of fill below OHW. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting November 14, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on December 29, 2005 at 6:30 p.m. at the Domonkas Branch Library,

4125 E. Lake Road, Sheffield Lake, OH 44054. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on January 6, 2006. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on January 6, 2006.

PUBLIC NOTICE

Notice is hereby given that on November 17, 2005, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to William Thomas Communities, Inc., 2 Berea Commons, Suite 1, Berea, Ohio 44017. The permit was issued for a project to construct a residential development located west of State Route 83 and south of Weber Road, Avon Lake, Lorain County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

Date of Notice: November 23, 2005

Morrow County

**PUBLIC NOTICE
DRAFT PERMIT-TO-INSTALL AND PROPOSED NPDES PERMIT MODIFICATION**

Public notice is hereby given that on November 23, 2005 the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) (90-834) and a proposed modification to the Village of Mt. Gilead National Pollutant Discharge Elimination System (NPDES) permit (4PB00102) for the proposed wastewater treatment plant expansion. The proposed expansion will provide for an increase in capacity from 474,000 gallons per day treatment capacity to 820,000 gallons per day. The project is located at 3636 Loren Road, Mt. Gilead, Morrow County, Ohio.

Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of Whetstone Creek. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permits are issued as final. Any person may submit written comments on the draft permit-to-install and proposed NPDES permit modification, and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than December 22, 2005. Comments received after this date may not be considered by the Director before issuing the final permit. Comments and/or public hearing requests should be delivered or mailed to Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216.

Copies of the draft Permit to Install/proposed NPDES Permit modification, and technical support information may be reviewed and/or copies made at Ohio EPA Central District Office, 3232 Alum Creek Drive, Columbus, Ohio, by first calling (614) 728-3778, to make an appointment.

Date of Public Notice: November 10, 2005

Pickaway County

**REVISED
PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Earnhart Hill Regional Water and Sewer District North Area Water Treatment Plant. The NPDES application was submitted by the Earnhart Hill Water and Sewer District, 2030 Stoneridge Drive, Circleville, Ohio 43113.

The Earnhart Hill Regional Water and Sewer District is proposing to construct a new water treatment plant on Hagerty Road within Walnut Township, Pickaway County, Ohio. The proposed water treatment plant will employ iron removal and water softening using zeolite filter (ion-exchange). Wastewater resulting from the treatment process will consist of red water (flocculated iron) and ion exchange regeneration rinse water (brine). Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to the Scioto River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Scioto River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES application are available for review at Ohio EPA's Central District Office by calling (614) 728-3778. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on January 5, 2006, at the Walnut Elementary School Art Room, 7150 Ashville-Fairfield Road, Ashville, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on January 12, 2006. Comments received after this date may not be considered as part of the official record.