

**State of Ohio
Environmental Protection Agency
Notice of Adoption of Rules**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code Section 3704.03 has adopted amended rules 3745-21-01, 3745-21-04, 3745-21-12 and new rules 3745-21-17 and 3745-21-18 of the Administrative Code.

The purpose of this rulemaking and proposed amendments have resulted primarily from the plans in the Cincinnati and Dayton metro counties to eliminate their vehicle inspection programs (E-check) at the end of 2005. To offset the increase in VOC and NOx emissions which would result from the termination of this program, new control strategies were developed which required these rule changes/additions.

Public hearings on the proposed amendments were held on December 7, 2005 in both Cincinnati and Dayton, Ohio. There were some comments received during the comment period primarily dealing with opinions on the termination of the E-check program and one comment from an affected facility resulted in a change to proposed rule 3745-21-09 which was originally part of this rule package and will now be adopted in a separate package at a later date. The Director's order of adoption was issued on January 31, 2006. The effective date of these rules is February 10, 2006.

To request a copy of these rules, obtain further information, or inspect or request copies of agency files and records pertaining to the proceeding contact Lee F. Burkleca, Ohio EPA, Division of Air Pollution Control, Lazarus Government Center, PO Box 1049, Columbus, Ohio 43216-1049 or call Lee at 614-728-1344. These rules are available on the Web page for electronic downloading by scrolling down to OAC 3745-21, "Carbon Monoxide, Photochemically Reactive Materials, Hydrocarbons, and related Materials Standards". The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215. Copies of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing with ERAC. Ohio EPA also requests that a copy of the appeal be served upon the Environmental Enforcement Section of the Ohio Attorney General's Office.

Public Notice Date: by February 7, 2006

Statewide

**PUBLIC NOTICE
EXTENSION OF PUBLIC COMMENT PERIOD ON THE
DRAFT WATER POLLUTION CONTROL LOAN FUND PROGRAM MANAGEMENT
PLAN
AND
DRAFT WATER POLLUTION CONTROL LOAN FUND PROJECT PRIORITY LIST
FOR PROGRAM YEAR 2006**

Notice is hereby given that the Ohio Environmental Protection Agency is extending the public comment period through the close of business on February 21, 2006 on the matter concerning the January 5, 2006 issuance of a draft action by the Director, that when finalized will adopt the Program Management Plan for the Water Pollution Control Loan Fund for program year 2006. The WPCLF Program Plan includes the Water Pollution Control Loan Fund Project Priority List and information regarding the intended uses for the Water Pollution Control Loan Fund, under authority of Ohio Revised Code 6111.036. This extension is being provided to ensure the documents are available at least 30 days for public review.

The public meeting regarding these documents will be held on February 13, 2006, at 10:30 a.m. in the Ohio EPA's Offices in Room B on the 5th Floor of the Lazarus Government Center Located at 122 South Front Street, Columbus, Ohio as public noticed previously on or before January 13, 2006. This site meets the requirements of the Americans with Disabilities Act. An interpreter or other necessary accommodations may be provided if requested at least (7) days in advance of the meeting.

A copy of the full text was made available for public viewing in the Ohio EPA offices listed below and through the internet at <http://www.epa.state.oh.us/defa/> on or before January 18, 2006:

Division of Environmental and Financial Assistance, Lazarus Government Center, 122 South Front Street, Columbus, Ohio 43215;
Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087;
Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402;
Southeast District Office, 2195 Front Street, Logan, Ohio 43138; and,
Southwest District Office, 401 E. Fifth Street, Dayton, Ohio 45402.

A mailing of a fact sheet and letters regarding the issuance of the draft was also completed and mailed as a courtesy to interest parties. A similar mailing will be made regarding the extension of the public comment period.

Written comments are now being accepted through the close of business on February 21, 2006. Comments should be sent to: Robert McDonald, Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, P.O. Box 1049, Lazarus

Government Center, Columbus, Ohio 43215-1049, or may be sent via E-Mail to [http://www.bob.mcdonald@epa.state.oh.us](mailto:www.bob.mcdonald@epa.state.oh.us). For further information regarding this meeting you may contact the Division of Environmental and Financial Assistance at (614)644-2798.

Dated February 6, 2006

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
UPDATE OF STATE WATER QUALITY MANAGEMENT PLAN
INCLUDING SECTION 208 AREAWIDE WASTE MANAGEMENT PLANS**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) has prepared a draft update to the State Water Quality Management Plan. The document has been prepared for certification pursuant to Sections 208 and 303 of the Clean Water Act. Topics covered include all nine elements required by federal regulations: 1) total maximum daily loads; 2) effluent limits; 3) municipal and industrial waste treatment; 4) nonpoint source management and control; 5) management agencies; 6) implementation measures; 7) dredge and fill program; 8) basin plans; and 9) ground water. The 208 plan elements (#s 3 to 9) have been updated by Ohio EPA in 42 counties. In addition, areawide planning agencies have amended or updated 208 plans in the following metropolitan areas and counties: greater Cincinnati (Butler, Clermont, Hamilton, Warren); greater Cleveland (Cuyahoga, Geauga, Lake, Lorain, Medina); Akron-Canton (Portage, Stark, Summit, Wayne); Youngstown (Mahoning, Trumbull); and Toledo (Lucas, Ottawa, Sandusky, Wood).

In order to afford all potentially affected parties the opportunity to comment, Ohio EPA will hold a public hearing on March 8 at 2 pm and at 6:30 pm at the Ohio EPA Central Office, 122 S. Front St., Columbus, Ohio. The public hearing will end when all interested parties have had an opportunity to comment. Written comments will be accepted until Friday, April 7, 2006. Pursuant to applicable regulations, the State of Ohio has authority to prepare plan amendments or updates, and to certify that the documents include the required plan elements, are consistent with one another, and are consistent with basin plans. All interested persons are entitled to attend or be represented at the hearing and give written or oral comments relative to the certification of the plan. Written comments may be filed with the presiding officer at the hearing or with Ohio EPA (Attn: Dan Dudley, Ohio EPA Division of Surface Water, P.O. Box 1049, Columbus, OH 43216- 1049 or email at dan.dudley@epa.state.oh.us) by the close of business on Friday, April 7, 2006. To obtain a copy of the draft State Water Quality Management Plan Including Section 208 Areawide Waste Management Plans contact Mr. Dudley at the above address or by calling (614) 644-2876. The plan may also be obtained from the Agency Web page at <http://www.epa.state.oh.us/dsw/index.html>.

Date of Public Notice: February 3, 2006

Allen County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to stabilize 550 feet of eroding bank of the Ottawa River. The application was submitted by Waste Management of Ohio, Inc.. The project is located at 1136 Seriff Road, Shawnee Township, Allen County, Ohio. The Buffalo District, Corps of Engineers Public Notice Number for this project is 2006-00293(0). The Ohio EPA ID Number for this project is 052516.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, is to grade the eroded river bank to a 3 to 1 slope, provide riprap on the slope to a height of 4 feet, provide soil wrapped with biodegradable geotextile material to the top of the bank, and restore vegetation. The applicant's minimal degradation alternative, if approved, is to limit grading of the existing bank to the area of a high wall, place riprap along the existing toe of the bank, install erosion control fabric to the top of the bank, and restore vegetation. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ottawa River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting February 3, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on March 5, 2006. Comments received after the date may not be considered as part of the official record.

Persons wishing to: 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: February 10, 2006

Ashtabula County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the existing Ohio American Water Company Ashtabula District water treatment plant located at 1330 West First Street, Ashtabula, Ashtabula County, Ohio. The NPDES application was submitted by the Ohio American Water Company, P.O box 580, Ashtabula, Ohio 44004.

The Ohio American Water Company is proposing to increase the discharge flow rate of the Ashtabula District water treatment plant from 250,000 gallons per day to 370,000 gallons per day. The flow rate increase request is due to an increase in the number of customers served by the Ashtabula District over the past ten years. The discharges are to Lake Erie.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES application are available for review at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on April 5, 2006, at the Kent State University's Ashtabula Campus Blue and Gold Room, 3325 West 13th Street, Ashtabula, Ohio. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on April 12, 2006. Comments received after this date may not be considered as part of the official record.

Date of Notice: February 10, 2006

Clermont County

**PUBLIC NOTICE
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the Permit to Install (PTI) application for the construction of the Clermont County-Wards Corner Regional Wastewater Treatment Plant.

The Wards Corner Treatment Plant is to be located at 458 Loveland-Miamiville Road, Miami Township, Clermont County, Ohio. The PTI application was submitted by the Clermont County Sewer District on behalf of the Clermont County Board of Commissioners, 2379 Clermont Center Drive, Batavia, Ohio 45103.

The public hearing has been scheduled for 7:00 P.M. on March 30, 2005 at Milford High School cafeteria, 1 Eagles Way, Milford, Ohio 45150. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the permit to install application. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on April 6, 2005. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending PTI application and technical support information may be reviewed and/or copies made at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio, by first calling (937)285-6357 to make an appointment. Design plans are available for viewing at the Milford-Miami Township Library, 1099 State Route 131, Milford, Ohio 45150.

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, Clean Water Act Section 401 certifications for the following four projects located in the waters of Lake Erie:

- 1) Applicant: Thomas and Peggy Ann Demitrack
Applicant Address: 17804 Lake Ave, Lakewood, Ohio 44107
Project Location: Along the shoreline at 17804 Lake Ave, Lakewood, Cuyahoga County, Ohio
Project Description: Construct an armor stone revetment resulting in 260 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: 2005-02121(0)
Ohio EPA ID Number: 052365

- 2) Applicant: Gregg and Kristin Mylett
Applicant Address: 19700 Frazier Drive, Rocky River, Ohio 44116
Project Location: Along the Lake Erie shoreline at 19700 Frazier Drive, Rocky River, Cuyahoga County, Ohio
Project Description: Construct an armor stone revetment resulting in 930 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: 2005-01093(0)
Ohio EPA ID Number: 052439

- 3) Applicant: Timothy Henahan
Applicant Address: 19720 Frazier Drive, Rocky River, Ohio 44116
Project Location: Along the Lake Erie shoreline at 19720 Frazier Drive, Rocky River, Cuyahoga County, Ohio
Project Description: Construct an armor stone revetment resulting in 914 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: 2005-01092(0)
Ohio EPA ID Number: 052440

- 4) Applicant: J.D. Hammerschmidt
Applicant Address: 19722 Frazier Drive, Rocky River, Ohio 44116
Project Location: Along the Lake Erie shoreline at 19722 Frazier Drive, Rocky River, Cuyahoga County, Ohio
Project Description: Construct an armor stone revetment resulting in 1137 cubic yards of fill being placed below Ordinary High Water
Corps of Engineers' Public Notice Number: 2005-01091(0)
Ohio EPA ID Number: 052441

The discharges from these activities, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the applications will be conducted, and a decision whether to grant or deny the applications will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of July 1, 2003), apply or may be granted by the Director of Ohio EPA.

Beginning February 6, 2006, copies of the applications for the certifications and technical support information may be inspected at Ohio EPA-DSW, 122 S. Front Street, Columbus, Ohio 43215, by first calling (614) 644-2001. Applications can be made available at Ohio EPA Northeast District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 6:30 p.m. on March 22, 2006, in the Memorial Hall Community Room at Don Umerley Civic Center, 21016 Hilliard Blvd, Rocky River, Ohio 44116. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. All interested persons are entitled to attend or be represented and give oral or written comments on the proposed projects.

Ohio EPA will continue to accept written comments on the applications through the close of business on March 29, 2006. Comments received after this date may not be considered as part of the official record. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049.

Date of Public Notice: January 16, 2006

Cuyahoga County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS AND PUBLIC HEARING
CLEVELAND HARBOR
(OUTER HARBOR AND CUYAHOGA RIVER CHANNELS)
CUYAHOGA COUNTY, OHIO**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 Certification for a U.S. Army Corps of Engineers (USACE) dredging project located in Cleveland Harbor. The application was submitted by the USACE, Buffalo District. The project is located within the limits of the Federal Channel in the Outer Harbor and Cuyahoga River Channels. The USACE, Buffalo District Public Notice number for this project is 06-01. The Ohio EPA ID Number for this project is 052490.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to dredge an estimated 360,000 cubic yards of material in 2006, with the disposal of the dredged material at the existing Cleveland Harbor CDF sites 10B and/or 12 in the Cleveland Outer Harbor on Lake Erie. Approximately 300,000 and 60,000 cubic yards would be dredged during the spring and fall phases, respectively. The applicant's proposed minimal degradation alternative, if approved, would be to dredge an estimated 260,000 cubic yards of dredged material from the Federal navigation channels in 2006, with the disposal of the dredged material at the existing Cleveland Harbor CDF sites 10B and/or 12. Approximately 215,000 and 45,000 cubic yards will be dredged during the spring and fall phases, respectively. Dredging shall not occur during Lake Erie storm events. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Cleveland Harbor including the Outer Harbor and Cuyahoga River Channels. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting January 17, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio

43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on March 2, 2006 at 5:30 p.m. at Carnegie West Branch, Cleveland Public Library located at 1900 Fulton Road, Cleveland, OH 44113. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business March 9, 2006. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on March 9, 2006.

Delaware County

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **S&S AGGREGATES PLANT #17 (0660010247)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crusher and Screening Plant permitted under PTI 06-07167 issued on June 12, 2003. The air contaminant source is currently located at 2800 Center St., Youngstown, OH, and is authorized to move to 2406 South Section Line Rd., Delaware, OH upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Bruce Weinberg, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT SUPPLEMENTAL LOAN
TO TUPPERS PLAINS - CHESTER WATER DISTRICT**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Supplement financial Assistance from the Water Supply Revolving Loan Account (WSRLA) to Tupperts Plains - Chester Water District, for the following water treatment system activities: reimbursement of architectural and engineering fees associated with the construction of a new 500,000 water storage tank, approximately 800 feet of water line, telemetry equipment and other necessary appurtenances.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Tupperts Plains - Chester Water District from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6109.22 (N) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Larry Benintend at the above address or by calling (614) 644-2798.

PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On January 17, 2006, Ohio EPA received an amended hazardous waste closure plan from Environmental Processing Services, Inc. for its container and tank storage units located at 416 Leo Street, Dayton, Ohio 45427. The EPA Identification Number for this facility is OHD000608588.

Why is Environmental Processing Services Submitting this Closure Plan?

At the request of Ohio EPA, Environmental Processing Services, Inc. submitted this closure plan. This plan contains a proposed remedy to achieve closure based on an evaluation of current residual constituents of concern (COC) at the container and tank storage area. The amended plan also summarizes the design, implementation and groundwater monitoring activities; permitting and reporting requirements; closure performance standards; and closure schedule, cost and financial assurance mechanism.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between February 6 and March 8, 2006. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402, tel: (937) 285-6357; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, tel: (614) 644-2977.

PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN

On January 10, 2006, Ohio EPA received an amended hazardous waste closure plan from the Steel Products Corporation of Akron for its container storage unit located at 1699 Commerce Drive, Stow, Ohio 44224. The EPA Identification Number for this facility is OHD004156055.

Why is Steel Products Corporation of Akron Submitting this Closure Plan?

At the request of Ohio EPA, the Steel Products Corporation submitted this closure plan. This plan describes the remaining actions necessary to complete closure of the former container storage unit. The closure plan also summarizes the waste management unit to be closed which includes a list of the hazardous wastes, air emissions and wastewater, decontamination efforts, remediation standards, personnel health and safety, and the closure schedule.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between February 1 and March 3, 2006. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (216) 963-1200; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, tel: (614) 644-2977.

**PUBLIC NOTICE
OHIO EPA RECEIVES AMENDED CLOSURE PLAN
JOHN A. BIEWER COMPANY**

On January 23, 2006, Ohio EPA received an amended closure plan from the John A. Biewer Company for the hazardous waste concrete storage pad located at 13010 Eckel Junction Road, Perrysburg, Ohio 43551. The EPA Identification Number for this facility is OHD038706602.

Why is the John A. Biewer Company submitting this Closure Plan?

At the request of Ohio EPA, John A. Biewer Company submitted this closure plan. The objective of the original plan was to identify the closure activities to be undertaken in regard to a complete clean closure of the hazardous waste concrete storage drip pad. This amended closure plan provides for additional decontamination to achieve the remediation standards.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between January 31 and March 1, 2006. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the closure plan and related material at the following locations:

Perrysburg Way Public Library, 101 East Indiana Avenue, Perrysburg Ohio 43551-2295, tel: (419) 874-3135;

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, and;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.