

**PUBLIC NOTICE  
FINAL ISSUANCE OF AN AMENDED CERTIFICATE  
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on September 18, 2006, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**  
**FINAL ISSUANCE OF AMENDED CERTIFICATE OF**  
**REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on September 18, 2006, the director of Ohio EPA issued an amended infectious waste generator certificate to Quest Diagnostics Inc, 875 Greentree Rd, Pittsburgh, PA 15220, ID No.: 00-G-00951. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**  
**FINAL ISSUANCE OF AMENDED CERTIFICATE OF**  
**REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on September 18, 2006, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, ID No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**State of Ohio**  
**Environmental Protection Agency**

September 19, 2006

**Notice of Final Rule-making**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has adopted revisions to the rules of the Ohio Administrative Code (OAC) which set the monitoring requirements for public water systems to demonstrate compliance with secondary maximum contaminant levels, the operational requirements for public water systems, and outline the requirements for installing a yard hydrant with a connection to a public water system. The revisions are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

OAC rule 3745-82-03 describes the frequency with which public water systems are required to monitor to determine compliance with secondary maximum contaminant levels (SMCL). The division adopted amendments to the rule in order to clarify provisions related to fluoride, a contaminant for which there has been a longstanding SMCL. The division has policy documents describing different provisions for public water systems who add supplemental fluoride pursuant to Section 6109.20 of the Ohio Revised Code and those who do not, and through these amendments has codified this regulatory structure into rule. Due to the extent of the revisions, Ohio EPA rescinded the previous rule and adopted a new rule of the same number in its place. The division also amended OAC rule 3745-82-01 to clarify that all terms defined in rule 3745-81-01 also apply to OAC Chapter 3745-82.

The division has also adopted amendments to OAC rule 3745-83-01, which outlines the operational requirements for public water systems in Ohio. The revisions include monitoring frequencies for various operational parameters and represent, for the most part, a codification of the operational monitoring the agency currently requires as part of the monthly operational report (MOR) form number 5003 "Minimum Required Chemical Analysis of Water for Community and Major Non-Community Water Systems". Due to the extent of the revisions, Ohio EPA rescinded the previous version of this rule and adopted a new rule of the same number in its place.

Finally, the division has revised the requirements for yard hydrants with a connection to a public water system, which were previously found in OAC 3745-99-01. The division has relocated the rule provisions to the backflow and cross-connection control chapter, which involved rescinding the previous rule and adopting a new rule, OAC 3745-95-09. The division also provided clarification by adding the definitions of yard hydrants and weep holes to OAC 3745-95-01.

The Director of Environmental Protection, after considering public comment, adopted these rules in final form, pursuant to Section 6109.04 of the Ohio Revised Code. The Director's order of adoption was issued on September 19, 2006. The effective date of these new rules will be October 1, 2006, in accordance with Section 119.04(A) of the Revised Code.

A copy of the rules may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 122 South Front Street, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. These rules are also available electronically at the following internet address: <http://www.epa.state.oh.us/ddagw/oac.html>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

**State of Ohio**  
**Environmental Protection Agency**

**PUBLIC NOTICE**

September 19, 2006

**Notice of Proposed Rule-making and Public Hearing**

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Drinking and Ground Waters (DDAGW) is proposing amendments to rules in Chapter 3745-91 of the Ohio Administrative Code (OAC) which require approval from the Director of Ohio EPA prior to construction, installation, or substantial change to a public water system. Proposed amendments to OAC rules 3745-91-01 and 3745-91-02 will exempt public water systems from obtaining plan approval for waterline replacements in certain circumstances, provided specific conditions are met.

As part of the rule-making process, the Agency is required by Section 121.39 of the Ohio Revised Code to consult with organizations that represent political subdivisions, environmental interests, business interests, and others affected by the rules. The Agency is offering you and your organization the opportunity to comment on these rules before the division adopts them.

A public hearing pursuant to §119.03 of the Ohio Revised Code will be conducted on October 24, 2006, beginning at 10:00 AM in conference room C at the Ohio EPA, Lazarus Government Center, 122 South Front Street, Columbus, Ohio. All interested persons are entitled to attend or be represented and give their written or oral comments on this proposed rule-making. A presiding officer will be present until all interested persons have been heard.

To facilitate scheduling of oral presentations, persons intending to give testimony at the hearing should ensure that Ohio EPA receives notice of such intent by 5:00 p.m. on October 20, 2006. Persons who provide Ohio EPA with prior notice will be heard ahead of persons who register at the hearing. To provide notice of intent to give oral comments at the public hearing, contact Holly Kaloz, Ohio EPA, DDAGW, Lazarus Government Center, P. O. Box 1049, Columbus, Ohio 43216-1049.

In order to ensure that written comments are considered as part of the official record of this hearing, written comments must be received by Ohio EPA by the close of business October 24, 2006. Written comments on the proposed rules may be given to the presiding officer during the hearing, sent by mail to Holly Kaloz at the address above, or sent by email to the following address [ddagw\\_rulecomments@epa.state.oh.us](mailto:ddagw_rulecomments@epa.state.oh.us).

To obtain a copy of the proposed rules, contact Donna Roberts at Ohio EPA at (614) 644-2755 or email at [donna.roberts@epa.state.oh.us](mailto:donna.roberts@epa.state.oh.us). Please request the "proposed waterline replacement rules" and, if a recorded message is left, be sure to include your name,

telephone number, and complete mailing address. There is no charge for proposed rules. The proposed rules will be available on the Agency web page until their adoption or withdrawal. The address is: <http://www.epa.state.oh.us/ddagw/oac.html>.

Questions concerning this proposed rule-making, other than obtaining copies of the proposed rules, may be addressed to Holly Kaloz at the above address or by phone at (614) 644-2752. Email can be sent to [holly.kaloz@epa.state.oh.us](mailto:holly.kaloz@epa.state.oh.us).

**State of Ohio**  
**Environmental Protection Agency**

September 19, 2006

**Notice of Final Rule-making**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has adopted two new rules in Chapter 3745-88 of the Ohio Administrative Code (OAC) for the purposes of providing loan assistance and subsidy to public water systems serving disadvantaged communities. OAC rules 3745-88-01 and 3745-88-02 outline the application process, how public water systems may qualify for disadvantaged assistance, and what kind of assistance is available.

The Director of Environmental Protection, after considering public comment, adopted these rules in final form, pursuant to Section 6109.04 of the Ohio Revised Code. The Director's order of adoption was issued on September 19, 2006. The effective date of these new rules will be October 1, 2006, in accordance with Section 119.04(A) of the Revised Code.

A copy of the rules may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 122 South Front Street, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. These rules are also available electronically at the following internet address: <http://www.epa.state.oh.us/ddagw/oac.html>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

**PUBLIC NOTICE**  
**FINAL ACTIONS OF THE DIRECTOR**  
**ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER**  
**THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 9/19/2006.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
Cuyahoga	MR. TIRE #861	MAYFIELD HEIGHTS	OH
Cuyahoga	MR. TIRE #862	UNIVERSITY HEIGHTS	OH
Cuyahoga	MR. TIRE #870	SOUTH EUCLID	OH

**PUBLIC NOTICE**  
**FINAL ACTIONS OF THE DIRECTOR**  
**ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER**  
**THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 9/19/06.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
DANIEL	ENGELHAUPT	BRUNSWICK	OH
ANDREW	FIFFICK	HINCKLEY	OH
JEFFREY	LEMR	MENTOR	OH
THOMAS	WARMUTH	OLMSTED TWP	OH
ROBERT	MARFLAK	PARMA	OH
CHARLES	MELINSKY	PARMA HEIGHTS	OH
DAN	DIVINCENZO	SPENCER	OH
JAMES	POULOS	WILLOWICK	OH

**PUBLIC NOTICE**  
**FINAL FINDINGS AND ORDERS**  
**DENYING REQUEST FOR COVENANT NOT TO SUE**  
**State of Ohio Department of Administrative Services**  
**Former ODJFS Building Property**

Notice is hereby given that on September 21, 2006, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, denied the request for a Covenant Not To Sue in Final Findings and Orders to the State of Ohio Department of Administrative Services ("ODAS") for the property identified as the Former Ohio Department of Job and Family Services ("ODJFS") Building property (the "Property").

The ODAS conducted a voluntary action of the approximately 1.054 acre-Property located at 217 Third Street, Marietta, Washington County, Ohio. A no further action letter was submitted on August 17, 2005 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of ODAS by Terry Hair, a Certified Professional (CP273), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The denial of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Denial of Request for Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Delaware County**

**PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT  
SOURCE FOR **S&S AGGREGATES PLANT #17 (0660010247)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crusher and Screening Plant permitted under PTI 06-07167 issued on June 12, 2003. The air contaminant source is currently located at 3200 Jackson Pike, Grove City, OH, and is authorized to move to 2406 South Section Line Rd., Delaware, OH upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.  
Bruce Weinberg, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.  
Phone: (740) 385-8501.

**Franklin County**

**PUBLIC NOTICE  
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
BALL CORPORATION**

On August 24, 2006, Ohio EPA issued final Findings and Orders to the Ball Corporation for its facility located at 2690 Charter Street, Columbus, Ohio 43228. This facility is a small quantity generator of hazardous waste. The EPA I.D. number for this facility is OHD982642175.

The Ball Corporation must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Date of Public Notice: September 25, 2006**

**Huron County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that impacts 1.15 acres of wetlands for the construction of a train car shop, parking lot, two material storage pads, and a wheel storage area. The project also includes installation of new rails on the east and west sides of the train car shop. The 16,500 square foot train shop will be a corrugated metal structure with a concrete slab floor. The material storage pads will consist of concrete slabs and will be 1,200 square feet and 3,600 square feet in size. The concrete wheel storage area will be 2,400 square feet and the parking lot will be 6,000 square feet. The application was submitted by CSX Transportation. The project is located in the Willard Yard facility, located at 5205 Townline Road 12 West in the Township of Willard, Huron County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is (B)2006-00873. The Ohio EPA ID Number for this project is 062933.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would consist of construction of a train car shop, parking lot, two concrete material storage pads, and a wheel storage area. The preferred alternative also includes installation of new rails that extend from existing rails to east of the train car shop. The preferred alternative will impact approximately 1.15 acres of jurisdictional wetlands. The applicant's proposed minimal degradation alternative, if approved, would decrease the quantity of concrete used for construction of the proposed train car shop by approximately 470 cubic yards. However, the amount of gravel that will be placed within the wetland area will increase by approximately 523 cubic yards. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to the West Branch of the Huron River. The unnamed tributary to the West Branch of the Huron River is located approximately 0.41 miles east of the area of construction. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting September 25, 2006, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical

support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE  
DIRECTOR'S UNILATERAL FINAL FINDINGS AND ORDERS**

Notice is hereby given that on August 28, 2006, the director of Ohio EPA issued Final Findings and Orders to Mr. Bruce Clark ("Respondent"), whose last known residence is 65 South Chestnut Street, Jackson, Ohio 45640. The Respondent is the owner of a parcel of land that comprises approximately 4 acres that was identified in the records of the Jackson County Recorder's Office as parcel number G11-001-00-005-00. The parcel is located on Caves Road, Jackson, Jackson County, Ohio (the "Property"). These Findings and Orders are issued to resolve violations of the State's solid waste and scrap tire laws and regulations at the Property. The text of the Findings and Orders is set forth below. These Findings and Orders require Respondent to achieve compliance with ORC Chapter 3734 and the rules promulgated thereunder according to the following compliance schedule: 1. On the effective date of the Orders, implement mosquito control measures at the Property and provide copies of mosquito control records to Ohio EPA within ten (10) days after each application of the registered pesticide, larvicide, or adulticide. 2. Not later than thirty (30) days after the effective date of the Orders, establish scrap tire storage piles and fire lanes at the Property. 3. Not later than one hundred twenty (120) days after the effective date of the Orders, remove or cause the removal of all scrap tires from the Property and arrange for their transportation, by a registered scrap tire transporter, to a scrap tire storage, monofill, monocell, or recovery facility or to any other solid waste disposal facility in another state that is operating in accordance with the laws of that state and that is authorized to accept scrap tires for disposal. 4. Obtain receipts from the registered transporter and the authorized scrap tire facility or solid waste disposal facility indicating weight, volume or number of scrap tires transported and forward such documentation to Ohio EPA with seven (7) days after completion of No. 3 above. 5. Continue to comply with Nos. 1 and 2 above until such time as all scrap tires have been removed from the Property. These Final Findings and Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE**  
**OHIO EPA AND US EPA ISSUE DRAFT RENEWAL HAZARDOUS WASTE PERMIT**  
**TO**  
**PPG INDUSTRIES OHIO, INC. , CIRCLEVILLE, OHIO**

On September 26, 2006, Ohio EPA and U.S. EPA issued a draft renewal hazardous waste facility installation and operation permit (Permit) to PPG Industries Ohio, Inc., PPG Industries, Inc. (PPG Industries) for its facility at 559 Pittsburgh Road, Circleville, Ohio 43113. The EPA Identification Number for this facility is OHD004304689.

**Why does PPG Industries need a Permit?**

PPG Industries operate a resin manufacturing plant and hazardous waste incinerator, the Energy Recovery Unit (ERU) at the Circleville facility. The draft renewal would authorize PPG Industries to continue storing hazardous waste in containers and tanks, and treat hazardous waste by blending in tanks and by incineration at the facility. The draft renewal Permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws, given the potential for harm to the public health and safety and the environment that could result from the irresponsible operation of the facility. When issued, the renewal Permit will allow PPG Industries to continue to investigate and cleanup any contamination of hazardous waste in the designated areas, or constituents that may be at the facility. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://www.web.epa.state.oh.us/dhwm/>

Some RCRA regulations have not been authorized in the state of Ohio, therefore U.S. EPA must issue a permit to cover those regulations. PPG Industries' complete RCRA permit is comprised of both the U.S. EPA and Ohio EPA permits.

**When and where will Ohio EPA hold a Public Meeting?**

You may request Ohio EPA to hold a public meeting for this draft permit renewal. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us) If the request is granted, Ohio EPA will announce the time and location of the public meeting.

**When and how do I submit written comments?**

You can submit written comments anytime between September 27, 2006 and November 13, 2006. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit Application and draft renewal Permit?**

You can review these at one of the following locations:

***Pickaway County District Public Library***, 1160 North Court Street, Circleville, Ohio 43113, (740) 477-1644;

***Ohio EPA - Central District Office***, 122 South Front Street, Columbus, Ohio 43215, (614) 728-3778; and,

***Ohio EPA, Division of Hazardous Waste Management***, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft renewal Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES DRAFT MODIFICATION TO HAZARDOUS WASTE PERMIT**

On September 22, 2006, Ohio EPA issued a draft modification to the hazardous waste facility installation and operation permit (Permit) for the Austin Powder Company (Austin Powder). The facility is located at 430 Powder Plant Road, McArthur, Ohio 45651. The EPA Identification Number for this facility is OHD004293775.

**Why does Austin Powder need a Permit modification?**

Austin Powder manufactures explosives for use primarily in the mining industry. As required by Ohio EPA, Austin Powder submitted a Corrective Measures Study Final Report. This report identifies what corrective measures must be taken to remedy the contamination identified in the soils and ground water at the facility. Based upon review of this report, Ohio EPA is proposing that no further action be taken and, with this permit modification, is seeking public comment on this remedy decision. The draft permit modification includes and is supported by a Statement of Basis which identifies the Interim Measures/proposed remedy and explains the reasons for selecting the proposed remedy.

**When and where will Ohio EPA hold a public meeting?**

You may request Ohio EPA to hold a public meeting for its draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us) If the request is granted, Ohio EPA will announce the time and location of the public meeting.

**When and how do I submit written comments?**

You can submit written comments anytime between September 27, 2006 and November 13, 2006. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit Application and Permit Modification?**

You can review these at one of the following locations:

***Herbert Wescoat Memorial Library***, 120 North Market Street, McArthur, Ohio 45651-1218, (740) 596-5691;

***Ohio EPA - Southeast District Office***, 2195 Front Street, Logan, Ohio 43138, (740) 385-8501; and,

***Ohio EPA, Division of Hazardous Waste Management***, 122 South Front Street,

Columbus, Ohio 43215, (614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft Permit modification, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit modification. If you commented on the draft Permit modification, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.