

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on February 23, 2007, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on February 23, 2007, the director of Ohio EPA issued an infectious waste generator certificate to The Little Clinic of Ohio LLC, 9721 Ormsby Station Rd Ste 106, Louisville, KY 40223, Reg. No.: 00-G-01474. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on February 27, 2007, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. Earl H. Rothfuss, CP 202**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 03/01/2007.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
FRANK	HARTLEY	BARBERTON	OH
PAUL	WILLOUGHBY	WADSWORTH	OH

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Overlook Ventures, LLC - Nottingham Spirk Innovation Center

Notice is hereby given that on March 1, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Overlook Ventures, LLC for the property identified as the Nottingham Spirk Innovation Center property (the "Property").

Overlook Ventures, LLC conducted a voluntary action of the approximately 3.9 acre-Property located at 2200 Overlook Road, Cleveland, Cuyahoga County, Ohio. A no further action letter was submitted on June 26, 2006 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Overlook Ventures, LLC by Mr. John T. Garvey, a Certified Professional (CP # 118), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Date of Public Notice: March 3, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a Wal-Mart Supercenter project. The application was submitted by Wedgewood Limited Partnership, 209 East State Street, Columbus, Ohio 43210. The project is located west of Sawmill Parkway, south of North Hampton Drive and north of Bradford Court in Liberty Township, Delaware County, Ohio. The Huntington District of the U.S. Army Corps of Engineers Public Notice Number for this application is 200301063. The Ohio EPA ID Number for this project is 073063.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 2.77 acres of wetland for the development of a Wal-Mart retail store, four smaller retail buildings and the associated parking. The applicant's proposed minimal degradation alternative, if approved, would impact 2.74 acres of wetland for the development of a Wal-Mart retail store and the associated parking. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the upper Scioto River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning March 3, 2007 copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 17, 2007 at 6:30 p.m. at the Olentangy Liberty High School

Cafeteria, 3584 Home Road, Powell, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on April 2, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on April 2, 2007.

Date of Public Notice: March 7, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to fill 0.381 acres of Category 2 isolated wetlands to construct a residential development. The application was submitted by the Glen Valley Farms, Ltd. 5738 Trask Rd, Madison, Ohio 44057. The project is located north of State Route 87 (Kinsman Rd) and west of State Route 528 (Madison Rd), Middlefield, Geauga County, Ohio. The Ohio EPA Number for this project is 062569.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting March 7, 2007, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

PUBLIC NOTICE

OAC Rule 3745-27-10(F)(16) Approval

Notice is hereby given that on February 28, 2007, pursuant to OAC 3745-27-10(F)(16), Ohio EPA approves a certification that Rumpke Sanitary Landfill (Facility), 10795 Hughes Road, Cincinnati, Hamilton County, Ohio 45251 has completed corrective measures in compliance with OAC 3745-27-10(F)(15) and that Rumpke shall be released from the requirement to maintain financial assurance for the corrective measures related to monitoring well MW-15S. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Date of Public Notice: February 28, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an After-the Fact Clean Water Act Section 401 water quality certification for a project consisting of a residential subdivision requiring 1,235 linear feet of intermittent stream impact and 1,075 linear feet of ephemeral stream impact. The application was submitted by Fort Scott Development, LLC. The project is located at Blue Rock Road and River Road in Crosby Township, Hamilton County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 200600507. The Ohio EPA ID Number for this project is 062979.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's preferred alternative, if approved, would involve filling 1,375 linear feet (0.15 acre) of ephemeral stream and 1,235 linear feet (0.25 acre) of intermittent stream. Compensatory mitigation would consist of reconstruction of 742 lf of impacted stream and coordinating with non-profit entities to complete additional stream mitigation off-site. The applicant's proposed minimal degradation alternative, if approved, would involve impacting approximately 1,075 linear feet (0.12 acre) of ephemeral stream and 1,235 linear feet (0.25 acre) of intermittent stream. The minimal degradation alternative impacts have been completed. A loss of 28 lots was realized for this option. Compensatory mitigation would consist of 2,472 linear feet of on-site creation/reconstruction of intermittent stream and 708 linear feet of ephemeral stream. The applicant's non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in minimal degradation to, or lowering of, the water quality of unnamed tributaries to the Great Miami River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 28, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: March 5, 2007

PUBLIC NOTICE

NOTICE OF RECEIPT OF 401 APPLICATION AND ISOLATED WETLAND LEVEL 1

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a 150-acre landfill expansion. The application was submitted by Allied Waste/Cherokee Run Landfill, 2946 US Route 68 North, Bellefontaine, Ohio 43311. The project is located south and west of the existing landfill and east of the former Bellefontaine Municipal airport. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 200600457. The Ohio EPA ID Numbers for this project are 062912 (401) and 073079(isolated level 1).

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 2.1 acres of federal jurisdictional wetland, 0.08 acres of isolated wetland and 6,295 linear feet of streams. The applicant's proposed minimal degradation alternative, if approved, would impact 0.07 acres of federal jurisdictional wetland, 0.08 acres of isolated wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Great Upper Miami River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 5, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: February 26, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a new retail development. The application was submitted by DeVille Developments, 3951 Convenience Circle, Suite 301, Canton, Ohio 44718. The project is located at the southwest corner of U.S 20 and State Route 58 in Pittsfield Township, south of Oberlin, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers Number for this project is 2006-00264(1). The Ohio EPA ID Number for this project is 062554.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill about 1.83 acre of emergent and scrub/shrub wetland and would impact 835 linear feet of ephemeral stream channel. The applicant's proposed minimal degradation alternative, if approved, would fill about 1.10 acre of emergent wetland and would impact about 835 feet of ephemeral stream channel. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Black River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting February 26, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL APPROVAL TO PETITION TO END
POST/CLOSURE CARE AND FINANCIAL ASSURANCE**

On February 2, 2007, Ohio EPA approved to end the requirements for post-closure care and financial assurance for National Electric Carbon Products for its facility located at 200 North Town Street, Fostoria, Ohio 44830. This petition concerns the facility's Former Drum Holding Area. The EPA I.D. number for this facility is OHD004167219.

Pursuant to Ohio Administrative Code rule 3745-66-18(G)(1)(a)(i), the facility's petition to end post closure care submitted on August 14, 2006 was approved as outlined in the Director's February 2, 2007 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: March 5, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for proposed surface and auger mining of the No. 6 coal seam and to partially extract the No. 6 clay on Buckeye Industrial Mining Company's proposed Weisel mine site. The application was submitted by Buckeye Industrial Mining Company, 4719 Industrial Road, Lisbon, Ohio 44432. The project is located in Sections 20, 21, 28, and 29 of Paris Township in Stark County, Ohio, approximately 1 mile east of Robertsville, Ohio. The Huntington District of the U.S. Army Corps of Engineers public notice number is 200500752. The Ohio Department of Natural Resources application number for this project is 10338. The Ohio EPA ID Number for this project is 062642.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to extract the No. 6 coal seam and to partially extract the No. 6 clay from the 152-acre site. Conventional surface and auger mining methods, that require removal of covering soil and rock (overburden), extraction of coal, and replacement of rock and soil to approximate original contours will be used. Following this activity, final reclamation will be completed and the land will be restored to grazing post-mining use. Selection of this alternative considered impacts to cultural and natural resources and includes only the area for which there is substantial economic justification. Total impacts under this alternative will affect 2,440 linear feet of intermittent stream, of which 825 feet is for coal removal, 1,515 feet is for sediment transport, and 100 feet for haul road construction. Under the preferred alternative, mining will produce approximately 238,070 tons of coal.

The applicant's proposed minimal degradation alternative, if approved, would eliminate the surface mining of approximately 42.5 acres of coal (34.5 acres for surface mining and 8 acres for auger mining). Approximately 23.2 acres will be available for auger mining, and 22.6 acres would remain for surface mining. Selection of this alternative would impact 925 feet of stream. The minimal degradation alternative would result in the production of 149,760 tons of coal.

The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed, intermittent stream tributary to Huggle Run in the Sandy

Creek and Tuscarawas River Watershed (HUC 054001 060 020). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 5, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.