

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
UAP Columbus Joint Venture 326132
Lane Avenue Shopping Center

Notice is hereby given that on April 26, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a covenant not to sue/final findings and orders to UAP Columbus 326132 for the property identified as the Lane Avenue Shopping Center property.

UAP Columbus Joint Venture 326132 conducted a voluntary action of the approximately 11.417-acre property located at 1557-1735 West Lane Avenue, Upper Arlington, Franklin County, Ohio. A no further action ("NFA") letter was submitted on June 28, 2006 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of UAP Columbus Joint Venture 326132 by Christopher Krumm, a certified professional (No. CP 177), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8). Addenda to the NFA letter were submitted by the certified professional on October 30, 2006, November 9, 2006, March 20, 2007, and April 5, 2007.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the commission within 30 days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, which the commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within 3 days of filing with the commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you would like to review a copy of the covenant not to sue/final findings and orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

**Ohio EPA Finalizes Decision Document for
the North Guernsey Street Site, Bellaire, Ohio**

On April 23, 2007, Ohio EPA finalized a Decision Document identifying the selected alternative to remediate contamination at the North Guernsey Street Site located at 4900 North Guernsey Street in Bellaire, Ohio (Belmont County).

The site was previously used for bulk chemical and petroleum storage and distribution. As a result of operations at the site, soils and ground water were contaminated with solvents and petroleum products. A removal action was conducted in 1997 to remove the contaminated soils.

The selected remedy is monitoring the effects of the 1997 removal action. This remedy consists of monitoring ground water and recording an environmental covenant to prevent exposure to contaminated ground water. In October 2006, Ohio EPA issued a Preferred Plan that outlined Ohio EPA's preferred alternative to remediate contamination at the Site.

A public meeting was held December 5, 2006 at the Bellaire Administration Building, during which the public was invited to submit comments on the Preferred Plan. In addition, the public was invited to submit written comments on the Preferred Plan through December 12, 2006. No comments were received by the Agency during the comment period.

A copy of the Decision Document has been provided to the Bellaire Public Library, located at 330 32nd Street in Bellaire, Ohio. The Decision Document and related materials are available for review at Ohio EPA's Southeast district office, located at 2195 Front Street in Logan, by calling (740) 385-8501 to set up an appointment.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the Environmental Review Appeals Commission 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

**Crawford, Delaware, Franklin, Marion,
Morrow and Richland Counties**

**PUBLIC NOTICE
EXTENSION OF PUBLIC COMMENT PERIOD**

Notice is hereby given that the Ohio Environmental Protection Agency has extended the public comment period on a draft alternative general permit for storm water discharges associated with construction activity located within portions of the Olentangy River Watershed.

The public comment period for the draft permit issued March 13, 2007 is hereby extended 30 days, and will expire June 2, 2007.

Interested persons are invited to submit written comments on the draft general permit. Comments should be submitted in person or by mail to:

Ohio Environmental Protection Agency
Permits Processing Unit
P. O. Box 1049
50 West Town Street, Suite 700
Columbus, OH 43216-1049

The OEPA permit number (OHC200001) should appear next to the above address on the envelope and on each page of any submitted comments. All comments received by the close of business, June 2, 2007 will be considered for the final permit. Except for the date by which public comment must be received, all other provisions of the prior notice remain applicable.

Date of Public Notice: April 24, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to stabilize the bank along the Little Miami River at Riverside Park. The application was submitted by Anderson Park District, 8249 Clough Pike, Cincinnati, Ohio 45244. The project is located at 3969 Roundbottom Road, Cincinnati, Hamilton County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 20062047. The Ohio EPA ID Number for this project is 062964.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct a newly shaped stream bank slope along 980 linear feet of stream. The applicant's proposed minimal degradation alternative, if approved, would install 980 linear feet of rock toe and minimal shaping of the existing eroding bank. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Little Miami River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of the Ohio EPA.

Starting April 24, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on June 7, 2007 at 7:00 p.m. at the City of Milford Council Chambers, 745 Center Street, First Floor. The public meeting will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 14, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for the Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 14, 2007.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
ABRIVO APS, INC.**

On April 23, 2007, Ohio EPA issued final Findings and Orders to Abrivo APS, Inc., dba Hardwood Connection, for its facility located at 520 Edgerton Street, Hamler, Ohio. This facility is a generator of hazardous waste and disposed of such waste on-site without a permit. The EPA I.D. number for this facility is OHR000133520.

Abrivo APS, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: April 25, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project at the Buckeye Lake State Park, North Shore Launch Ramp. The purpose of the project is to remove an existing 40 foot wide by 50 foot long concrete launch ramp and replace it with a 59 foot wide by 67 foot long concrete launch ramp and add an additional 848 square foot floating dock, anchored by spud bars. The application was submitted by the Ohio Department of Natural Resources, 2045 Morse Road, Building F-3, Columbus, Ohio 43229-6605. The project is located at Buckeye Lake State Park, North Shore Launch Ramp near State Route 79. The Huntington District Corps of Engineers Public Notice Number for this project is 2007-151-MUS. The Ohio EPA ID Number for this project is 073093.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would remove 21 cubic yards of concrete and place 200 cubic yards of material below the ordinary high water mark. The applicant's proposed minimal degradation alternative, if approved, would remove 20 cubic yards of concrete and place 96 cubic yards of material below the ordinary high water mark. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Buckeye Lake. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting April 25, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On April 24, 2007, Ohio EPA issued a final Class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Ross Incineration Services, Inc. for its facility at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

Why is Ross Incineration Services, Inc. modifying its Permit?

Ross Incineration Services, Inc. (Ross) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Ross Incineration Services, Inc. wishes to add 128 waste codes to those that Ross can accept, store and treat. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than May 25, 2007. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.