

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on October 26, 2007, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 11/01/2007.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
PETER	PHILLIPS	CLEVELAND	OH

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 11/01/2007.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
CUYAHOGA	DRELLISHAK'S SERVICE CENTER	ROCKY RIVER	OH
LAKE	LOU KULIS AUTO SERVICE	MENTOR	OH
MEDINA	TIRE SOURCE MEDINA	MEDINA	OH

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
MODIFICATION OF LABORATORY CERTIFICATION
UNDER THE VOLUNTARY ACTION PROGRAM

Notice is hereby given that on October 31, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, granted Southern Petroleum Laboratories, Inc. ("SPL") application for certification to perform analyses for Volatile Organic Compounds by method TO15. The Director also granted SPL's requests to remove certification for Volatile Organic Compounds by method 8021B. The certification number assigned to SPL remains CL0005.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
MODIFICATION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on October 31, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to CompuChem, a division of Liberty Analytical Corp. ("CompuChem") of 501 Madison Ave., Cary, North Carolina, granting the laboratory's request to modify its certification under Ohio's Voluntary Action Program to remove Total Cyanide by method 335.2(CLP-M) from its certification. The certification number assigned to CompuChem remains CL0060.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA PA No. 622967

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 07-11-010
Date of Issue of Public Notice: November 7, 2007

Name and Address of Applicant: Mr. Ralph Reigelsperger, P.E., Public Works Director, 345 High Street, Hamilton, Ohio 45011, Butler County

Name and Address of Facility Where Discharge Occurs: City of Hamilton WRF, 2451 River Road, Hamilton, Ohio 45011, Butler County

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Overflow Emergency Response Plan for the City of Hamilton. Submission of the plan is in accordance with the City's Consent Order (Court of Common Pleas, Butler County, Ohio; Case No. CV88 10 1450; January 19, 2007). The plan identifies a standard course of action the City will follow in the event of sanitary sewer overflows from their collection system.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio

EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southwest District Office, 40 South Main Street, Dayton, Ohio 45402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southwest District Office, 40 South Main Street, Dayton, Ohio 45402, by first calling, (513) 285-6357 to make an appointment.

PUBLIC NOTICE

**OHIO EPA APPROVES CLOSURE PLAN FOR
DECORATIVE SURFACES INTERNATIONAL**

On November 1, 2007 Ohio EPA approved a closure plan for Decorative Surfaces International for its hazardous waste storage pads for its facility located at 1280 North Grant Avenue, Columbus, Ohio. The EPA I.D. number for this facility is OHD004294351.

Pursuant to Ohio Revised Code rule 3745-66-12, the facility's closure plan submitted on February 27, 2007, and revised on June 15 and September 26, 2007, was approved as outlined in the Director's November 1, 2007 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE

OHIO EPA RECEIVES HAZARDOUS WASTE CLOSURE PLAN

On October 29, 2007, Ohio EPA received a new hazardous waste closure plan from Columbus Steel Castings concerning the Electric Arc Furnace Closure Unit located at 2211 Parsons Avenue, Columbus, Ohio 43207. The EPA Identification Number for this facility is OHD000816801.

Why is Columbus Steel Castings submitting this Closure Plan?

As a result of the August 29, 2007 Director's Final Findings and Orders, Columbus Steel Castings submitted this closure plan. The plan identifies the unit as the area impacted by a release of hazardous waste baghouse dust from the operation of two Electric Furnaces and the related air pollution control system. The plan also identifies hazardous waste to be removed from the site and discusses historical releases of such waste; soil excavation and stockpiling procedures; and specific equipment decontamination procedures. Other sections include air emissions and wastewater; closure schedule; personnel health and safety.

When and how do I submit written comments about the new Closure Plan?

You can submit written comments anytime between November 5, 2007 and December 5, 2007. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the new Closure Plan at the following location:

Ohio EPA, Central District Office, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 728-3778; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2977.

Date of Public Notice: October 26, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct a 98,000 square foot expansion of an existing facility for materials handling and storage efficiency, plus truck parking and off-loading areas. The application was submitted by Precision Strip, Inc., 93 South Cleveland Street, Minster, Ohio 43865. The project is located at 190 Bales Road, Kenton, Hardin County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 2007-00042-SCR. The Ohio EPA ID Number for this project is 073224.

As required by the Antidegradation Rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would require 1074 linear feet of Gander Run to be backfilled and relocated to another location further east. The applicant's proposed minimal degradation alternative, if approved, would require the backfilling and relocation of 717 linear feet of Gander Run. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Gander Run. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting October 26, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Hocking and Muskingum Counties

PUBLIC NOTICE PUBLIC HEARING
OHIO ADMINISTRATIVE CODE CHAPTER 3745-35
DRAFT AIR POLLUTION CONTROL PERMIT TO OPERATE FOR
Mar Zane Materials Portable Screen Plant 12 (OHIO EPA Facility ID:
06-60-95-0028)

On **September 27, 2007** the Director of the Ohio Environmental Protection Agency issued a draft action of a federally enforceable state operating permit for Mar Zane Materials Portable Screen Plant 12, whose home office address is 3570 South River Rd., Zanesville, OH 43701. The federally enforceable limitations restrict the potential of this plant to emit nitrogen oxides by restricting the generator's operating hours. The **portable screen plant (emissions unit P901)** would be located at the intersection of Iles-Enterprise Road and State Route 180, Enterprise, Ohio 43138.

An information session and public hearing on the draft air permit will be held on December 5, 2007, starting at 6:30 p.m., at the Chieftain Elementary School, 28296 Chieftain Dr., Logan, Ohio 43138, to accept comments on the draft permit. A presiding officer will be present and may limit oral testimony to ensure that all parties are heard.

All interested persons are entitled to attend or be represented and give written or oral comments on the draft permit at the hearing. Written comments must be received by the close of the business day on December 12, 2007. Comments received after this date will not be considered to be a part of the official record. Written comments on the draft permit may be sent to: Sarah Harter, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, OH 43138 [740-385-8501].

Copies of the draft permit application and technical support information may be reviewed in accordance with Ohio EPA's file review procedures and/or copies made by contacting the Ohio EPA, Southeast District Office at the above address.