

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on January 14, 2008, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, ID No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on January 14, 2008, the director of Ohio EPA issued an infectious waste generator certificate to Talecris Plasma Resources Inc, 79 TW Alexander Dr, 4101 Research Commons, Research Triangle Park, NC 27709, Reg. No.: 00-G-01507. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Ohio Environmental Protection Agency
Division of Drinking and Ground Waters**

PUBLIC NOTICE

January 14, 2008

Public notice is hereby given that the Ohio Environmental Protection Agency, Division of Drinking and Ground Waters has adopted a new policy. This policy has been written to provide technical guidance to the regulated community for compliance with the laws of Ohio Revised Code and the division's rules of Ohio Administrative Code. The new policy is document number WQ -14-001 and entitled "Guidance for Compliance with Total Organic Carbon (TOC) Monitoring and Removal Requirements for Non-Conventional Filtration Treatment at Surface Water Treatment Plants". Copies of the policy are available from the division's web site, which is found at http://www.epa.state.oh.us/ddagw/pubs_dw_guide_policy.htm, or by writing to:

Ohio EPA
Lazarus Government Center
Attention: Gina Hayes, DDAGW
P.O. Box 1049
Columbus, Ohio 43216

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
URBAN SETTING DESIGNATION FOR
THE UNIVERSAL TUBULAR SYSTEMS, INC., FACILITY, ONTARIO, OHIO

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has received, on December 19, 2007, a request to approve an Urban Setting Designation (USD) for approximately 6.9 acres of land located at 525 Beer Road, Ontario, OH 44906, Richland County. This request, dated December 14, 2007, was submitted by Hull & Associates, Inc. (HAI), represented by Steven M. Gross (certified professional [CP] #192), on behalf of the Universal Tubular Systems, Inc.,.

Pursuant to Ohio Administrative Code 3745-300-10(D), Ohio's Voluntary Action Program (VAP) allows for the voluntary clean up of contaminated property in Ohio without the risk of state civil liability. Under VAP, ground water clean up is required where contaminated ground water poses risks to the community or environment. A USD may be requested for properties participating in the VAP when there is no current or anticipated future use of ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of clean up and promote economic redevelopment while still protecting public health and safety.

Ohio EPA's director may approve the request for a USD based on a demonstration by the certified professional that the USD requirements are met and evaluations of existing or future uses of ground water in the area have been conducted.

Comments regarding this request for a USD must be received by the close of business on [30-45 DAYS FROM DATE OF PUBLICATION OF THIS NOTICE] Please direct your comments to Ghassan Tafla of Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 or by e-mailing at ghassan.tafla@epa.state.oh.us. The USD application can be viewed by contacting Ohio EPA, Northwest District Office at (419) 352-8461.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
MODIFICATION OF LABORATORY CERTIFICATION UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on January 17, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to Environmental Science Corp. ("ESC") of 12065 Lebanon Road, Mt. Juliet, Tennessee, granting the laboratory's request to modify its certification under Ohio's Voluntary Action Program to remove Total Petroleum Hydrocarbons by method 418.1 from its certification. The certification number assigned to ESC remains CL0069.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION AND REMOVAL
OF A PORTION OF
LABORATORY CERTIFICATION
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on January 17, 2008 , the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to TestAmerica Laboratories, Inc. ("TestAmerica") of 4101 Shuffel Drive, NW, North Canton, Ohio, that suspend the laboratory's certification under Ohio's Voluntary Action Program to perform analyses for the following analytes, parameter group and methods:

Manganese and Cobalt by method 6020, and;
Semi-Volatile Organic Compounds by method 8270C.

Also, on that date, the Director granted TestAmerica's request to remove certification for Polynuclear Aromatic Hydrocarbons by method 8310. TestAmerica has been issued a revised laboratory certificate which reflects the suspension and removal of certification. TestAmerica may perform analyses only for those analytes, parameter groups, and methods identified in its revised certificate.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Public Notice: January 23, 2008

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE**

**NOTICE OF AVAILABILITY and REQUEST FOR COMMENTS
FWPCA Section 303(d) TMDL PRIORITY LIST FOR 2008**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Total Maximum Daily Load (TMDL) priority list for 2008 as required by Section 303(d) of the Federal Water Pollution Control Act, 33 U.S.C. Section 1313(d). The list indicates the waters of Ohio that are currently impaired and may require TMDL development in order to meet water quality standards. The waters are ranked according to level of impairment to help indicate which have the greatest need for TMDL development. The list is contained within the 2008 Integrated Water Quality Monitoring and Assessment Report, which in accordance with federal guidance, satisfies the Clean Water Act requirements for both Section 305(b) water quality reports and Section 303(d) lists. The report describes the procedure that Ohio EPA used to develop the list and indicates which areas have been selected for TMDL development during FFY 2008 through 2010.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so by email to trinka.mount@epa.state.oh.us, or in writing to Ohio EPA, Division of Surface Water, P.O. Box 1049, Columbus, Ohio 43216-1049 Attn: 303(d) Comments, by the close of business, February 25, 2008. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit a final document to the United States Environmental Protection Agency (U.S. EPA) for approval. The final report must be submitted to U.S. EPA by April 1, 2008.

The report will be available on Ohio EPA Division of Surface Water Web site at <http://www.epa.state.oh.us/dsw> not later than January 23, 2008. To receive a printed copy, contact the Ohio EPA - DSW reception desk by telephone at (614) 644-2001 and request the report by name. To arrange to inspect Agency files or records pertaining to the document, to ask technical questions regarding the list or report, or to request notice of when Ohio EPA submits the document to U.S. EPA, please contact Trinkka Mount at the e-mail address above or by calling (614) 644-2140.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
AK STEEL CORPORATION**

On December 31, 2007, Ohio EPA issued final Findings and Orders to AK Steel Corporation for its facility located at 17400 State Route 16, Coshocton, Ohio. This facility is a large quantity generator of hazardous waste and disposed of such waste without a permit. The EPA I.D. number for this facility is OHD004294567.

AK Steel Corporation must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE

**OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN
FROM CLOW WATER SYSTEMS**

On January 9, 2008, Ohio EPA received a new hazardous waste closure plan from the Clow Water Systems Company located at 2266 South Sixth Street, Coshocton, Ohio 43812-6001. The EPA Identification Number for this facility is OHD004294849.

Why is Clow Water Systems Company submitting this New Closure Plan?

In response to Ohio EPA, Clow Water Systems Company submitted this new closure plan. This plan describes the methods by which Clow will provide closure of the facility's charge yard area. It describes the combined iron/skull and orifice ring material generated at the site. Also included are detailed drawings of the management unit; air emissions; personnel health and safety; decontamination efforts; and sampling analysis.

When and how do I submit written comments about this New Closure Plan?

You can submit written comments anytime between January 17 and February 18, 2008. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the closure plan at the following locations:

Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.

Date of Public Notice: January 22, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to install a culvert and place clean fill into 0.76 acres of Wetland C-23 as part of a drainage improvement project. The application was submitted by the United States Air Force, 88 ABW/CEVO, Wright-Patterson AFB, Ohio 45433. The project is located near Riverview Road and Taxiway "A" in Area C of Wright-Patterson Air Force Base northeast of Dayton in Greene County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2006-612-GMR. The Ohio EPA ID Number for this project is 073218.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 950 linear feet to install a culvert and place clean fill into 0.76 acres of wetland C-23. The wetland drains through a culvert and into an unnamed tributary to the Mad River. This would impact 950 linear feet of the unnamed tributary in association with the same culvert and fill as described above. The project purpose is to improve drainage near Taxiway A in order to decrease the potential for wildlife strike hazards. The applicant's proposed minimal degradation alternative, if approved, would place clean fill material into 0.76 acres of Wetland C23. The applicant's proposed non-degradation alternative would have no direct impacts on streams and wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Wetland C23 and an unnamed tributary in the Mad River watershed. The review of the application will be conducted by Ohio EPA and a decision whether to grant or deny the application will be made in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 (D) of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting January 22, 2008, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at the Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of the public notice.

PUBLIC NOTICE

OHIO EPA ISSUES TEMPORARY AUTHORIZATION

On January 9, 2008, Ohio EPA issued a temporary authorization under its hazardous waste facility installation and operation permit (Hazardous Waste Permit) to Lanxess Corporation for its facility at 356 Three Rivers Parkway, Addyston, Ohio 45001. The EPA Identification Number for this facility is OHD004233003.

Why does Lanxess Corporation need this temporary authorization?

Lanxess Corporation is permitted to store hazardous waste in containers and tanks at its facility in Addyston. On October 1, 2007, Ohio EPA received Lanxess Corporation's letter concerning a Class 3A modification to its Hazardous Waste Permit requesting to transfer the facility's owner/operator name from Lanxess Corporation to the new owner/operator, **Ineos ABS (USA) Corporation**. The temporary authorization provides this change prior to the issuance of the Class 3A permit modification, which is currently under review.

Can I appeal this temporary authorization?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this temporary authorization, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **February 15, 2008**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.