

**Date of Public Notice: June 9, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATIONS**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certifications for 120 linear feet of new armor stone revetment at 14925 & 14931 Shore Acres Drive, Cleveland, OH 44119. The applications were submitted by Daniel Bode & Megan Doerr, 14925 Shore Acres Drive, Cleveland, Ohio 44110 and Ollie & Audrey Davis, 14931 Shore Acres Drive, Cleveland, Ohio 44110. The project is located at 14925 and 14931 Shore Acres Drive, Cleveland, Ohio 44110. The Buffalo District of the U.S. Army Corps of Engineers public notice numbers are 2008-00523 and 2008-00176. The Ohio EPA ID Numbers for these projects are 083344 and 083317.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicants' proposed preferred alternative, if approved, would place 285 cubic yards of fill below the ordinary high water mark for construction of 60 linear feet of new armor stone revetment at 14925 Shore Acres Drive and would place 249 cubic yards of fill below the ordinary high water mark for construction of 60 linear feet of new armor stone revetment at 14931 Shore Acres Drive. The applicant's proposed minimal degradation alternative, if approved, would place 248 cubic yards of fill for 60 linear feet of new armor stone revetment at 14925 Shore Acres Drive and 248 cubic yards of fill for 60 linear feet of new armor stone revetment at 14931 Shore Acres Drive. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 9, 2008, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information and public hearing relative to issues of lower water quality at 5:30 P.M. on July 28, 2008 at the Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on August 4, 2008. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on August 4, 2008.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES NEW HAZARDOUS WASTE POST-CLOSURE PLAN**

On May 27, 2008, Ohio EPA received a new hazardous waste post-closure plan from Diamond Hard Chrome, Inc. concerning its closed hazardous waste landfill unit located at 6110 Grand Avenue, Cleveland, Ohio 44104. The EPA Identification Number for this facility is OHR000012880.

**Why is Diamond Hard Chrome, Inc. submitting this Post-Closure Plan?**

At the request of Ohio EPA, Diamond Hard Chrome, Inc (DHC) submitted this post-closure plan. This plan details the events leading up to the installation of an engineered cap over the former DHC basement area. The original DHC operations site was destroyed by fire where masonry walls were ordered to be collapsed into the basement. Salvageable chromium plating bath solutions were transferred to the current building, and due to the release of soluble chromium materials, Ohio EPA required that RCRA Closure activities be conducted at both locations. The original location, 6300 Kinsman Avenue, is the subject of a "Waste in Place" closure as a landfill. This closure requires that post closure monitoring continue at the site. DHC also submitted a ground water monitoring plan in conjunction with this closure plan for Ohio EPA review.

**When and how do I submit written comments about the Post-Closure Plan?**

You can submit written comments anytime between June 18, 2008 and July 18, 2008. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure/Post Closure Plan?**

You can review the Closure Plan at the following locations:

**Ohio EPA, Northeast District Office**, 2110 East Aurora Road, Twinsburg, Ohio 44087, tel: (330) 425-9171; and,

**Ohio EPA, Division of Hazardous Waste Management**, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2977.

**PUBLIC NOTICE**  
**Ohio EPA Approves Authorization to Modify a Condition of an Approved**  
**OAC 3745-27-13 Authorization**  
**Southern Tier of Whittier Peninsula, Columbus, Ohio**

On June 19, 2008, Ohio EPA issued an authorization to modify Condition 16 of the Ohio Administrative Code (OAC) 3745-27-13 authorization to the city of Columbus, Ohio to engage in excavating, filling, grading, building or drilling activities on a landfill at the Southern Tier of Whittier Peninsula located at 400 through 500 West Whittier Street in Columbus, Ohio (Franklin County). The OAC 3745-27-13 authorization request was approved on April 17, 2008. The April 17, 2008 authorization approved activities involving the investigation, remediation, and site development and construction activities on an approximately 65-acre former waste disposal area located within an approximately 90-acre property owned by the city of Columbus. The activities are proposed in support of environmental remediation and property redevelopment for the Scioto Audubon Metro Park, Grange-Audubon Nature Center and potential other uses not determined at this time.

The approved modification exempts the placement of a synthetic or clay liner beneath non-permanent surface water features including swales, bioswales and ditches while still maintaining a minimum of two feet of clean fill material beneath the bottom and side slopes of these surface water features.

The action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the commission within 30 days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, which the commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three days of filing with the commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

The authorization request and related materials are available for review at Ohio EPA's Central District Office by calling (614) 728- 3778 or e-mailing [www.epa.state.oh.us/cdo/](http://www.epa.state.oh.us/cdo/) for an appointment.

**PUBLIC NOTICE**

**OHIO EPA ISSUES DRAFT MODIFIED HAZARDOUS WASTE PERMIT**

On June 20, 2008, Ohio EPA issued a draft Class 3 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Lanxess Corporation for its facility at 356 Three Rivers Parkway, Addyston, Ohio 45001-0039. The EPA Identification Number for this facility is OHD004233003.

**Why is Lanxess Corporation modifying its Permit?**

Lanxess Corporation (Lanxess) is permitted to perform corrective action at its facility in Addyston. Lanxess wishes to transfer ownership and operation of the permitted facility from Lanxess to INEOS ABS (USA) Corporation. The draft modified permit contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws. If issued, the Permit will allow Lanxess to make the requested changes.

**How can I tell Ohio EPA what I think about this draft modified Permit?**

You can submit written comments anytime between June 23, 2008, and August 7, 2008. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**When and where will Ohio EPA hold a public meeting?**

You may request Ohio EPA to hold a public meeting for the draft modified Permit. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us). If the request is granted, Ohio EPA will announce the time and location of the public meeting.

**Where can I review the Permit Application and draft modified Permit?**

You can review these at one of the following locations:

***Public Library of Cincinnati and Hamilton County, Miami Township Branch, 8 North Miami Avenue, Cleves, Ohio 45002, (513) 369-6050;***

**Ohio EPA - Southwest District Office**, 401 East 5<sup>th</sup> Street, Dayton, Ohio 45402, (937) 285-6357; and,

**Ohio EPA, Division of Hazardous Waste Management**, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2917.

**What will Ohio do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft modified Permit, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a “response to public comments,” specifying any changes made to the draft modified Permit. If you commented on the draft modified Permit, Ohio EPA will send you copies of the “response to public comments” and the final Permit decision.

**PUBLIC NOTICE**

**ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL,  
ISSUANCE OF DRAFT NATIONAL POLLUTANT DISCHARGE ELIMINATION  
SYSTEM PERMIT AND NOTICE OF PUBLIC INFORMATION SESSION / HEARING**

Notice is hereby given that on June 16, 2008, Ohio Environmental Protection Agency issued a draft solid waste permit to install (PTI Application # 06-08301) and a proposed modification of a wastewater National Pollutant Discharge Elimination System (NPDES) Permit (OIB00037) to American Municipal Power-Ohio, Inc., 2600 Airport Drive, Columbus, Ohio 43219. The draft solid waste PTI application authorizes construction of American Municipal Power Generating Station Residual Solid Waste Landfill (AMPGS Landfill) Facility, a proposed new residual solid waste landfill. The facility is located between the intersections of Hill Road and State Route 124 and Hill Road and East Letart Road, in Meigs County, Ohio. The NPDES Permit is for the discharges from the wastewater collection, treatment and disposal system serving a proposed coal fired power plant, dredging landfill and flyash/FGD landfill. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges for the facility, if approved, would result in degradation to, or lowering of, the water quality of a tributary of Ohio River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1-07 will not be exceeded.

In accordance with Ohio Revised Code (ORC) 3734.05 and OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the director before the draft actions are issued as final. A **public information session / public hearing** has been scheduled for 6:30 p.m. on **August 5, 2008, at Southern Elementary School, 920 Elm St., Racine, OH 45771.** The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to further action on the draft permits. Persons wishing to be on Ohio EPA's interested parties mailing list for this project or submit comments regarding the draft NPDES permit must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049

(614)644-2001. Comments regarding the Solid Waste PTI should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621. Comments must be received by the close of business on August 12, 2008. Comments received after this date may not be considered as part of the official record of this hearing. Copies of the pending PTI and NPDES applications, draft permits and technical support information may be reviewed and/or copies made at the Ohio EPA's Southeast District Office, 2195 Front Street, Logan, Ohio 43138, by first calling (740) 385-8501.

**Ohio EPA PA No. 651118**

**Ohio Environmental Protection Agency Draft Plan Approval**

**PUBLIC NOTICE**

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
50 West Town Street, Suite 700  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 08-06-012  
Date of Issue of Public Notice: June 25, 2008

Name and Address of Applicant: Mr. Mike Gerlach, Mayor, 237 Race Street, Middleport, Ohio 45760, Meigs County

Name and Address of Facility Where Discharge Occurs: Village of Middleport WWTP, located at 1 mile south and east of State Route 7, Middleport, Ohio, 45760, Meigs County

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Long-Term Control Plan for the Village of Middleport. The plan is for reducing discharges of all combined sewer overflow locations by increasing the capacity of their wastewater conveyance and treatment system. The estimated cost of the plan is \$2.4 million. Construction of the project is to be completed by April 1, 2013. The Long-Term Control Plan, which was received by Ohio EPA on May 25, 2007 in accordance with requirements contained in NPDES permit number 0PB00025\*DD and revisions received on March 13, 2008, contains an implementation schedule that will be included in the Village's NPDES permit upon renewal.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for

public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH 43138. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH 43138, by first calling, (740) 385-8501 to make an appointment.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On June 18, 2008, Ohio EPA issued two (2) final modifications to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Vickery Environmental, Inc. for its facility at 3956 State Route 412, Vickery, Ohio 43464. The EPA Identification Number for this facility is OHD020273819.

**Why is Vickery Environmental, Inc. modifying its Permit?**

Vickery Environmental, Inc. (Vickery) is permitted to operate hazardous waste container and tank units and other related hazardous waste management units at its facility. Vickery wants to: 1) reduce frequency of PCB testing from off-site generators; and, 2) eliminate annual expiration of waste profiles. Vickery will make administrative changes to reflect the above modifications. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than July 21, 2008. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Verified Complaint Public Notice**

Ohio Department of Natural Resources  
Division of Forestry  
Shawnee State Forest  
Scioto County (73)

On May 14, 2008, and June 10, 2008, verified complaints were filed with the Director of the Ohio Environmental Protection Agency. The first complaint was filed by Barbara Lund, 2635 Hamilton Road, Lynx, OH 45650. The second complaint was filed by Cheryl Carpenter and Voices for the Forest, 1372 Blue Run Road, Lucasville, OH 45648. The complaints were filed against the Ohio Department of Natural Resources, Division of Forestry, 2045 Morse Road, F-1, Columbus, OH 43229, alleging violations of Burning Permit #07-30, issued by the Portsmouth Local Air Agency, regarding open burning activities in the Shawnee State Forest, located in Scioto County, Ohio. Further information may be obtained and agency files and records pertaining to the proceedings may be inspected and copied by contacting the Ohio Environmental Protection Agency, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43216-1049, telephone number (614) 644-2270, and the Air Pollution Unit, Portsmouth City Health Dept., 605 Washington Street, Third Floor, Portsmouth, Ohio 45662, telephone number (740) 353-5156.

**Ohio EPA PA No. 03-165-IW**

**Ohio Environmental Protection Agency Draft Plan Approval**

**PUBLIC NOTICE**

Draft Plan Approval for wastewater treatment and/or disposal facilities corrective measures plan

Ohio Environmental Protection Agency  
Permits Section  
50 West Town Street, Suite 700  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 08-06-014  
Date of Issue of Public Notice: June 25, 2008

Name and Address of Applicant: Mayor and Council, City of Tiffin, 51 East Market Street, Tiffin, OH 44883, Seneca County

Name and Address of Facility Where Discharge Occurs: City of Tiffin Landfill, North of CR 90 between SR 53 and CR 61, Tiffin, OH 44883

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Corrective Measures Plan for the Tiffin Landfill. The plan is for addressing leachate and gas derived impacts on the environment. Corrective measures to impede infiltration of surface water, improve storm water management to minimize ponding and improve drainage, and installation of vents to relieve gas pressure within the landfill have been completed. Ongoing monitoring of the wetland is proposed for a three (3) year time period. Implementation of the Corrective Measures Plan and monitoring of the surface water discharge will be required in the Tiffin Landfill NPDES permit, Ohio EPA number 2IN00227\*AD.

In accordance with OAC 3745-47, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on

the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, PO Box 466, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, PO Box 466, Bowling Green, OH 43402, by first calling, (419) 352-8461 to make an appointment.