

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on July 28, 2008, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on July 28, 2008; the director of Ohio EPA issued an amended infectious waste transporter certificate to Medical Waste Recovery Inc, 9 Broadway Ste 30, Denville, NJ 07834, Reg. No. 00-T-00302. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**State of Ohio**  
**Environmental Protection Agency**

July 29, 2008

**Notice of Final Rule-making**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has adopted revisions to a rule of the Ohio Administrative Code (OAC) which establishes backflow prevention and cross-connection control requirements for public water systems. The revisions are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

The division is proposing revisions to rule 3745-95-07. This rule includes specifications for water service connections where booster pumps have been installed. The division drafted an amendment for this rule in order to be consistent with the State Fire Code standard for water service connections used for fire suppression. The proposed rule requires booster pumps used for fire suppression to install a minimum pressure sustaining valve in lieu of the low pressure cut-off device currently required.

The Director of Environmental Protection, after considering public comment, adopted these rules in final form, pursuant to Section 6109.04 of the Ohio Revised Code. The Director's order of adoption was issued on August 8, 2008. The effective date of these new rules will be August 8, 2008, in accordance with Section 119.04(A) of the Revised Code.

A copy of the rules may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. These rules are also available electronically at the following internet address: <http://www.epa.state.oh.us/ddagw/oac.html>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
URBAN SETTING DESIGNATION FOR  
EUCLID CENTRAL CORRIDOR USD AREA, EUCLID, OHIO**

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has received, on June 16, 2008, a request to approve an Urban Setting Designation for approximately 1,358 acres of land located within the City of Euclid. The request was submitted by Matthew Knecht of HzW Environmental Consultants, LLC on behalf of the Cuyahoga Board of County Commissioners.

Pursuant to Ohio Administrative Code 3745-300-10(D), Ohio's Voluntary Action Program (VAP) allows for the voluntary cleanup of contaminated property in Ohio without the risk of state civil liability. Under VAP, ground water cleanup is required where contaminated ground water poses risks to the community or environment.

A USD may be requested for properties participating in the VAP when there is no current or anticipated future use of ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety.

The Ohio EPA director may approve the request for a USD based on a demonstration by the certified professional that the USD requirements are met and an evaluation of existing or future uses of ground water in the area have been assessed.

Comments regarding this request for USD must be received by the close of business on 45 days from date of publication of this notice. Please direct your comments by mail to Susan Netzly-Watkins, Ohio EPA-Northeast District Office, 2110 East Aurora Rd., Twinsburg, OH 44081 or by e-mail at [Susan.Netzly@epa.state.oh.us](mailto:Susan.Netzly@epa.state.oh.us)  
The USD application can be viewed by contacting Ms. Lily Aaron, Records Manager at Ohio EPA-Northeast District Office, (330) 963-1200.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF LABORATORY CERTIFICATION  
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on July 28, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to Pace Analytical Services("Pace") of 7726 Moller Road, Indianapolis, Indiana. The certification number assigned to Pace remains CL0065.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director with in three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Date of Public Notice: July 30, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DWS) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project involving the extension of the east bank along the Scioto River for the development of a park area. The application was submitted by Columbus Department of Recreation and Parks, 1111 East Broad Street, Columbus, Ohio 43205. The project is located along the east bank of the Scioto River and west of Civic Center Drive, in the City of Columbus, Franklin County, Ohio. The Huntington District Corps of Engineers Public Notice Number for the project is 2008-235-SCR. The Ohio EPA ID Number for the project is 083391.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the placement of approximately 17,650 cubic yards of fill along approximately 1,200 linear feet of the east bank of the Scioto River. The applicant's proposed minimal degradation alternative, if approved, would result in the placement of approximately 10,335 cubic yards of fill along approximately 1,200 linear feet of the east bank of the Scioto River. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Scioto River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the OHIO ADMINISTRATIVE CODE (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outline by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of the OHIO EPA.

Starting July 30, 2008, copies of the application for the certification and technical support information may be inspected of Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to OHIO EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049 Columbus, Ohio 43216-1049 within 30 days of the date of this public notice. Comments received after this date may not be considered as part of the official record.

**Date of Public Notice: August 5, 2008**

**Public Notice  
Notice of Receipt of 401 Application and Public Hearing**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project involving the development of an industrial park on property owned by Henn Development Inc. in the Village of Lordstown. The application was submitted by Henn Development, Inc., 1001 Country Way SW, Lordstown, Ohio 44481. The project is located in the Village of Lordstown, Trumbull County, Ohio. The Pittsburgh District Corps of Engineers Public Notice Number for this project is 2005-1448. The Ohio EPA ID Number for this project is 083366.

As required by the Antidegradation Rule, rule 3745 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill about 2.84 acres of jurisdictional wetland. The applicant's proposed minimal degradation alternative, if approved, would fill about 2.07 acre of jurisdictional wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Mahoning River watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 6, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on September 18, 2008 at 6:30 p.m. at the Lordstown Village Administration Building, 1455 Salt Springs Road, Warren, Ohio 44481. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on September 25, 2008. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.