

**Public Hearing Notice**  
**Ohio Environmental Protection Agency**  
**Proposed new OAC rule 3745-21-25**

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) is proposing new Ohio Administrative Code (OAC) rule 3745-21-25, "Control of volatile organic compound emissions from reinforced plastic composites production operations" to the Joint Committee on Agency Rule Review (JCARR) This rule is related to the control of volatile organic compound emissions from stationary sources.

The new rule is based on the MACT rule for reinforced plastic composites production operations (Subpart WWWW of 40 CFR Part 63) and will apply statewide.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the division formally adopts them. On October 14, 2008, this rule went out for a 30 day review by interested parties (along with several others rules for review). Several comments were received regarding this particular rule. As such, this rule was set aside from further processing until all comments could be satisfactorily addressed. Ohio EPA's response to those comments can be found in the Responsive Summary to comments available on the internet at the URL listed at the end of this notice.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on Monday, July 20, 2009 at 10:30 AM, in Conference Room B at Ohio EPA, Lazarus Government Center, 50 W. Town Street, Suite 700, Columbus, Ohio. All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitor's are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.

Pursuant to Part D of Title I of the Clean Air Act, Ohio EPA is required to establish a state implementation plan (SIP) for the attainment and maintenance of the national ambient air quality standards (NAAQS). The above mentioned rule is a part of Ohio's SIP and will be submitted to USEPA as a modification of the SIP. The above mentioned hearing shall be considered the public hearing for the SIP submittal.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on July 20, 2009, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after July 20, 2009, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

A draft of the rule and its supporting documents are available on the Ohio EPA "Regulations" Web page for electronic downloading. The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Alan Harness at Ohio EPA, (614) 644-4838, [alan.hariness@epa.state.oh.us](mailto:alan.hariness@epa.state.oh.us), or mailed to Alan Harness, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL AND ADDITIONAL LABORATORY CERTIFICATION  
UNDER  
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on June 8, 2009, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to Accutest Laboratories ("Accutest") of 2235 U.S. Route 130, Dayton, New Jersey. The Director also granted Accutest's request for additional certification for Volatile Organic Compounds by method TO15. The certification number assigned to Accutest remains CL0056.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF CERTIFIED PROFESSIONALS UNDER OHIO'S VOLUNTARY  
ACTION PROGRAM**

Notice is hereby given that on June 9, 2009, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: **Michael J. Fisher CP296, Paul P. Gallagher CP270, Ron J. Wells CP314 and Jeffrey L. Paetz CP315.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Public Notice Date: June 18, 2009**

**OHIO ENVIRONMENTAL PROTECTION AGENCY  
PUBLIC NOTICE  
TWIN CREEK WATERSHED  
TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Twin Creek Watershed Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act, which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses impairments in the Twin Creek watershed that appear on the Ohio 2008 303(d) list (assessment units 05080002 030 and 040). The impaired waters are located in the Counties of Darke, Montgomery, Preble, Butler and Warren.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Southwest District Office, 401 E. Fifth St., Dayton, Ohio 45402, Attn: Marianne Piekutowski, or by email to [marianne.piekutowski@epa.state.oh.us](mailto:marianne.piekutowski@epa.state.oh.us) by the close of business, July 18, 2009. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (U.S. EPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to U.S. EPA, please contact Marianne Piekutowski at the address above or by calling 1-800-686-8930. The Document will be posted (on or before June 18, 2009) to the Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/index.html>.

**Statewide**

**Public Notice by June, 12, 2009**

**PUBLIC NOTICE  
AMENDED 2009 PROGRAM MANAGEMENT PLAN FOR THE WATER POLLUTION  
CONTROL LOAN FUND  
AND  
WATER POLLUTION CONTROL LOAN FUND PROJECT PRIORITY LIST  
FOR PROGRAM YEAR 2009**

Notice is hereby given that the Director issued a final action on June 5, 2009, adopting the Amended 2009 Program Management Plan for the Water Pollution Control Loan Fund and the Water Pollution Control Loan Fund Project Priority List, under authority of Ohio Revised Code 6111.036. These actions may be appealed, in writing, within thirty (30) days of this notice, to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Notice of any appeal shall be filed with the Director within three (3) days. This notice of appeal shall be sent to: Hearing Clerk, OEPA, P.O. Box 1049, Columbus, Ohio 43216-1049, Phone (614) 644-3037. Consult ORC Chapter 3745 and OAC Chapters 3745-47 and 3746-05 for requirements.

Copies of the Amended 2009 Program Management Plan are available upon request and also through the internet at <http://www.epa.state.oh.us/defa/stimulus.html>.

**PUBLIC NOTICE**

**OHIO EPA APPROVES -CLOSURE PLAN FOR  
ASHTA CHEMICALS, INC.**

On May 26, 2009, Ohio EPA approved an amended post-closure plan for Ashta Chemicals, Inc. for its storage and disposal units located at 3509 Middle Road, Ashtabula, Ohio 44004. The EPA I.D. number for this facility is OHD980793301.

Pursuant to Ohio Administrative Code rule 3745-55-11 and 12, the facility's closure plan submitted on March 9, 2009 and revised on April 15 and 23, 2009, was approved with modifications as outlined in the Director's May 26, 2009 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
ASHTA CHEMICALS, INC.**

On May 26, 2009, Ohio EPA issued final Findings and Orders to Ashta Chemicals, Inc. for its facility located at 3509 Middle Road, Ashtabula, Ohio 44004. This facility is a large quantity generator of hazardous waste and stored and disposed of such waste without a permit. The EPA I.D. number for this facility is OHD980793301.

Ashta Chemicals, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On June 5, 2009, Ohio EPA issued a final modified hazardous waste facility installation and operation permit (Hazardous Waste Permit) to Chemical Solvents, Inc., for its facility at 1010 Denison Avenue, Cleveland, Ohio 44109. The EPA Identification Number for this facility is OHD980897656.

**Why does Chemical Solvents, Inc., need this Permit modification?**

Chemical Solvents, Inc. (Chemical Solvents) is engaged primarily in the recycling of dirty or spent halogenated and non-halogenated solvents. The Director of Ohio EPA initiated this modification to require Chemical Solvents, Inc., to implement specific corrective measures to satisfy its corrective action obligations. Ohio EPA reviewed the facility's investigation information collected to date and is requiring an environmental covenant to be placed on the Fuel Storage Tank Area Waste Management Units 12 and 13, and the Non-hazardous Waste Holding Area. To issue this final modified permit, Ohio EPA determined that the selected corrective measures meet appropriate standards.

**Can I appeal this modified permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this Permit, you have the right to appeal this permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than July 10, 2009. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: June 8, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that will provide storm water management services (i.e., water quantity and water quality control) and associated mitigation credit for development activities occurring at Port Columbus International Airport (CMH). The application was submitted by the Columbus Regional Airport Authority (CRAA), 4600 International Gateway, Columbus, Ohio 43219. The project is located south of CMH, between Aircenter Drive and James Road. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2009-184-SCR. The Ohio EPA ID Number for this project is 093492.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would involve excavation of a basin to meet regulatory criteria associated with long-term storm water management needs at CMH for the re-development plan being implemented by the CRAA. Installation of low height flow-diversion berms along the bottom of the basin would be constructed after excavation to allow for the establishment of a self-forming, natural low flow channel for the relocation of 900 linear feet of Turkey Run and would impact 1.62 acres (includes excavation and/or fill) of onsite wetlands. To facilitate proper flow and drainage from the basin, storm water management structures are required and would impact 1,400 linear feet of Turkey Run. The total excavation volume below the Ordinary High Water Mark is estimated to be 7,590 cubic yards. The applicant's proposed minimal degradation alternative, if approved, would also require installation of flow-diversion berms along the bottom of the basin for the relocation of 900 linear feet of Turkey Run and would impact 1.42 acres (includes excavation and/or fill) of onsite wetlands. Storm water management structures would also impact 1,400 linear feet of Turkey Run. The total excavation volume below the Ordinary High Water Mark is estimated to be 7,609 cubic yards. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Turkey Run. Ohio EPA will review the application, and decide

whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting June 8, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: June 12, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING  
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (2PB00004) for the discharge from the Village of Monroeville Wastewater Treatment Plant. The application was submitted by the Village of Monroeville, 2 South Main Street, P.O. Box 156, Monroeville, Ohio 44847.

The Village of Monroeville requests to modify the effluent mercury discharge limit provision of the Monroeville Wastewater Treatment Plant NPDES permit by applying for a variance-based effluent mercury discharge limit. The Monroeville Wastewater Treatment Plant is located at 34 Hamilton Street, Monroeville, Huron County, Ohio. The discharges are to the West Branch Huron River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the West Branch Huron River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES modification application are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402 (419)352-8461. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on July 30, 2009 at the Monroeville Public Library, 34 Monroe Street, Monroeville, Ohio 44847. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the

applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on August 6, 2009. Comments received after this date may not be considered as part of the official record.