

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on November 24, 2009; the director of Ohio EPA issued an amended infectious waste generator certificate to The Little Clinic of Ohio LLC, 8 Cadillac Dr Ste 250, Brentwood, TN 37027, Reg. No.: 00-G-01474. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on November 24, 2009, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Public Hearing**  
**Ohio Environmental Protection Agency**  
**Five-Year Rule Review of Ohio Administrative Code (OAC) Chapter 3745-80**

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) has performed a review of the above referenced rules primarily to satisfy the requirements of Section 119.032 of the Ohio Revised Code (five-year review). DAPC finds the following rules to be necessary with need for changes. DAPC proposes to amend Ohio Administrative Code (OAC) rule 3745-80, Statewide Motor Vehicle Anti-Tampering Program. The amendments are being proposed to add the word "motor" in front of "vehicle" in order to reference the correct wording and be consistent with the definition in the ORC 3704.16 which in turn references the definition of "motor vehicle" in ORC 4501.01 Motor vehicles definitions. The use of the word "vehicle" alone can mean something as also defined in ORC 4501.01. This definition of "vehicle" excludes police, fire and volunteer fire department motor vehicles. These motor vehicles were not meant to be excluded from the anti-tampering program and OAC chapter 3745-80 applicability and are not excluded in the definition of "motor vehicle."

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the Division formally adopts them. On September 29, 2009 these rules went out for a 30-day review by interested parties. One set of comments supporting the amendments was received.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on December 30, 2009 at 10:00 AM in Conference Room B at Ohio EPA, Lazarus Government Center, 50 W. Town Street, Suite 700, Columbus, Ohio. All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitor's are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on December 30, 2009, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after December 30, 2009 may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on the Ohio EPA Regulations Web page for electronic downloading. The URL is: <http://epa.ohio.gov/dapc/regs/regs.aspx>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Mike Riggelman at Ohio EPA, (614) 644-3590, [mike.riggelman@epa.state.oh.us](mailto:mike.riggelman@epa.state.oh.us), or mailed to Mike Riggelman, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049,

Columbus, Ohio 43216-1049. Persons submitting comments electronically are encouraged to follow-up with a hard copy via regular mail.

## **Public Notice**

### **Ohio Environmental Protection Agency Proposed amendment of Ohio Administrative Code (OAC) rule 3745-21-22**

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) is proposing amended Ohio Administrative Code (OAC) rule 3745-21-22, "Lithographic and letterpress printing" to the Joint Committee on Agency Rule Review (JCARR). This rule is related to the control of volatile organic compound emissions from stationary sources.

This amended rule is based on the control technology guideline (CTG) issued by U.S. EPA in 2006. Minor changes are being incorporated to add additional flexibility for complying with this rule.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the Division formally adopts them. On August 12, 2009 this rule went out for a 30-day review by interested parties. Comments were received and Ohio EPA's response to these comments can be found in the Responsive Summary to Comments available on the internet at the URL listed at the end of this notice.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on this rule change will be conducted on Wednesday, December 30, 2009 at 11:00 AM, in Conference Room B at Ohio EPA, Lazarus Government Center, 50 W. Town Street, Suite 700, Columbus, Ohio. All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitor's are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.

Pursuant to Part D of Title I of the Clean Air Act, Ohio EPA is required to establish a state implementation plan (SIP) for the attainment and maintenance of the National Ambient Air Quality Standards. The above-mentioned rule is a part of Ohio's SIP and the proposed amendments will be submitted to USEPA as a modification of the SIP. The above-mentioned hearing shall be considered the public hearing for the SIP submittal.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on December 30, 2009, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after December 30, 2009, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on Ohio EPA's Regulations Web page for electronic downloading. The URL is: <http://epa.ohio.gov/dapc/regs/regs.aspx>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Alan Harness at Ohio EPA, (614) 644-4838, [alan.hararness@epa.state.oh.us](mailto:alan.hararness@epa.state.oh.us) or mailed to Alan Harness, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Public Hearing Notice**  
**Ohio Environmental Protection Agency**  
**Five-Year Rule Review of Ohio Administrative Code (OAC) chapter 3745-77**

Notice is hereby given that in accordance with Ohio Revised Code (ORC) 119.032 (5-year rule review), the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) has reviewed the rules contained in Ohio Administrative Code (OAC) Chapter 3745-77, "Title V Permit Rules." These rules are related to Ohio's Title V permitting program. Our preliminary review indicates that these rules continue to be necessary and require changes.

Amendments are being proposed to incorporate changes that DAPC believes will improve implementation of the chapter (such as supporting a facility's transition out of Title V) and updates the chapter to reflect certain federal updates to 40 CFR Part 70 that have been made since the previous review of the rules in OAC chapter 3745-77. In addition, general changes have been made to update and clarify the rules' authorizing and amplifying statutes and update information on items incorporated by reference as required in ORC 121.72.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the division formally adopts them. On March 6, 2008, these rules went out for a 30 day review by interested parties. Ohio EPA's response to the comments received can be viewed at the Ohio EPA DAPC website listed below.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on Wednesday, December 30, 2009 at 1:00 PM in conference room B at Ohio EPA, Lazarus Government Center, 50 W. Town Street, Suite 700, Columbus, Ohio. All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitor's are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.

Pursuant to Title V of the Clean Air Act, Ohio EPA has established an approved Title V permit program (OAC Chapter 3745-77) for "major sources" and "affected sources" (as defined in 40 CFR Part 70) for sources that are located in Ohio. The above mentioned rules are a part of Ohio's approved Title V program and the proposed amendments will be submitted to USEPA as a modification of the approved program. The above mentioned hearing shall be considered the public hearing for the approved program submittal.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on December 30, 2009, will be considered by Ohio EPA prior to final action on this rule.

Written statements submitted after December 30, 2009, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on the Ohio EPA DAPC Regulations Web page for electronic downloading. The URL is: <http://epa.ohio.gov/dapc/regs/regs.aspx#TVPermitRules>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Mike Ahern at Ohio EPA, (614) 644-3631, [mike.ahern@epa.state.oh.us](mailto:mike.ahern@epa.state.oh.us) or mailed to Mike Ahern, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049. Persons submitting comments electronically are encouraged to follow-up with a hard copy via regular mail.

**State of Ohio**  
**Environmental Protection Agency**

**PUBLIC NOTICE**

November 24, 2009

**Notice of Proposed Rule-making and Public Hearing**

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Drinking and Ground Waters (DDAGW) is proposing revisions to the primary drinking water rules of the Ohio Administrative Code (OAC). The draft amendments are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

The division is proposing revisions to OAC rules 3745-81-11, 3745-81-19 and 3745-81-26. The revisions will:

- 1) revise the designation of vulnerability to beta/photon radioactivity contamination from sources identified within a one mile radius to those within the source water assessment and protection (SWAP) area;
- 2) update references to more recent versions of ANSI/NSF standards;
- 3) make corrections required by U.S. EPA for primacy; and
- 4) eliminate reference to past dates and update addresses.

As part of the rule-making process, the Agency is required by Section 121.39 of the Ohio Revised Code to consult with organizations that represent political subdivisions, environmental interests, business interests, and others affected by the rules. The Agency is offering you and your organization the opportunity to comment on these rules before the division adopts them.

A public hearing pursuant to §119.03 of the Ohio Revised Code will be conducted on **December 29, 2009, beginning at 1:30 p.m. in Conference Room D at the Ohio EPA, Lazarus Government Center, 50 West Town Street, Columbus, Ohio.** All interested persons are entitled to attend or be represented and give their written or oral comments on this proposed rule-making. A presiding officer will be present until all interested persons have been heard.

To facilitate scheduling of oral presentations, persons intending to give testimony at the hearing should ensure that Ohio EPA receives notice of such intent by **5:00 p.m. on December 28, 2009.** Persons who provide Ohio EPA with prior notice will be heard ahead of persons who register at the hearing. **All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitors are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.** To provide notice of intent to give oral comments at the public hearing, contact Susan Baughman by mail at Ohio EPA, DDAGW, Lazarus Government

Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215, or by phone at (614) 644-2752.

In order to ensure that written comments are considered as part of the official record of this hearing, written comments must be received by Ohio EPA by the close of business **December 29, 2009**. Written comments on the proposed rules may be given to the presiding officer during the hearing, sent by mail to Susan Baughman at the address above, or sent by email to the following address [ddagw\\_rulecomments@epa.state.oh.us](mailto:ddagw_rulecomments@epa.state.oh.us).

To obtain a copy of the proposed rules, contact Donna Roberts at Ohio EPA at (614) 644-2916 or email at [donna.roberts@epa.state.oh.us](mailto:donna.roberts@epa.state.oh.us). Please request the "proposed miscellaneous rules" and, if a recorded message is left, be sure to include your name, telephone number, and complete mailing address. There is no charge for proposed rules. The proposed rules will be available on the Agency web page until their adoption or withdrawal. The address is: <http://www.epa.ohio.gov/ddagw/rulemaking.aspx#proposed>.

Questions concerning this proposed rule-making, other than obtaining copies of the proposed rules, may be addressed to Susan Baughman at Ohio EPA, DDAGW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215 or by phone at (614) 644-2752. Email can be sent to [susan.baughman@epa.state.oh.us](mailto:susan.baughman@epa.state.oh.us).

**Date of Public Notice: November 23, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 Certification for two separate U.S. Army Corps of Engineers (USACE) projects located in Cleveland Harbor. The applications were submitted by the USACE, Buffalo District, 1776 Niagara Street, Buffalo, NY 14207-3199. These two projects are:

1. Cleveland Harbor Maintenance Dredging and Dredged Material Placement - The USACE, Buffalo District Public Notice number for this project is 10-02. The Ohio EPA ID Number for this project is 093556. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's preferred design alternative would entail the dredging of an estimated 675,000 cubic yards of material in 2010, with the disposal of the dredged material at either the existing Cleveland Harbor Confined Disposal Facility (CDF) 12 or 10B. The applicant's proposed minimal degradation alternative, if approved, would entail the dredging of an estimated 300,000 cubic yards of dredged material from the Federal navigation channels in 2010, with the disposal of the dredged material at either the existing CDF 12 or 10B. Dredging would not be performed during Lake Erie storm events. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the State.

2. Cleveland Harbor New CDF: The USACE, Buffalo District draft Dredged Material Management Plan/Environmental Impact Statement (DMMP/EIS) released August 19, 2009 contains the detailed planning and environmental impacts of this project, including the 404(a) Public Notice and 404(b)1 evaluation. The Ohio EPA ID Number for this project is 093550. As required by the Antidegradation Rule, three alternatives have been submitted for the project. This project involves the construction of a new in-water CDF adjacent to the Cleveland shoreline and/or existing navigation structures in Cleveland Harbor. Construction of a new CDF involves the construction of robust dikes using quarry stone or other suitable materials to withstand Lake Erie wave action and storms, sized to accommodate the anticipated level of dredging and disposal estimated for the project life. The preferred design alternative would involve the construction of a single CDF at the East 55<sup>th</sup> Street site. The CDF is approximately 157 acres. To the

south, East 55<sup>th</sup> Street site would be bound by an improved State Park Marina breakwater, the natural shoreline near the terminus of East 55<sup>th</sup> Street, and a to be constructed perimeter wall/dike. A portion of the eastern boundary would be formed by the existing First Energy circulating water intake (necessary improvements would be made to the structure) and the remainder of the perimeter would be formed by to be constructed walls. Anticipated volume is 6,850,000 cubic yards, which would provide approximately 20 years of capacity and be operational from 2015 through about 2034. The minimal degradation alternative would involve the construction of a two celled CDF known as Site 2a. Each cell of Site 2a would be approximately 65 acres for a total of 130 acres, and provides 7.1 million cubic yards of space and a lifespan of 21 years. Cell 1, to be constructed and available for disposal of dredged material in 2015. Construction of Cell 1 would include the existing wall of the West Breakwater as the northern perimeter. To the east and south, Cell 1 would be constructed of new perimeter walls. This cell would be subdivided as necessary to improve the operational aspects of dredged material disposal. Cell 1 would be designed to have a life of about eight years assuming the average annual disposal of about 338,220 cubic yards. Cell 1 would be operational from 2015 through 2022. Upon filling Cell 1 the area would be transferred to the local sponsor. Cell 2 would be constructed to include the West Breakwater as the southerly wall and would be operational from 2022 through 2034. It would have an estimated capacity of 4,490,000 cubic yards or 13 years. The north wall of cell 2 would probably be constructed of stone to deflect wave action present in this unprotected area. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state. Under this alternative, the USACE would not construct this CDF and be unable to address the need for future long-term placement of Cleveland Harbor dredged material. No construction or filling of surface waters would occur as a result of this alternative.

The discharges from each of the activities, if approved, would result in degradation to, or lowering of, the water quality of Cleveland Harbor including the Outer Harbor and Cuyahoga River Channels and the location of the new CDF. The review of the applications will be conducted, and a decision whether to grant or deny each of the applications will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the applications will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting November 23, 2009, copies of the applications for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of

lower water quality for each of these projects on January 7, 2010 at 5:30 p.m. at the Horizon Science Academy Rotunda, located at 6000 S. Marginal Road, Cleveland, OH 44103. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business January 14, 2010. Comments received after this date may not be considered as part of the official record of the hearing. Please separate your comments for each of the two projects listed above.

Persons wishing to be on Ohio EPA's interested parties mailing list for these projects, or wish to submit comments for Ohio EPA's consideration in reviewing these applications should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on January 14, 2010.

**Date of Public Notice: November 25, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct the Stone Bridge Estates, Plats 8 & 9 residential development on a vacant 40-acre parcel of land in the City of Canfield. The application was submitted by Stone Bridge Land Corporation, 200 Victoria Road Bldg 4, Youngstown, OH 44515. The project is located west of the State Route 46/Herbert Road intersection, north of Herbert Road, on the north side of the completed phases of the Stone Bridge development. The Pittsburgh District Corps of Engineers is currently reviewing a Section 404 Individual Permit for this project. The Corps of Engineers' Public Notice for this 404 permit application (2007-339) was issued on October 15, 2009. The Ohio EPA ID Number for this project is 093549.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would require the filling of 0.51 acre of wetlands and 1,831 linear feet of ephemeral and intermittent tributaries to Sawmill Creek. The applicant's proposed minimal degradation alternative, if approved, would require the filling of 0.13 acre of wetlands and 1,390 linear feet of ephemeral and intermittent tributaries to Sawmill Creek. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Sawmill Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting November 25, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the

application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE**

**Ohio EPA Director Issues Final Findings and Orders for the  
Former Glacier Clevite Heavywall Bearings (aka Miba Bearings) facility located in  
McConnelsville, Morgan County, Ohio**

On November 25, 2009, the Director of the Ohio Environmental Protection Agency (Ohio EPA) issued as a final action Director's Final Findings and Orders (DFFOs) to Gould Electronics, of Eastlake, Ohio, and the Morgan County Improvement Corporation, MCIC North State Route 60 Industrial, MCIC Sinter Property and Miba Bearings US LLC, of McConnelsville, Ohio, for certain Remedial Design and Remedial Action activities at the former Glacier Clevite Heavywall Bearings facility, 5037 North State Route 60 NW, just north of the Village of McConnelsville, Morgan County, Ohio (Site).

The DFFOs require implementation of the Decision Document issued on October 19, 2005, including the following actions: soil vapor extraction of contaminated soil; treatment of contaminated ground water; and long-term monitoring of ground water. The DFFOs also require reimbursement of Ohio EPA's past and future response costs incurred in connection with the Site.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit, it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission located at 309 South Fourth Street, Room 222, Columbus, Ohio (43215).

A copy of the DFFOs is available for review at the Kate Love Simpson Morgan County Library located at 358 East Main Street in McConnelsville, Ohio. The DFFOs and related documents are also available for review at Ohio EPA's Southeast District Office, 2195 Front Street in Logan, Ohio, by calling (740) 385-8501 for an appointment.