

State of Ohio

Environmental Protection Agency

PUBLIC NOTICE

February 2, 2011

Request for Comment on Draft Rules

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Drinking and Ground Waters (DDAGW) is proposing revisions to underground injection control (UIC) class V well requirements in rule 3745-34-11 in the Ohio Administrative Code (OAC). The proposed rule amendments to the OAC are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

DDAGW is proposing amendments to the class V well rule to allow, without a permit and in specific instances, minimal discharge of wastewater resulting from the treatment of drinking water. Currently, all such discharges are required to have a permit. However, a permit is not always necessary in these instances based on the dilution of the wastewater being discharged (and the reduction of total dissolved solids or TDS). The proposed amendments will reduce costs for some businesses no longer required to obtain a permit for these discharges.

As part of the rule-making process, the Agency is required by Section 121.39 of the Ohio Revised Code to consult with organizations that represent political subdivisions, environmental interests, business interests, and others affected by the rules. The Agency is offering you and your organization the opportunity to comment on these rules before the division formally proposes them.

A public hearing pursuant to §119.03 of the Ohio Revised Code will be conducted on **March 8, 2011, beginning at 10:30 a.m. in Conference Room B at the Ohio EPA, Lazarus Government Center, 50 West Town Street, Columbus, Ohio.** All interested persons are entitled to attend or be represented and give their written or oral comments on this proposed rule-making. A presiding officer will be present until all interested persons have been heard.

To facilitate scheduling of oral presentations, persons intending to give testimony at the hearing should ensure that Ohio EPA receives notice of such intent by **5:00 p.m. on March 7, 2011.** Persons who provide Ohio EPA with prior notice will be heard ahead of persons who register at the hearing. **All visitors to Ohio EPA must register at the Security desk in the lobby upon arrival. Please bring photo identification (such as a valid driver's license). For security reasons, visitors are required to wear their badge at all times while in the building. Please arrive early to complete these procedures.** To provide notice of intent to give oral comments at the public hearing, contact Susan Baughman by mail at Ohio EPA, DDAGW,

Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215, or by phone at (614) 644-2752.

In order to ensure that written comments are considered as part of the official record of this hearing, written comments must be received by Ohio EPA by the close of business **March 8, 2011**. Written comments on the proposed rules may be given to the presiding officer during the hearing, sent by mail to Susan Baughman at the address above, or sent by email to the following address ddagw_rulecomments@epa.state.oh.us.

To obtain a copy of the proposed rules, contact Donna Roberts at Ohio EPA at (614) 644-2916 or email at donna.roberts@epa.state.oh.us. Please request the "proposed UIC rule" and, if a recorded message is left, be sure to include your name, telephone number, and complete mailing address. There is no charge for proposed rules. The proposed rules will be available on the Agency web page until their adoption or withdrawal. The address is: <http://www.epa.ohio.gov/ddagw/rulemaking.aspx#proposed>.

Questions concerning this proposed rule-making, other than obtaining copies of the proposed rules, may be addressed to Susan Baughman at Ohio EPA, DDAGW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215 or by phone at (614) 644-2752. Email can be sent to susan.baughman@epa.state.oh.us.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 2/1/2011.

For information regarding these final actions, contact Michael Riggelman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
CUYAHO GA	MR. TIRE #865	LAKEWOOD	OH
GEAUGA	DALE'S AUTO SERVICE	CHARDON	OH

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 2/1/2011.

For information regarding these final actions, contact Michael Riggelman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

FIRST	LAST	CITY	STATE
SCOTT J.	KUCHAR	ROCK CREEK	OH

**PUBLIC NOTICE
FINAL ISSUANCE OF AN AMENDED CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on February 1, 2011, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE
FINAL ISSUANCE OF AN AMENDED CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on February 1, 2011; the director of Ohio EPA issued an amended infectious waste transporter certificate to Daniels Sharpsmart Inc., 135 S. Lasalle St Ste 2850, Chicago, IL 60603 No. 00-T-00278. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE
FINAL ISSUANCE OF AMENDED CERTIFICATE OF
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 1, 2011; the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, Reg. No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE POST CLOSURE PLAN

On December 20, 2011, Ohio EPA received a revised hazardous waste post closure plan from AK Steel Corporation-Coshocton Works, for its disposal unit resulting from a release from the commercial product substitute transfer line. The AK Steel, Coshocton Works facility located at 17400 State Route 16, Coshocton, Ohio 43812. The EPA Identification Number for this facility is OHD004294567.

Why is AK Steel submitting this New Post Closure Plan?

As the result of the Director's Final Findings and Orders issued in January 2008, AK Steel submitted this new post closure plan. This plan addresses the groundwater monitoring requirements related to the disposal unit where the commercial product substitute waste released. Other topics include, but are not limited to, a description of the disposal unit, regional and site-specific environmental setting, extent of constituents from a 2004 release, alternate concentration limits, post-closure groundwater monitoring program, closure and post-closure cost estimate, and financial assurance.

When and how do I submit written comments about this New Post Closure Plan?

You can submit written comments anytime between February 1 and March 3, 2011. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the New Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215; (614) 644-2977.

**PUBLIC NOTICE
ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL,
ISSUANCE OF DRAFT NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM PERMIT MODIFICATION AND NOTICE OF PUBLIC INFORMATION SESSION /
HEARING**

Notice is hereby given that on January 31, 2011, Ohio EPA issued a draft Solid Waste Permit to Install (PTI #664805) and a draft National Pollutant Discharge Elimination System Permit modification (NPDES #1IT00125) to Cherokee Run Landfill, Inc., 2946 US Route 68 N, Bellefontaine, OH 43311. The draft solid waste permit, if issued as a final permit, authorizes a non-contiguous lateral expansion of the Cherokee Run Landfill (Facility), an existing municipal solid waste disposal facility located in Logan County. The draft NPDES permit modification, if issued final, would add two outfall locations to the existing permit. A Draft Action is a written statement of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges for the facility, if approved, would result in degradation to, or lowering of, the water quality of Flat Branch to Bokengehalas and Cherokee Run. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1-07 will not be exceeded.

In accordance with Ohio Revised Code (ORC) 3734.05 and OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the director before the draft actions are issued as final. A Public Hearing will be held on Thursday, March 24, 2011, at the Bellefontaine Municipal Airport Conference Room, 3100 State Route 47 West, Bellefontaine, Ohio 43311. The meeting will start at 6:30 p.m. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to further action on the draft permits. Persons wishing to be on Ohio EPA's interested parties mailing list for this project or submit comments regarding the draft NPDES permit must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 (614)644-2001. Written comments will be accepted for the director's consideration until April 1, 2011.

The Solid Waste PTI application may be reviewed in accordance with Ohio EPA's file review procedures by writing to Ohio EPA, Southwest District Office, 401 East Fifth Street, Dayton, OH 45402-2911, Tel:(937) 285-6357. Written comments will be accepted for the director's consideration until April 1, 2011 and should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

OHIO EPA ISSUES TEMPORARY AUTHORIZATION

On February 1, 2011, Ohio EPA issued a temporary authorization under its hazardous waste facility installation and operation permit (Hazardous Waste Permit) to Envirosafe Services of Ohio, Inc. (Envirosafe) for its facility at 876 Otter Creek Road, Oregon, Ohio 43616. The EPA Identification Number for this facility is OHD045243706.

Why does Envirosafe need this temporary authorization?

Envirosafe is permitted to operate a hazardous waste landfill and other related hazardous waste management units at its facility. On June 1, 2010, Ohio EPA received Envirosafe's request for a temporary authorization to allow treatment of hazardous waste containing free liquids and to add the following treatment technologies: Chemical Oxidation, Chemical Reduction, and Activated Carbon Adsorption in the Stabilization/Containment Building. The temporary authorization provides this change prior to the issuance of the Class 2 permit modification, which is currently under review.

Can I appeal this temporary authorization?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this temporary authorization, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **March 7, 2011**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Scott Nally, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.