

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Goodwill Easter Seals Miami Valley and the City of Dayton, Goodwill Easter Seals
Miami Valley Human Services Center Project

Notice is hereby given that on January 12, 2015, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to *Goodwill Easter Seals Miami Valley and the city of Dayton*, the "Volunteers" for property known as Goodwill Easter Seals Miami Valley Human Services Center Project (the "Property").

The Volunteers conducted a voluntary action of the approximately 5.834 acre-Property, which is located at 652 South Main St., Dayton, Montgomery County, Ohio. A no further action letter for the Property was submitted on June 6, 2014, to the Voluntary Action Program of the Ohio EPA Division of Environmental Response and Revitalization by Bradford White, a Certified Professional as defined in ORC 3746.01(F) and OAC 3745-300-01(A).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio," which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 77 South High Street, 17th Floor, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Environmental Response and Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
1/12/2015 Issuance of Draft Air Pollution Permit-To-Install and Operate

HDI Landing Gear Division
15900 Foltz Industrial Pkwy,
Strongsville, OH 44136
Cuyahoga County

FACILITY DESC: Other Aircraft Parts and Auxiliary Equipment Manufacturing
PERMIT #: P0117844
PERMIT TYPE: Initial Installation

PERMIT DESC: Initial PTIO for equipment required to manufacture landing gears for the aviation industry, including hard chrome plating lines P001 - P004 controlled with packed bed scrubber and composite mesh pad, miscellaneous metal painting lines K001 - K002 vented to a dry filter, and an open top trichloroethylene vapor degreaser L001 equipped with a refrigerated condenser coil.

The Director of the Ohio Environmental Protection Agency issued the draft permit above. The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the permit # or: David Hearne, Cleveland Division of Air Quality, 2nd Floor 75 Erieview Plaza, Cleveland, OH 44114. Ph: (216)664-2297.

**Date of Public Notice: January 12, 2015 BELMONT, HARRISON, JEFFERSON
COUNTIES**

**PUBLIC NOTICE
ISSUANCE OF APPROVAL OF REQUEST FOR ALTERNATIVE SCREENING
METHOD**

Allegheny County Sanitary Authority (ALCOSAN)

Ohio EPA has received a request for approval of an alternative screening method for Allegheny County Sanitary Authority (ALCOSAN) Ohio EPA Permit No. 5IN00000. Upon review of the request, in accordance with Ohio Administrative Code Chapter 3745-40-02(C)(3)(a)(iii), the Director has approved ALCOSAN's existing screening process as an alternative screening method.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
Stoneco Equipment #21.8795

Issue Date: 01/15/2015
Relocation Number: REL03082
Facility ID: 0664960031

Facility Location: Stoneco Equipment #21.8795
10148 County Road 313,
Findlay, OH 45840

Facility Description: Asphalt Paving Mixture and Block Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 4301 S. Charleston Pike, Springfield, Ohio 45502 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Southeast District Office at (740)385-8501.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
Precision Grading LLC**

Issue Date: 01/14/2015
Relocation Number: REL03092
Facility ID: 0165010401

Facility Location: Precision Grading LLC
111 East Main Street,
Chillicothe, OH 45601

Facility Description: Crushed and Broken Limestone Mining and Quarrying

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 1281 Edgehill Road Columbus, OH 43212 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Ohio EPA DAPC, Central District Office at (614)728-3778.

**PUBLIC NOTICE
PROPOSED CONSENT ORDER**

The Ohio Environmental Protection Agency (Ohio EPA) and Dwain Stillwell dba Traveler's Rest Hotel ("Defendants") have entered into a proposed Consent Order to resolve the Complaint filed in the Holmes County Court of Common Pleas, Case Number **14CV112**. The Complaint alleged that Defendants illegally discharged untreated and improperly treated sewage to waters of the state and caused pollution without having a legally effective permit. The Complaint also alleged that Defendants failed to connect to an available and assessable sanitary sewer system. The proposed Consent Order requires Defendants to comply with all applicable provisions of R.C. Chapter 6111 and pay a civil penalty of ten thousand dollars (\$10,000).

Copies of the proposed Consent Order can be obtained from the Ohio EPA, Northeast District Office, by calling the Division of Surface Water Enforcement Supervisor at (330) 963-1200 or by writing to:

Ohio EPA-NEDO
Division of Surface Water
Attn: Enforcement Supervisor
2110 E. Aurora Road
Twinsburg, Ohio 44087

Written comments should be submitted to Ohio EPA at the above address on or before **February 16, 2015**.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty day period commences on **January 17, 2015**. The State of Ohio, Dwain Stillwell dba Traveler's Rest Hotel, reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.

Date of Public Notice: January 7, 2015

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to expand the footprint of the existing Leroy Center Switching Station to allow for addition 345 to 138 kV transformers. The application was submitted by American Transmission Systems, Incorporated. The project is located at 13757 Leroy Center Road in Painesville. The Buffalo District Corps of Engineers Public Notice Number for this project is 2014-00563. The Ohio EPA ID Number for this project is 144432

As required by the Anti-degradation Rule, 3745-1-05, of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 5.35 acres of forested Category 2 wetlands, 1.12 acres of non-forested Category 2 wetlands, and 0.01 acres on non-forested Category 1 wetlands for the expansion. The applicant's proposed minimal degradation alternative, if approved, would impact 3.06 acres of forested Category 2 wetlands, and 1.28 acres of non-forested Category 2 wetlands for the expansion. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Grand River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an anti-degradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting January 7, 2015, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: www.epa.ohio.gov/dsw

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on March 5, 2015 at 6:00 p.m. at LeRoy Township Senior/Community Center, 13028 LeRoy Center Road, Painesville Ohio 44077. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on March 12, 2015. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: December 23, 2014

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to expand the Ohio Christian University Campus. The application was submitted by Ohio Christian University. The project is located at 1476 Lancaster Pike. The Huntington District Corps of Engineers Public Notice Number for this project is LRH 2014-752-SCR. The Ohio EPA ID Number for this project is 144575.

As required by the Anti-degradation Rule, 3745-1-05, of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 656 linear feet of perennial streams. The applicant's proposed minimal degradation alternative, if approved, would impact 350 linear feet of perennial streams. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Hargus Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an anti-degradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting December 23, 2014, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: www.epa.ohio.gov/dsw

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE
PK Crushing & Materials LLC

Issue Date: 01/13/2015
Relocation Number: REL03077
Facility ID: 1677011216

Facility Location: PK Crushing & Materials LLC
550 Dan St,
Akron, OH 44310

Facility Description: All Other Miscellaneous Nonmetallic Mineral Product
Manufacturing

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation and the facility is authorized to move to 4566 Orchard St Mantua OH 44255 upon the publication of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

All inquiries concerning this action may be directed to Akron Regional Air Quality Management District at (330)375-2480.

**PUBLIC NOTICE
PROPOSED CONSENT ORDER FOR PERMANENT INJUCTION**

The Ohio Environmental Protection Agency (Ohio EPA) and Hartung Brothers, Inc., (“Defendants”) have entered into a proposed Consent Order to resolve the Complaint filed in the Wood County Court of Common Pleas, Case Number 2014 CV 0357. The Complaint alleged that Defendants violated its water pollution permits and discharged septic process wastewater and contaminated storm water from the Site to Gypsy Lane Road Ditch and the North Branch Portage River, causing violations of various water quality standards parameters. The complaint also alleged that Defendants failed to report and monitor discharges and failed to submit a Permit to Install prior to installing and/or modifying its industrial wastewater disposal system.

The proposed Consent Order requires Defendants to comply with all applicable provisions of R.C. Chapter 6111 and pay a civil penalty of forty thousand dollars (\$40,000).

Copies of the proposed Consent Order can be obtained from the Ohio EPA, Northwest District Office, by calling the Division of Surface Water Enforcement Supervisor at (419) 352-8461 or by writing to:

Ohio EPA
Northwest District Office
Division of Surface Water
Attn: Enforcement Supervisor
P.O. Box 466
Bowling Green, OH 43402

Written comments should be submitted to Ohio EPA at the above address on or before **February 12, 2015**.

The final approval and entry of the proposed Consent Order will not occur until after the thirty (30) day public comment period has expired. The thirty day period commences on **January 13, 2015**. The State of Ohio and Hartung Brothers, Inc., reserve the right to withdraw or alter the proposed Consent Order based on comments received during the public comment period.